DATA FOR OBSERVATION WELLS IN ONTARIO 1978 Copyright Provisions and Restrictions on Copying:

This Ontario Ministry of the Environment work is protected by Crown copyright (unless otherwise indicated), which is held by the Queen's Printer for Ontario. It may be reproduced for non-commercial purposes if credit is given and Crown copyright is acknowledged.

It may not be reproduced, in all or in part, for any commercial purpose except under a licence from the Queen's Printer for Ontario.

For information on reproducing Government of Ontario works, please contact ServiceOntario Publications at copyright@ontario.ca

WATER RESOURCES
BULLETIN 2-105
Ground water series

APR 14 1980
MINISTRY OF THE

LABORATORY & RESEARCH LIBRARY MINISTRY OF THE ENVIRONMENT

ENVIRONMENT

DATA FOR OBSERVATION WELLS IN ONTARIO 1978

ISSN 0701-7499

MINISTRY OF THE ENVIRONMENT

Water Resources Branch

TORONTO

ONTARIO

Let I a mark

METRIC CONVERSION FACTORS

Multiply English Units	by	To Obtain Metric Units
Inches (in)	2.540	Centimetres (cm)
Feet (ft)	0.305	Metres (m)
<pre>Imperial gals/min (Igpm)</pre>	0.758	Litres/sec L/s)
<pre>Imperial gals/min/ft (Igpm/ft)</pre>	0.248	Litres/sec/metre (L/s/m)

MOE WKK CHOS HEOF

TABLE OF CONTENTS

	raye
Observation Well Information	iv v vi viii viii viii viii viii viii
- Central Region	xiii
- Southeastern Region	xiv
OBSERVATION WELL DATA	
Southwestern Region	45
NOUTREASTERN REGION	86

INTRODUCTION

The ground-water regime that exists in any area is a result of the geology, topography, drainage and climate of that area. Water which enters the soil and percolates downward into the zone of saturation, where all the voids and openings of the materials in the ground are filled with water, is commonly referred to as ground water. The top of this zone of saturation or ground-water system is called the water table and in Ontario is often found a few feet below the ground surface.

Precipitation in the form of rain and snow is the main source of ground water. In general, approximately 40% of all precipitation becomes surface runoff or infiltrates into the ground. The rest is returned to the atmosphere by evaporation from the soil and open bodies of water, and by transpiration from vegetation. Precipitation averages over 30 inches (76 cm) annually in most parts of southern Ontario. Forty percent of this amounts to 174 million gallons on each square mile of land surface, or 212 million litres on each square kilometer. Generally, less than one half of this volume of water will infiltrate and move through the ground-water system before being discharged into streams or lakes. Since infiltration rates are comparatively higher in sand and gravel areas than in clay areas, recharge to ground water will be correspondingly higher in sands and gravels.

Geologic formations that contain, transmit and yield ground water in usable quantities are termed aquifers. The degree to which a formation will store and yield water is dependent on its porosity and permeability. The porosity of a material is the proportion of openings or pore spaces to the volume of the material. The permeability gauges the rate at which a material will transmit water, and is dependent on the size and degree of interconnection of the pore spaces. Thus, a fine silty sand may have a higher porosity than a medium sand, but the finer material will have a lower permeability and yield smaller quantities of water to wells.

The amount of water that can be extracted from any area depends on the characteristics of the aquifers. Fine-grained overburden materials such as clays and silts are generally poor sources of water supply. Wells developed in such materials may not meet normal household requirements (100 gals/capita/day) if adequate storage is not provided. Coarse overburden materials such as sands and gravels have high permeabilities and are usually very good sources of ground water. Bedrock materials with adequate permeabilities resulting from fractures and solution cavities are also good sources of ground water.

Numerous factors such as the amount and intensity of rainfall, nature of the soil and vegetation, slope of land surface, and wind and temperature conditions also have a bearing on the amount of precipitation that becomes ground water. Before large withdrawals of ground water are planned in an area, a reliable estimate should be made of the average annual recharge to ground water. If this is done, the depletion of ground water stored in the aquifer can usually be avoided, and pumping installations can be designed for long, economical use.

GROUND WATER LEVELS

One of the keys to the availability of ground water in a particular area are actual water levels as measured in wells. These levels may be a reflection of static or equilibrium ground-water conditions, or they may reflect artificial drawdown conditions caused by local withdrawals. A continuous record of water-level fluctuation reveals numerous factors concerning both the ground-water regime and the characteristics of a particular water-bearing formation. The continuous record, or hydrograph, is useful in analyzing natural long-term fluctuations in ground-water levels which are related commonly to precipitation, evapotranspiration and the discharge of water to streams.

In addition to monitoring natural ground-water level fluctuations, observation wells are established to determine the effects of large ground-water withdrawals from aquifers, to show the effects of natural and artificial recharge on aquifers, to assist in drainage basin analyses by providing data to show recharge and discharge areas, and to show regional and local ground-water flow patterns. Together with data on pumping rates, pumping levels and other aquifer characteristics, the water levels in observation wells are utilized in the calculation of the potential yield of aquifers and high-capacity production wells.

The water level in an unpumped observation well is referred to as the static level. Fluctuations in this level result either from natural causes such as precipitation, evaporation and ground-water discharge, or from artificial causes such as pumping or artificial recharge. A static level that follows a downward trend may forecast serious problems resulting from overpumping, reduced recharge due to changed soil or vegetational cover, or a combination of these and other factors. A knowledge of ground-water levels is a prerequisite to good ground-water management. Problems of water shortages and complaints about well interference cannot be fully understood or resolved without reliable data on water-level fluctuations.

In Ontario, ground-water levels normally rise during the fall, early winter and spring snowmelt periods when transpiration and evaporation are minimal. Throughout the warm-weather growth period, the amount of water infiltrating is greatly decreased by evaporation and transpiration. As a result, recharge to ground water is minimized and ground-water levels generally decline during this period.

OBSERVATION WELL NETWORK

The observation well network in the Province of Ontario dates back to 1946 when the initial step in establishing the network was taken by the Ontario Department of Mines. Some of the original wells are still being used for observation purposes. The observation wells within the network consist primarily of drilled and bored wells, which are used commonly for supply purposes, as well as the more specialized piezometer tubes, which are used specifically for water-level measurement purposes. Water levels are measured either manually by tape or by automatic water-level recorders. Abandoned wells are ideally suited for observation purposes because the water-level fluctuations will not be affected by withdrawals of ground water from the wells. Observation wells in some cases have been acquired over the years in co-operation with private individuals or municipalities. Other wells have been constructed by the Ministry of the Environment specifically for water management and interference studies, and for river basin studies. New wells are regularly being incorporated into the network as new studies or water management problems arise. Older wells are phased out as sufficient data are gathered to satisfy the original intended use, or if a particular property owner wishes to use the well for other purposes.

HYDROGRAPHS

Included for the first time in this bulletin, are yearly hydrographs for the observation wells which are equipped with water-level recorders. These hydrographs are computer plots of water-level data stored from digitized recorder charts. The hydrographs show actual water levels and give a complete picture of water level fluctuations in any one observation well for the entire year.

OBSERVATION WELL DISTRIBUTION

As of December 31, 1978 the distribution of observation wells within each Region of the Ministry was as follows:

Region	Recording Wells	Manually Measured Wells
 Southwest West-Central 	23 23	8 8
3) Central4) Southeast	32 10	=
TOTA	AL 88	16

Observation wells in this publication are indexed in the following order.

- MOE Region All observation wells located in one particular region are grouped together.
- 2) County The wells are indexed by county, then by township.
- 3) Numerically Where there is more than one well in a particular township they are listed by their observation well numbers.

The Regional maps show the approximate locations of the recording wells and can be used as a guide to the distribution of the wells in each region.

OBSERVATION WELL INFORMATION

The recorder charts are forwarded to the Hydrology and Monitoring Section of the Water Resources Branch in Toronto where the chart data is processed using the computer-digitizing method. After processing the data a variety of output options are available.

- Water-level tabulations in either English or Metric Units in any of the following formats:
 - a) daily mean values
 - b) daily instantaneous maximum values
 - c) daily instantaneous minimum values
- 2) Annual hydrographs in either "Feet Above Sea Level" or "Feet Below Ground Surface" in either English or Metric Units plotted in any of the following formats:
 - a) daily mean values
 - b) daily instantaneous maximum values
 - c) daily instantaneous minimum values
 - d) all above plotted on same hydrograph
 - actual water-level plots from digitized points.
- 3) A card output of any one of the following:
 - a) daily mean values
 - b) daily instantaneous maximum values
 - daily instantaneous minimum values

EXPLANATION OF WELL SPECIFICATIONS

OBSERVATION WELL NUMBER The observation well number is assigned in numerical sequence at the time of the establishment of each observation well.

WELL REC. #

Each observation well is assigned a well record number to identify it within Ontario's water well record system. Each well record is assigned a unique number after it is filed with the Ministry.

CONC.

The majority of townships in Ontario are surveyed into a regular pattern of concessions and lots; however, in some areas, geographical or historical factors may have created surveys of irregular shapes or patterns. This has resulted in many survey descriptions which are unique to certain areas.

SEE:

Abbreviations Used to Describe Surveys and Tracts.

UTM CO-ORD.

(Universal Transverse Mercator Co-ordinates in Metres) This location system makes use of a square grid, 1000 x 1000 metres, which is superimposed on maps of the National Topographic System. The vertical grid lines are called Eastings and the horizontal lines Northings.

The Easting represents the distance of a well in an easterly direction from a given north-south reference line. The Easting is the figure immediately following the letter E.

The Northing represents the distance of a well in a northerly direction from a given east-west reference line. The Northing is the figure immediately following the letter N.

The zone number which follows the letter Z is also a part of the UTM co-ordinates.

LAT & LONG

Latitudes and Longitudes were determined from plotted locations on topographic maps and are given to the nearest minute.

REC. METHOD

The recording method describes the manner in which the data were obtained, i.e., automatic water-level recorder or manual measurement.

The following automatic recorders are currently in use by the Ministry of the Environment:

- Stevens A-35 Recorder (Float actuated)

 Stevens 'F' type recorder (Weekly/Monthly; Float actuated)

 Brott Recorder (Nitrogen gas actuated)

REC. COMMCD

Water-level recording was commenced on the date listed.

MEASURE PT.

The measuring point is the reference point, either above or below ground level, from which measurements are taken for each observation well. This figure is subtracted or added to the recorder chart measurements to obtain water levels in feet below ground surface.

WELL TYPE

This describes the method of construction of the well, i.e. drilled, bored or dug.

DIAMETER OF WELL

Casing diameters are shown to the nearest inch. Where several sizes of casings were used, the diameter of the lowermost casing only is given.

GND ELEV.

The ground elevation at the well site is given in feet above mean sea level. The majority of the elevations were determined from plotted locations on the National Topographic maps and are therefore related to the accuracy of the locations and the scale of the maps.

LENGTH OF CASING

The length of casing is the distance from ground level to the end of the cased section of the well.

LENGTH OF SCREEN

This is the length of well screen, sand point or slotted pipe section.

PUMP RATE

This is the rate (in Imperial gallons per minute) at which the well was test pumped. Where no pumping test was performed, the letters N.A. appear.

SPEC. CAP.

The specific capacity is determined using information obtained during the pumping test. It is calculated by dividing the pumping rate by the drawdown, which is the difference between the static water level before the test and the maximum pumping level measured during the test. Where no pumping test was performed, the letters N.A. appear.

AQUIFER

This lists the geological material of the main water-bearing formation.

OUALITY

After the construction of each well, the driller evaluates the water for taste and smell. The kind of water is shown by the following: Fresh

Salty Sulphur Mineral

WELL LOG

This is a verbatim description of the well log as it was listed on the well record by the driller. Each formation is followed by a number which indicates the distance to the bottom of the formation. The last number generally indicates the total depth of the well.

MONTHLY SUMMARY

Monthly summaries are printed only for those months in which there are data for every day in that month.

MEAN

This figure represents the mean monthly water level, measured in feet below ground surface.

INST. MAX.

This is the instantaneous maximum water level, in feet below ground surface recorded for that month. The bracketed figure (or figures) immediately below the INST. MAX. value indicates the date(s) on which that value occurred. If the maximum value falls on more than 4 days it is indicated by an asterisk.

INST. MIN.

This is the instantaneous minimum water level, in feet below ground surface, recorded for that month. The bracketed figure (or figures) immediately below the INST. MIN. value indicates the date(s) on which that value occurred. If the minimum value falls on more than 4 days it is indicated by an asterisk.

ABBREVIATIONS USED TO DESCRIBE SURVEYS AND TRACTS

Abbreviations	Survey or Tract	Municipality
Southwestern Region		
FC	Front Concession	South Colchester Twp.
NTR E	North Talbot Road East	Westminster Twp.
Range IN	Range 1 North (Longwood's Rd. North)	Caradoc Twp.
WB	West Boundary Concession	Blanshard Twp.
West-Central Region		
BRN	Bleams Road North	Wilmot Twp.
BRS	Bleams Road South	Wilmot Twp.
ERS	Egremont Road South	Wilmot Twp.
JT	Jones Tract	N. Cayuga Twp.
STR	South Talbot Road	Middleton Twp.
Central Region		
HSE	Hurontario Street East	Chinguacousy Twp.
HSW	Hurontario Street West	Chinguacousy Twp.
OS	Old Survey	King Twp.
R 3 CIR	Range 3 Credit Indian Reserve	Toronto Twp. (Old Survey)
1E	Conc. 1E (Yonge Street East)	East Gwillimbury Twp.
Southeastern Region		
MT	Military Tract	Hallowell Twp.

WELL INDEX

Southwestern Region

County/ Reg. Municipality	Municipality	Observation Well #	Page Tabulation	Page Hydrograph
Essex	Sandwich East Twp. Colchester South Twp Colchester South Twp	o. 171	2 2 3 3	14 15
	Colchester South Twp	222	3	16
Huron	Morris Twp.	351	4	-
Kent	Bothwell Camden Twp.	172 217	4 5	-
	Harwich Twp. Tilbury Twp.	345 309	5 5 5	=
Lambton	Alvinston Forest	207 56	6 6	17 18
Middlesex	Caradoc Twp. Lobo Twp. Lobo Twp.	206 100 107	7 7 8	19 -
	Mosa Twp.	221	8 8 9 9	-
	Westminster Twp.	29	9	-
	Westminster Twp. Westminster Twp.	71 91	9 10	20 21
	Westminster Twp.	513	10	-
0xf ord	Blenheim Twp.	542	11	-
	South Norwich Twp. South Norwich Twp.	176 177	11 12	-
Perth	Blanshard Twp. Stratford	45 182	12 13	22 23

WELL INDEX

West-Central Region

County/ Reg. Municipality	Municipality	Observation Well #	Page Tabulation	Page Hydrograph
Haldimand-Norfolk	Middleton Twp. North Cayuga Twp. South Walsingham Twp. South Walsingham Twp. Townsend Twp.		25 25 26 26 27	35 36 37 38
Niagara	North Grimsby Twp. Wainfleet Twp.	399 228	27 28	39 40
Waterloo	Kitchener Kitchener Kitchener Kitchener Wilmot Twp. Wilmot Twp. Wilmot Twp. Wilmot Twp. Wilmot Twp. Wilmot Twp.	34 35 59 82 116 117 396 514 524	28 28 29 29 29 30 30 31 31	41 - 42
Wellington	Erin Twp. Guelph Twp. Puslinch Twp. Puslinch Twp. Puslinch Twp. Puslinch Twp.	432 532 131 213 397 544	32 32 33 33 34 34	43 - - - - 44
Central Region				
Durham	Pickering Twp. Pickering Twp. Pickering Twp. Pickering Twp. Uxbridge Twp.	329 405 406 512 301	46 46 47 47 48	60 61 62 63
Halton	Esquesing Twp. Esquesing Twp. Georgetown Trafalgar Twp. Burlington	414 437 377 374 531	48 49 49 50 50	64 65 66 67 68
Northumberland	Hope Twp.	530	51	69
Pee1	Albion Twp. Chinguacousy Twp. Chinguacousy Twp. Toronto Twp.	253 167 168 65	51 52 52 53	70 71 72 73

WELL INDEX

Central Region (cont'd)

County/ Reg. Municipality	Municipality	Observation Well #	Page Tabulation	Page Hydrograph
Simcoe	Barrie Essa Twp. Wasaga Beach	529 7 373	53 54 54	74 75 76
Victoria	Mariposa Twp.	375	55	77
York	East Gwillimbury Twp King Twp. King Twp. Markham Twp. Markham Twp. Markham Twp. North York Whitchurch Twp.	. 344 342 343 106 305 398 90 340	55 56 56 57 57 58 58 59	78 79 80 81 82 83 84
Southeastern Region	<u>!</u>			
Dundas	Chesterville	522	87	93
Grenville	Edwardsburgh Twp.	523	87	94
Hastings	Hungerford Twp. Sidney Twp. Thurlow Twp. Thurlow Twp.	209 400 122 328	88 88 89 89	- 95 96 -
Lennox & Addington	Ernestown Twp.	474	90	97
Ottawa-Carleton	Nepean Twp.	541	90	-
Prescott	South Plantagenet Tw	p. 521	91	-
Prince Edward	Hallowell Twp.	178	91	-
Russell	Clarence Twp.	546	92	-
Stormont	Finch Twp.	520	92	-

Southwestern Region









Lake Huron SOUND

BRUCE

GREY

HURON PERTH

MIDDLESEX OXFORD SARNIA **•LONDON** LAMBTON

> ELGIN KENT Lake Erie

WINDSOR ESSEX 83°,00° W 81° 100' W 82°100' W

OBSERVATION WELL DISTRIBUTION

- 44°00'N

- 43° 00' N

LEGEND ledotRegional Office District Office Recording Observation Well Number of Recording Wells in same location

Manually Measured Well Number of Manually Measured Wells in same location

OBSERVATION WELL DATA

REGIONAL OFFICE LONDON 985 Adelaide St. S. 519-681-3600

DISTRICT OFFICES Windsor 3012 Tecumseh Rd. E. 519-945-2339 Sarnia 242A Indian Rd. S. 519-336-4030 Owen Sound 220 11th St. E. 519-371-2901

ENVIRONMENT ONTARTO TORONTO ESSEX COUNTY

PRSERVATION WELL 164

TOWNSHIP OF SANDWICH F.

*FLL REC #1 2102685 UTM CO-UPD1 Z-17 E337280 N4680660 CONC. 3 LOT 95 LAT & LONG: 42-16NURTH 82-58*EST

PEC METHON: A35 PECORDER

PFC COMMCO: DEC 6 1965

MEASURE DT: 3.0 FEET ARROYE GROUND SURFACE

MEASURE DT: 620 FEET ARROYE SEA LEVEL

DEDTH OF WFLL: 23 INCHES

DUMP RATE: 154 IGPM
FRATE: 154

PUMP RATE! 154 IGPM SPEC. CAP! 2.01 IGPM/FT AQUIFER ! LIMESTONE QUALITY ! FRESH

1978

				DAILY	EAN WATER	LEVELS IN	FEET BELOW	GROUND SU	RFACE					
DAY	JAN	FEB	MAR	ADD	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	DAY	
1	31.30	31.56	31.79	31.40	31.36	31.18	31.58	31.81	32.29	32.01		2		
2	31.34	31.63	31.68	31.54	31.34	31.20	31.45	31.82	32.21	32.08		31.54	1	
3	31.49	31.90	31.46	31.47	31.29	31.18	31.38	31.87	32.13	32.29		31.73	5	
4	31.84	31.62	31.74	31.43	31.25	31.21	31.50	32.00	32.17	31.99		31.75	3	
5	35.05	31.40	31.85	31.52	31.24	31.20	31.54	32.05	32.15	32.01		31.48	4	
6	31.72	31.49	31.83	31.35	31.35	31.32	31.55	32.04	32.24	31.89		31.42	5	
7	31.58	31.53	31.76	31.44	31.35	31.21	31.47	32.00	32.21	31.94		31.55	6	
я	31.31	31.52	31.67	31.50	31.20	31.23	31.42	32.08	32.22	31.96		31.59	7	
9	31.26	31.59	31.57	31.49	31.16	31.34	31.33	31.90	32.28	35.05	31.69	31.58	8	
10	31.55	31.66	31.60	31.30	31.29	31.40	31.44	31.93	32.26	31.97	31.77	31.45	9	
1.1	31.87	31.62	31.65	31.26	31.37	31.38	31.57	31.97	32.20	31197	31.78	31.51	10	
15	31.99	31.60	31.70	31.48	31.23	31.41	31.58	32.20	32.27		31.81	31.61	11	
1.3	31.71	31.51	31.83	31.43	31.11	31.65	31.48	32.25	32.37			31.62	12	
1.4	31.51	31.67	31.42	31.53	31.03	31.86	31.56	32.07	32.26		31.72	31.48	13	
1.5	31.49	31.60	31.69	31.57	31.12	31.56	31.39	32.08	32.25		31.70	31.61	14	
1.5	31.59	31.60	31.76	31.53	31.24	31.51	31.40	31.92	32.15			31.44	15	
1.7	31.81	31.79	31.50	31.58	31.24	31.42	31.48	31.93	32.11		31.65	31.42	16	
1.8	31.82	31.54	31.41	31.46	31.31	31.36	31.69	31.97	32.16		31.65	31.47	17	
19	31.97	31.47	31.27	31.38	31.39	31.47	31.69	31.88	32.22		31.65	31.52	18	
20	31.62	31.56	31.37	31.32	31.25	31.58	31.63	31.97	32.25		31.89	31.50	19	
51	31.51	31.60	31.17	31.35	31.17	31.67	31.64	32.11	32.29			31.27	20	
5.5	31.57	31.72	31.27	31.53	31.20	31.91	31.55	32.24	32.27		31.93	31.21	21	
53	31.60	31.80	31.45	31.49	31.19	31.89	31.56	32.33	32.38		31.57	31.38	55	
24	31.62	31.59	31.74	31.43	31.27	31.86	31.67	32.17	32.27			31.44	23	
25	31.25	31.44	31.69	31.53	31.31	31.75	31.71	32.31	32.21		31.55	31.21	24	
26	30.65	31.56	31.58	31.63	31.25	31.55	31.62	32.10	32.30			31.17	25	
27	31.00	31.71	31.49	31.66	31.11	31.55	31.56	32.02	32.17		31.63	31.29	56	
28	31.19	31.68	31.44	31.52	31.11	31.63	31.74	31.99	32.19		31.46	31.42	27	
24	31.28		31.60	31.31	31.11	31.59	31.61	32.08	32.24		31.55	31.59	28	
30	31.43		31.60	31.26	31.08	31.74	31.77	32.23	32.11		31.58	31.62	29	
31	31.42		31.50		31.23		31.75	32.24	32.11		31.53	31.45	30	
					-MO	NTHLY SUMM	APY-							
MEAN	31.53	31,61	31.58	31.46	31.23	31.49	31.56	32.05	32.23			31.47	MEAN	
11151	30.46	31.28	31.02	31.03	30.80	31.00	31.25	31.65	31.98			31.03	INST	
MAX	(26)	(25)	(51)	(11)	(30)	(1)	(15)	(1)	(30)			(25)	MAX	
INST	32.63	32.27	32.23	32.08	31.86	32.30	32.20	32.77	32.72			31.99	INST	
with	(4)	(55)	(6)	(56)	(26)	(14)	(18)	(23)	(13)			(8)	MIN	

ENVIRONMENT ONTARIO TORONTO FSSEX COUNTY WELL REC #: 2102685 UTM CO-ORD: Z-17 E342840 N4654930 LOT 14 LAT & LONG: 42-02NDRTH 82-54WEST OBSERVATION WELL 170 TOWNSHIP OF S. COLCHESTER PEC METHOD: A35 RECORDER

DIAMETER OF WELL: 6 INCHES

DEC COMMOD: MAR 5 1966

LENGTH OF CASING! 124 FEET

SPEC, CAP: 60,0 10

LENGTH OF SCREEN! NONE

AQUIFER : LIMESTO

WELL: 129 FEET

OUALITY : FRESH

WELL LOGS

WELL: 14 FEED

ADDITION OF WELL: 129 FEET

OUALITY : FRESH

LIMESTONE 129. PUMP RATE: 300 IGPM SPEC. CAP: 60.0 IGPM/FT AQUIFER : LIMESTONE QUALITY : FRESH

		.94				1978							
				DAILY ME	AN WATER	LEVELS IN F	EET RELOW	GROUND SU	RFACE				
UAY	JAN	FFA	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
3	8.32	8.43	8.81						9.49	10.00	10.30	10.71	1
5	R.32	8.45	8.81						9.37	10.02	10.31	10.72	5
3	8.32	8.48	8.80						9.37	10.01	10.33	10.69	3
4	8.32	8.50	8.86						9.41	10.03	10.34	10.66	4
5	4.32	8.47	8.88						11.66	10.03	10.34	10.66	5
6	A.32	8.50	8.91						11.79	10.04	10.36	10.68	6
7	8.32	8.52	8.95						11.23	10.06	10.37	10.68	7
8	8.26	8.54	8.92						11.23	10.07	10.38	10.66	8
9	8.26	8.55	8.91						9.91	10.08	10.39	10.65	9
1.0	8.34	8.55	8.92						9.72	10.08	10.41	10.65	10
1.1	8.36	8.55	8.93						9.86	10.08	10.42	10.65	11
1 2	8.36	8.57	8.94						9.76	10.09	10.45	10.65	12
1.3	8.35	8.56	8.77						9.78	10.13	10.45	10.63	13
1.4	8.35	8.61	8.44						9.77	10.14	10.46	10.63	14
15	H.36	8.63							9.77	10.16	10.47	10.62	15
1.5	H.39	8.64						8.88	9.78	10.16	10.49	10.64	16
17	8.39	8.64						8.90	9.79	10.18	10.47	10.66	17
1.6	8.41	8.63						9.28	9.80	10.17	10.50	10.66	18
19	8.44	8.63						8.94	9.82	10.17	10.50	10.66	19
50	B.41	8.64						8.98	9.81	10.20	10.51	10.62	20
21	8.44	8.6A						11.57	9.84	10.21	10.52	10.63	21
5.5	8.48	8.70						12.16	9.87	10.22	10.52	10.65	22
53	8.49	8.70						10.56	9.87	10.24	10.50	10.67	23
24	8.45	8.70						9.70	9.88	10.24	10.51	10.65	24
25	H.39	8.74						9.30	9.90	10.22	10.53	10.66	25
26	8.26	8.78						9.25	9.92	10.22	10.54	10.68	26
27	8.35	8.79						9.24	9.92	10.24	10.55	10.70	27
29 29	8.39	8.80						9.25	9.97	10.26	10.57	10.71	28
30	8.40							9.65	9.97	10.28		10.72	29
31	8.41							9.36	9.97	10.29	10.71	10.71	30
:3:1	8.42							9.39		10.29		10.68	31
and the second		anno anu			-MO	NTHLY SUMMA	RY-						
MEAN	8.37	8.61							10.01	10.15		10.67	MEAN
1 N 5 T	8.20	8.42							9.34	9.97		10.59	INST
MAX	(26)	(1)							(3)	(1)		(31)	MAX
INST	8.49	8.80							14.06	10.30		10.73	INST
MIN	(23)	(88)							(8)	(31)		(2)	MIN

ENVIRONMENT ONTARIO TORONTO ESSEX COUNTY

DESERVATION WELL 171

TOWNSHIP OF S. COLCHESTER

WFLL REC #1 2103851 UTM CO-OPD1 Z-17 F342649 N4654902 LOT 15 LAT 6 LONG! 42-02NORTH 82-54WEST

REC METHOD: STEEL TAPE DIAMFTER OF WELL: 6 INCHES DUMP RATE: 15 IGPM
REC COMMCDI: APR. 1 1966 LENGTH OF CASING: 31 FEET SPEC. CAPI: 2.34 IGPM/FT
WEASURE DT: 2.0 FEET ARDVE GRUIND SUPFACE LENGTH OF SCREEN: 6 FEET AUUFFR: 1 FINE SAND
GND ELEVI 632 FEET ARDVE SEA LEVEL DEPTH OF WELL: 37 FEET OUALITY: 1 FRESH
RELL 17DE: ORILLED
RELL LOGI BROWN SILTY SAND BI RROWN SAND WITH SOME COARSE SAND AND GRAVEL 233 GREY SAND. SILTY CLAY 264 GREY FINE SAND AND
SOME GRAVEL 304 GREY, FINE TO MEDIUM SAND 321 GREY FINE SAND 37.

1978
DATE AND WATER LEVEL MEASUPEMENTS IN FEET RELOW GROUND SURFACE

JUN

JAN

JUL

AUG SED

NOV

DEC

29/ 12.54

ENVIRONMENT ONTARIO TORONTO ESSEX COUNTY

ORSERVATION WELL 222

FC

METT BEC %1 5100905

UTM CO-DRD1 Z-17 F343580 N4650550 LOT 54 LAT 6 LONG: 41-59NORTH 82-53WEST

TOWNSHIP OF S. COLCHESTER

OCT

REC METHOD: A35 PECOPDER

REC COMMCDI

REC C

						1978							
				DAILY M	EAM WATER	LEVELS IN	FEET RELOW	GROUND SU	RFACE				
DAY	JAN	FEB	MAR	APP	MAY	AUL	JUL	AUG	SEP	oct	NOV	DEC	DAY
1	21.41	22.07	22.15	20.18	20.04	22.03	27.21	30.19	26.39		122 21	22 702	
2	21.43	22.06	22.17	20.11	20.28	21.75	25.82	28.83	26.51	25.56	25.51	25.37	1
3	21.52	22.07	22.33	20.23	20.15	21.72	24.78	27.70	26.70	25.58	25.50	25.47	5
•	21.56	22.09	22.30	20.15	20.21	23.51	24.36	28.43	26.50	25.55 25.67	25.50	25.33	3
5	21.52	22.09	22.38	19.68	20.11	22.69	24.00	30.06	26.45		25.44	25.31	•
6	21.49	22.13	22.34	19.52	20.17	22.33	28.17	28.81	26.48	25.65	25.44	25.40	5
7	21.50	22.09	22.35	19.53	20.45	21.95	29.70	27.56	26.49	25.68	25.55	25.43	6
н	21.47	22.11	22.36	19.57	20.32	21.87	34.13	27.02	26.60		25.60	25.36	7
9	21.48	22.10	22.24	19.43	21.03	22.10	37.56	26.73	26.61	25.70	25.58	25.30	8
10	21.60	22.11	22.23	19.26	21.34	22.15	33.81	26.51	26.54	25.73	25.54	25.29	9
1.1	21.78	22.05	22.31	19.29	21.45	22.18	33.92	26.28	26.30	25.66	25.56	25.40	10
12	21.82	22.06	22.22	19.47	21.40	22.16	35.42	28.33	26.08	25.58	25.56	25.31	1.1
1.3	21.78	22.05	22.14	19.55	21.37	22.03	34.05	27.06	25.89	25.56	25.64	25.24	15
14	21.68	22.09	22.14	19.51	21.36	22.08	35.76	26.68	25.71	25.57	25.50	25.22	13
15	21.70	22.10	22.03	19.85	21.38	22.75	38.32	27.31		25.69	25.38	25.23	1 4
16	21.77	22.11	21.93	20.01	21.50	24.40	40.86	27.09	25.61 25.69	25.69	25.49	25.22	15
17	21.61	22.14	21.76	19.75	21.57	23.13	39.10	27.75	25.67	25.54	25.45	25.20	16
18	21.78	22.10	21.57	19.57	21.71	29.74	36.45	27.20	25.63	25.60	25.26	25.28	17
19	21.81	22.10	21.41	19.61	21.70	29.46	34.36	26.51	25.69	25.67	25.34	25.16	18
50	21.81	22.10	21.13	19.53	21.99	35.07	36.19	26.52	25.71	25.65	25.38	25.14	19
21	21.77	22.11	21.03	19.63	21.86	29.04	33.18	26.35	25.70	25.72	25.40	24.99	50
2.2	21.89	22.04	20.91	19.82	22.01	27.50	33.01	26.31	25.83	26.26	25.36	25.02	51
23	21.97	22.09	20.85	19.70	21.66	33.38	31.39	26.35	25.93	26.25	25.32	25.06	55
24	21.98	22.16	20.67	19.62	21.67	34.33	31.39	26.37	25.84	26.50	25.19	25.15	53
25	21.87	22.20	20.51	19.66	21.74	28.44	36.50	26.68		26.24	25.25	25.06	24
26	21.66	22.18	20.43	19.87	21.78	26.32	34.06	26.53	25.76	25.91	25.31	25.08	25
27		22.18	20.33	19.87	25.64	25.49	31.74	26.37	25.91	25.78	25.31	25.11	56
28		22.20	20.31	19.93	23.16	24.88	31.74	26.06	25.86	25.76	25.19	25.15	27
29	21.86		20.27	20.07	22.64	24.96		26.13		25.82	25.22	25.20	28
30	21.96		20.20	20.07	23.20	26.48	28.33	26.17	25.78	25.76	25.29	25.17	5.0
31	22.00		20.20		22.27		27.62	26.23	25.68	25.60	25.36	25.07	30
			101000000000000000000000000000000000000				27.02	20.23		25.51		25.03	31
						NTHLY SUMMA	ARY-						
MEAN		22.11	21.52	19.73	21.52	25.20		27.17	26.05	25.74	25.41	25.22	MEAN
INST		21,97	20.13	19.18	19.90	21.59		25.88	25.51	25.44	25.08		
MAX		(1)	(30)	(10)	(1)	(3)		(29)	(16)	(2)	(23)	24.92	INST
						W 035000				. •	1237	(31)	MAX
INST		25.39	22.54	21.24	34.24	44.71		39.19	29.25	27.64	25.81	25.64	INST
n1.		(24)	(8)	(15)	(27)	(24)		(5)	(3)	(23)	(6)	(2)	MIN
								100	5 48		,	. 21	- 114

ORSERVATION WELL 351

FOURDAMENT DATABLE TORONTO HUBBAN COUNTY WELL RFC #1 3002706 UTM CU-ORD1 Z-17 E476405 N4840820 LOT 26 LAT 6 LONG1 43-44NORTH 81-18WEST TOWNSHIP OF MORRIS CONC A

REC WETHINE ASS RECORDER

DIAMETER OF WELLE SINCHES

PUMP RATE! N.A.

REC CUMMODE JAN 1 1972

LENGTH OF CASING! 147 FEET

SPEC. CAD! N.A.

REASURE DIE 12 3.00 FFFT ARROY GROUND SUPFACE

LENGTH OF SCREEN! 3 FEFT

ADULTED ! LIMESTONE

GND ELEV! 1142 FFFT ARROY SEA LEVEL

DEPTH OF WELLE! 150 FFFT

WELL TYPE!

BELL LOG! BLACK MUCK 51 GPEY OUICKSAND AND ROULOFRS 418 GREY CLAY AND STONES 468 GREY CLAY, STONES AND HARDDAN 648

LIMESTONE 150.

1978
DAILY MEAN WATER LEVELS IN FEET RELOW GROUND SURFACE

() A Y	MAL	FFH	WAR	APP	MAY	JUN	JUL	AUG	SEP	oc t	NOV	DEC	DAY
1	23.46	24.25										24.81	ni.
2	23.43	24.29										24.94	2
3	23.64	24.47									25.22	24.75	3
4	23.73	24.35									25.13	24.45	4
5	23.76	24.26									25.08	24.54	5
6	23.74	24.25									25.14	24.83	6
7	23.70	24.32									25.24	24.92	7
8	23.37	24.29									25.19	24.75	8
9	23.28	24.14									25.14	24.64	9
10	23.61	24.06									25.28	24.74	10
11	23.83	24.10									25.35	24.86	11
12	23.87	24.13									25.48	24.74	12
1.3	23.83	24.21									25.29	24.48	13
14	23.72	24.32									25.15	24.57	14
15	23.69	24.33									25.37	24.43	15
16	23.89	24.35									25.44	24.51	16
17	23.95	24.33									25.06	24.55	17
18	23.95										25.09	24.62	18
19	24.00										25.32	24.64	19
20	23.82										25.47	24.28	20
21	23.87										25.39	. 24.1A	21
22	24.03										25.24	24.44	22
53	24.02										24.83	24.63	23
24	23.79										24.78	24.47	24
25	23.50										24.98	24.37	25
25	22.97										25.06	24.59	26
27	23.62										24.82	24.76	27
28	23.90										24.79	24.96	28
29	24.11										24.82	24.94	29
30	24.20										24.78	24.77	30
31	24.19											24.64	31
						NTHLY SUMM	ARY-						
MEAN	23.76											24.64	MEAN
INST	22.75											23.96	INST
MAX	(56)											(20)	MAX
INST	24.22											25.06	INST
MIN	(30)											(58)	MIN

ENVIRONMENT	ONTARIO	ORSERVATION WELL 172		WELL REC #1	3300023
TOPONTO		LIDOSOFI NOSTRI		UTM CO-OPD:	Z-17 E428050 N4719550
KENT COUNTY	TOWN OF	ROTHWELL	CONC LOT -	LAT & LONG!	42-38NORTH 81-53WEST
REC METHODS	A35 RECURDER	DIAMFTER OF WELLS	6 INCHES	PUMP RATE!	30 1GPM
HEC CHMMCDI	JUN. 5 1966	LENGTH OF CASING!	30 FEET	SPEC. CAPI	2.29 IGPM/FT
MEASURE PT:	2.4 FEET ARRYE GROUND SURFACE	LENGTH OF SCREENS	4 FEET	AQUIFER I	SAND AND GRAVEL
GND FLEVE	682 FEET ARRYE SEA LEVEL	DEPTH OF WELLS	34 FEET	QUALITY 1	FRESH
WELL TYPE:	DRILLED				
WELL LOGI	BROWN FINE SAND 101 BROWN FINE S	ILTY SAND 151 BROWN AND GE	EY FINE SAND WITH SOME	FINE GRAVEL .	COARSE SAND SEAMS
	201 GREV SILTY EINE SAND 201 GDE	COADER SAND AND FINE TO	MEDIUM GRAVEL TAL GREY	STITY CLAY T	111 35.

1978

				DAILY ME	AN WATER	LEVELS IN F	EE1 BEFOR	GROUND SU	RFACE				
DAY	JAN	FFR	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
i.	3.48	3.90					4.65	5.73	6.29	6.72	6.72		i.
2	3.51	3.A9					4.83	5.74	6.30	6.73	6.72		2
3	3.59	3.90					4.84	5.76	6.32	6.73	6.73		3
4	3.65	3.95					4.87	5.78	6.33	6.72	6.74		
5	3.6A	3.97					4.89	5.80	6.36		6.75		5
6	3.71	3.97					4.93	5.85	6.37		6.77		6
17	3.72	4.01					4.98	5.86	6.39		6.77		7
А	3.60	4.15					5.02	5.90	6.41		6.77		8
9	3.47	4.22					5.09	5.93	6.43		6.79		9
10	3.55	4.24					5.13	5.95	6.44		6.79		10
11	3.72	4.27					5.17	5.97	6.47		6.78		11
12	3.81	4.31					5.22	6.00	6.52		6.79		12
1.3	J.86						5.26	6.03	6.53		6.79		13
14	3.87						5.29	6.06	6.54		6.80		14
15	3.94						5.34	6.09	6.54		6.80		15
16	4.02						5.20	6.09	6.55		6.80		16
1 7	4.05						5.20	6.04	6.57		6.80		17
1 4	4.10						5.29	6.03	6.57		6.77		16
19	4.14						5.37	6.04	6.58		6.69		19
50	4.17						5.41	6.08	6.59		6.63		20
21	4.20						5.44	6.10	6.60		6.58		51
22	4.21						5.45	6.13	6.62		6.54		5.2
5.3	4.21						5.49	6.14	6.63	59	6.50		23
24	4.21						5.52	6.14	6.64		6.45		24
25	4.20						5.56	6.16	6.65	6.70	6.37		25
26	3.96						5.59	6.20	6.66	6.70	6.31		26
27	3.89						5.62	6.23	6.67	6.70	6.26		27
28	3.49					4.72	5.64	6.24	6.67	6.70	6.24		28
29	3.90					4.77	5.66	6.25	6.67	6.71	6.23		29
30	3.90					4.82	5.66	6.26	6.70	6.71	6.22		30
31	3.90						5.68	6.28		6.71			31
					-=0	NTHLY SUMM	ARY-						
MEAN	3.87						5.27	6.03	6.52		6.63		MEAN
INST	3.46						4.82	5.71	6.29		6.21		INST
MAX	(9)						(5)	(1)	(1)		(30)		MAX
INST	4.22						5.71	6.29	6.72		6.81		INST
MIN	(23)						(31)	(31)	(30)		(16)		MIN

ENVIRONMENT ONTARIO WELL RFC #: 3305579 UTM CO-ORD: Z-17 E401725 N4715000 LAT & LONG: 42-35NDRTH 82-12WEST DRSERVATION WELL PIT TORONTO KENT COUNTY TOWNSHIP OF CAMDEN GORE 3

REC METHUDI A35 PECORDEP
REC COMMON: SED. 24 1988
MEASURE DT: 1.22 FEET ARRIVE GROUND SURFACE
GND ELEVI 595 FEET ARRIVE SEA LEVEL DIAMETER OF WELL: 10 INCHES LENGTH OF CASING: 150 FEET LENGTH OF SCREFN: NONE DEDTH OF WELL: 150 FFET SPEC. CAP: N.A.
AQUIFER : GRAVEL
QUALITY : FRESH

1978 DATLY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

DAY	MAL	FER	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	86.47			86.64	86.14	85.95	85.97	85.82					1
2	86.48			86.57	86.18	86.02	85.81	85.84					ż
3	86.71			86.25	86.10	86.06	85.73						3
4	86.83			86.48	85.81	85.88	85.91						
5	86.80			86.32	86.06	85.99	86.06						5
45	86.72			86.26	86.46	85.99	86.02						6
7	86.66			86.56	86.17	85.71	85.91						7
	86.21			86.56	85.71	85.78	85.83						8
Q	86.10			86.10	85.88	86.01	85.87						9
10				85.74	86.22	86.08	85.90						10
1.1				85.90	86.09	85.96	86.08						11
12				85.95	85.76	85.89	86.08						12
1.3	86.67			86.32	85.61	86.19	85.85						13
1.4	86.54			86.45	85.74	86.33	85.85						14
15	86.48			86.55	85.91	86.29	85.76						15
16	86.73			86.50	86.02	86.15	85.79						16
17	86.86			86.26	86.06	85.99	85.87						17
1.6	86.76			85.81	86.19	85.95	85.96						18
19	86.91			85.68	86.15	86.07	85.99						19
50	86.70			85.92	86.02	86.02	85.94						20
21	86.59			86.32	86.35	85.89	85.90						21
5.5	86.68			86.40	86.24	86.05	85.87						22
2.3	86.97			86.28	86.05	86.10	85.87						23
24	86.72			86.32	86.09	86.06	86.06						24
25	86.23			86.32	86.19	85.89	85.87						25
26				86.29	86.25	85.69	85.63						26
27				86.25	86.18	85.80	85.56						27
28				86.15	86.04	85.99	85.85						28
29				86.13	85.90	85.95	85.64						29
30				86.12	85.84	85.96	85.84						30
31					A5.97		85.78						31
						NTHLY SUMM							
MEAN				86.25	86.04	85.99	85.87						MEAN
INST				85.65	85.56	85.63	85.50						INST
MAX				(19)	(12)	(26)	(27)						MAX
INST				86.75	86.52	86.36	86.14						INST
MIN.				(1)	(6)	(14)	(12)						MIN

WELL REC #1 3302635 UTM CO-ORD: Z-17 E417100 N4687900 LAT & LONG: 42-20NORTH 82-00WEST ENVIRONMENT ONTARIO DRSERVATION WELL 345 TORONTO KENT COUNTY TOWNSHIP OF HARWICH ### PART | PART PUMP RATE: SPEC. CAP: AQUIFER : GUALITY : N.A. N.A. BLACK SLATE FRESH

1978
DATE AND WATER LEVEL MEASUREMENTS IN FEET BELOW GROUND SURFACE

ADR AUG SEP MAY JUN JUL JAN FER MAD DCT NOV DEC

29/118.50

WELL REC #1 UTM CO-ORD: LOT 12 LAT & LONG: 3305577 Z-17 E386240 N4683020 42-18NORTH 82-22WEST ENVIRONMENT ONTARIO ORSERVATION WELL 309 TORONTO KENT COUNTY TOWNSHIP OF TILBURY E. CONC. 4

REC METHOD: STEEL TAPE
REC COMMON: JUN 2 1969
MEASURE DI: 2.2 FEFT ABOVE GROUND SURFACE
GND ELEV: 585 FEFT ABOVE SEA LEVEL
WELL TYPE: DUG
WELL LOG: TOPSOIL 11 SANDY CLAY 141 CLAY 23. PUMP PATE! N.A.
SPEC. CAP! N.A.
AQUIFER : CLAY
QUALITY : FRESH DIAMETER OF WELL! 72 INCHES LENGTH OF CASING! 23 FEET LENGTH OF SCREEN! NONE DEDTH OF WELL! 23 FEET

DATE AND WATER LEVEL MEASUREMENTS IN FEET BELOW GROUND SURFACE

AUG APP MAY JUN JAN FFR MAD JUL SEP OCT NOV DEC

29/ 4.87

ENVIRONMENT UNTARIN TORONTO LAMBTON COUNTY

VILLAGE OF ALVINSTON

DBSERVATION WELL 207

WELL REC #: 3400030 UTW CO-ORD: Z-17 E429160 N4740965 CONC - LOT - LAT 6 LONG: 42-49N0PTH 81-53WEST

PEC MFTHOD: A35 DECORDED

GEC COMMCOL JUN 26 1967

FEATURE DE NEW COLUMN COLUMN

PUMP RATE: 24 IGPM SPEC. CAP: 2.66 IGPM/FT AQUIFER I SHALE QUALITY I FRESH

. 1978
DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

1) ā y	JAN	FER	MAR	APR	MAY	JUN	JUL	AUG	SEP	UCT	NOV	DEC	DAY
		77						200	Marine .	GC.	1904	DEC	13.46.4
1				35.55	32.32	33.09	33.06	33.30	33.45	33.44	33.65	33.20	1
5				32.75	32.45	32.98	32.79	33.32	33.34	33.62	33.49	33.24	5
3				32.61	32.42	32.94	32.58	33.27	33.20	33.44	33.49	33.14	3
4				32.42	32.28	32.79	32.66	33.34	33.52	33.25	33.34	32.67	4
5				32.57	32.19	32.74	32.73	33.33	33.46	33.23	33.25	32.79	5
6				32.58	32.56	32.90	32.75	33.25	33.42	33.00	33.29	33.09	. 6
7				32.58		32.70	32.83	33.11	33.41	33.14	33.38	33.28	7
я				32.69		32.58	33.12	33.09	33.40	33.22	33.38	33.13	8
9				32.55		32.67	33.28	33.12	33.60	33.21	33.25	33.09	9
10				32.15		32.77	33.20	33.09	33.58	33.36	33.42	33.25	10
1 1			32.34	32.01		32.76	33.49	33.05	33.37	33.25	33.51	33.41	1.1
1.2			32.47	32.10	32.33	32.75	33.53	33.11	33.40	32.94	33.66	33.29	12
1 3			32.38	32.19	32.07	32.93	33,71	33.26	33.61	33.16	33.51	32.97	1.3
14			32.09	32.40	32.17	33.03	33.85	33,33	33.49	33.26	33.28	33.33	14
15			32.43	32.52	32.34	32.98	33.72	33.44	33.36	33.26	33.52	33.10	1.5
1.6			32.38	32.54	32.50	32.83	33.60	33.33	33.24	33.34	33.55	33.13	16
1.7			32.38	32.57	32.49	32.67	33.69	33,19	33.27	33.65	33.17	33.11	17
1.8			35.26	35.22	32.63	32.73	33,91	33.25	33.36	33.48	33.08	33.21	18
10			32.37	31.95	32.70	32.97	34.23	33.15	33.52	33.21	33.42	33.25	19
50		32.78	32.43	31.93	32.58	32.95	34.25	33.37	33.48	33.55	33.69	32.81	20
21			32.19	32,20	32.57	32.78	34.15	33.37	33.46	33.22	33.69	32.44	21
22			32.34	32.55	32.52	35.85	33.86	33.35	33.74	33.24	33.54	32.79	55
2 1			32.76	32.55	32.55	32.84	33.88	33.33	33.84	33.41	33.11	32.98	53
24			33.15	32.58	32.58	32.79	33,96	33.38	33.59	33.53	32.97	35.95	24
25			35.95	32.54	32.80	32.67	34.05	33.56	33.60	33.18	33.24	32.67	25
26			32.64	32.44	32.98	32.45	33.80	33.68	33.65	33.10	33,40	32.91	26
21			32.59	32.41	32.89	32.66	33,59	33.82	33.41	33.30	33.14	33.12	27
54			32.57	32.36	32.75	32.81	33.61	33.59	33.49	33.49	33.09		28
50			32.77	32.32	32.85	32.87	33.42	33.45	33.57	33.80	33.29		5.9
30			32.69	32.37	32.96	32.91	33.39	33.55	33.42	33.79	33.17		3.0
31			32.25		33,00		33.26	33.45		33.67			31
					-MO	NTHLY SUMM							
MEAN				32.40		32.81	33.48	33,33	33.47	33.34	33.37		MEAN
11151				31.82		32.35	32.52	32.99	33.05	32.84	32.84		INST
y A u				(50)		(26)	(3)	(12)	(3)	(12)	(23)		MAX
INST				32.84		33.25	34.55	34.04	33.89	33.86	33.80		INST
411				(5)		(1)	(50)	(27)	(53)	(54)	(51)		HIN

OBSERVATION MELL 056
TOWN OF FOREST ENVIRONMENT ONTARIO TORONTO LAMBTON COUNTY

MELL REC #: 3404047 UTM CD-ORD) Z-17 E418540 N4771920 CONC = LOT = LAT & LONG: 45-06NORTH 82-00MEST

REC METHOD: 'F' TYPE RECORDER

REC COMMCD: MAY 8 1950

MEASURE PT: 1.67 FEET ABOVE GROUND BURFACE

GND ELEV: 700 FEET ABOVE SEA LEVEL

MELL LOG: CLAY 110,

PUMP RATE: N.A. SPEC. CAP: N.A. AQUIFER : CLAY QUALITY : FRESH

			191	7.6				
PAILY	MEAN	WATER	LEVELS	IN	FEET	BELOM	GROUND	SURFACE

									5 -				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOA	DEC	DAY
1	98,15		97.53	97.14	97.46	98,29	98,39	98.84	98,94				1
ž	98,06		97,68	98.07	97.47	0.00	98,08	98.72	98,91				2
3	98.48		110	97.79	97.60	98.02	98.04	96.73	98.60				3
4				97.53	97.37	97.89	98.14	99.02	98.71	98.79			4
5				97.70	97.27	97.88	98.44	99.35	98.81	98.74			5
6					97.60	97.97		99.23	98.86	98.63			
7	97.84				97.95	97.82		99.07	99.04	98.90			7
8	97.26				97.22	97.69	98.71	99.02	99.01	99.03			
9	96.95				97.14	97.89	98.74	99.05	99.21	99.06			9
					97,55	98,18	98,92	99.07	99.06	99.07			
10	97.44				97.64	98.00	99,18	99.14	98.82	98.87			**
11					41,00								10 11 12
12						97.93	99.24	99.02	98,98	98.65			14
1.3						98.02	99,20	99,14					13
14						98,18		99.24					14 15 16
15				97,69	97.21	98,17		99,16					15
15 16 17				97.70	97.57			98.69					16
17				97,62	97,62			98,84					17
18				97.28	97,82	97.82	99.76	98.90	98,06				18
19		97,65		96.84		97.93	99.87	98.82	98,89				19
20		97.64				98,01	99,81	99.00	98,76				50
21		97.49				97,92	99.80	98,96	98,82				51
55					97.83	97,99	99,51	98,91	99,20				52
53					97.82	96,26	99,33	98,88					5.2
24				97.54	97.84	98,11	99,53	98.76					24
25		97.05		97.69	98.11	97.89	99.40	98.72					25
26		97.43		97.64	98,48	97.74	99,19	98.76					26
27		97,52		97.66	98.43	97,99	99.03	98.59					27
28		97,51		97.57	98,30	98.42	0.00	98.26					28
29				C1000 (MIS)	98,36		98,92	98.58					29
30					98.30		98.94	98.80					30
31					98,32		98,69	98.84					31
					-MD	NTHLY SUMM	ARY-						
MEAN								98,91					MEAN
INST								97,93					INST
MAX								(85)					MAX
INST								99,53					INST
MIN								(5)					MIN

ENVIRONMENT ONTARIO TORONTO MIDDLESEX COUNTY

OBSERVATION WELL 206

TOWNSHIP OF CARADOC

#ELL REC #: 4106020 UTM C0-0RD: Z=17 E460740 N4747920 RANGE 1 N LOT 15 LAT & LONG: 42-53NORTH 81-29#EST

REC METHOD: IF! TYPE RECORDER

REC COMMCD: JUN 27 1967

MEASURE PT: 3,25 FEET ABOVE GROUND SURFACE

GND ELEV: 780 FEET ABOVE SEA LEVEL

WELL LOG: OVERBURDEN 22.

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : OVERBURDEN
QUALITY : FRESM

				DAILY ME	AN HATER L	1978 LEVELS IN F	EET BELOW	GROUND SUR	FACE				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	3,40	4.07	4.77	0.19	3,25	4.09	5.00	5,83	6,55	6.11	5,75	5,27	1
2	3.45	4.07	4,79	0.28	3,32	4.14	6.06	5.82	6,52	6,12	5,76	5,23	ž
3	3.49		4.79	0.41	3,39	4.16	5.97	5.82	6,50	6,13	5.76	5,19	3
4	3,55		4.80	0.42	3,46	4,21	5,81	5,83		6.09	5.77	5,11	4
5	3.61		4.61	0.39	3,45	4.27	5,73	5.84		6.03		5,02	5
6	3.65		4.82	0.38	3,28	4.32	5.67	5.86		5,98		4.96	6
7	3,67		4.84	0,18	C-10#100#171	4.36	5,62	5.8.	6.72	5.92		4.91	7
8	3.63	4.25	4.89	0.36		4.36	5.60	5,93	6,65	5.87		4.86	8
9	3.52	4,29	4.93	0,65		4.37		5.96	6,60	5,83	5.80	4.80	9
10	3.49	4,32	4,95	0.78		4.44		5,98	6,55	5.80	5.80	4.80	10
11	3.53	4,35	4.96	0.24		4.48		6.00	6,52	5,78	5,81	4.70	ii
12	3.60	4,38	4.94	0.28		4,52	5.58	6.04	6.50	5.76	5.81	4.76	15
13	3.67	4.42	4.91	0.52		4.50	5,59	6.06	6.50	5.74	5.82	4,75	13
14	3.75	4.45	4.45	0.89		4.47	5,62	6,08	6.47	5.72	5.80	4.77	14
15	3.82	4.47	2.98	1,23		4.47	5,65	6,12	6.41	5.71	5.78	4.78	15
16	3.87	4.49	2.96	1,57		4.50	5,66	6.11	0.30	5.71	5.75	0.70	
17	3.91	4.51	3.17	1.81		4.55	5,79	6.08				4.78	16
18		4.54	3,31	1.97		4.60	5,88	6.09	6,32	5.71	5.70	4.74	17
19	3.96	4.57	3.40	1.76		4.66	5,89	4.40	6.28	5.70	5.64	4,80	18
20	4.01	4.60			7 24	4.72		6.10	6,23	5.71	5,58	4.81	19
	4.07		3,36	1.88	3,26		5.97	6.09	6,17	5.72	5,53	4.01	50
21	4.12	4.62	5,29	2.08	3,00	4,75	6.09	6.11	6,14	5.73	5,48	4.81	51
55	4.17	4,65	1.58	2.29	3,04	4.76	6.05	6.13	6,11	5.74	5.45	4.81	55
23	4.20	4.67	0,99	2.46	3,18	4,76	6.02	6.14	6,09	5,75	5.40	4.82	5.2
24	4.23	4,68	0.91	2,35	3,32	4,83	6.02	6,15	6.06	5.76	5,35	4.83	24
25	4.24	4.71	1.24	2,44	3,45	4.87	6.03	6,18	6,06	5,76	5.30	4.82	25
26	4.21	4.73	1,51	2,67	3.57	4,91	6.03	6.21	6.06	5,76	5.27	4.84	56
27	4.15	4.74	1,55	2,82	3,65	4,95	6.00	6.21	6.06	5.75	5.26	4,85	27
28	4.10	4,76	1.40	2,95	3,73	5.00	5.94	6.43	6.07	5.75	5.31	4.87	28
29	4.08		1.22	3.04	3,82	5,05	5.91	6.76	6,08	5.75	5,33	4.88	5.0
30	4.07		1.28	3,10	3,92	5,09	5.86	6,67	6.09	5,75	5,32	4,90	30
31	4.07		0.78		4,02		5,83	6,60		5,75		4.88	31
					-MON	THLY SUMMA	PY-						
MEAN	3.85		3,28	1 . 4 1		4,57		6.10		5,82		4.88	MEAN
INST	3.39		0.48	0.08		4.05		5.80		5.70		4.75	INST
MAX	(1)		(31)	(1)		(1)		(3)		(17)		(13)	MAX
INST	4.25		4.96	3,21		5.11		6.87		6.14		5.30	INST
MIN	(25)		(11)	(30)		(30)		(58)		(3)		(1)	MIN
0. 4 (1)	(23)			3-31				,				3	

ENVIRONMENT ONTARIO TOPONTO MIDOLESEX COUNTY WELL PEC #: 4106413 UTM CO-ORD: 2-17 F464840 N4755200 CONC. 2 LOT 5 LAT 6 LONG: 81-27NORTH 42-55WEST ORSERVATION WELL 100 TOWNSHIP OF LOBO

REC MFTHOD: "F" TYPE DFCORDEP DIAMETER OF WELL: 36 INCHES LENGTH OF CASING: 22 FEET MEASURE DT: 0.25 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN! NONE OF LEVEL BOZ FEET ABOVE SEA LEVEL DEPTH OF WELL: 22 FEET WELL LOG: BROWN SAND AND GRAVEL 22.

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : SAND AND GRAVEL
QUALITY : FRESH

			197	7.8				
DAILY	MEAN	WATER	LEVELS	IN	FEET	BELCW	GROUND	SURFACE

DAY	JAN	FEB	MAD	ADR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1				12.31					14.29		14.92		100
2			13.46	12.05					14.31		14.93		2
3			13.47	12.03					14.34		14.94		3
4			13.48	12.05					14.35		14.96		4
5			13.50	12.06					14.38		14.97		5
6			13.51	12.02					14.40		14.98		6
7			13.53	11.99					14.43		14.99		7
			13.54	11.96					14.45		15.00		8
9			13.55	11.94					14.48		15.02		9
1.0			13.56	11.92					14.49		15.04		10
1.1			13.56	11.87					14.51		15.05		11
12			13.58	11.83					14.53		15.05		12
1.5			13.58	11.79					14.55		15.07		1.3
14			13.49	11.77					14.54		15.07		14
15			13.33	11.75					14.50		15.07		15
16			13.30	11.76					14.48		15.08		16
17			13.29	11.77					14.50		15.08		17
1.8			13.28	11.77					14.48		15.05		18
1.9			13.20	11.77					14.42		15.04		19
20			13.26	11.81					14.42		15.05		50
51			13.12	11.86					14.44		15.07		51
5.5			12.83	11.90					14.47		15.09		5.5
5.3			12.64	11.91					14.49		15.09		2.3
24			12.48						14.52		15.07		24
25			12.41					14.14	14.54		15.07		25
26			12.43					14.16		14.84	15.09		26
27			12.46					14.18		14.85			27
28			12.48					14.20		14.87			28
50			12.49					14.22		14.88			29
30			12.4B					14.25		14.90			30
31			12.42					14.26		14.91			31

MEAN

MAX INS1

INST

ENVIRONMENT ONTARIO DESERVATION WELL 107 WELL REC #1 41008R9
UTM CO-OPDI 2-17 F465180 N4755140
CONC. 2 LOT 5 LAT 6 LONG: 42-57NORTH 81-26WEST TORONTO MIDDLESEX COUNTY TOWNSHIP OF LORO

REC METHOD: A35 DECORDED DIAMETER OF MELL: BINCHES DUMP RATE: N.A.

REC COMMOD: JUN 19 1963
LENGTH OF CASING: 120 FEET SPEC. CAP: N.A.

MEASURE PI: 3.15 FLET ARROVE GHOUND SUMFACE LENGTH OF SCREEN: 10 FEET AQUIFER: GRAVEL

GND ELEV! AUS FEET ARROVE SEA LEVEL DEPTH OF WELL: 130 FEET OUALITY: FRESH

MELL TYPE: OPTILIED

WELL LOG: SANDY CLAY AND GRAVEL 15 SAND GRAVEL AND SMALL BOULDERS 25: SANDY BLUE CLAY AND GRAVEL 85: MARD

SANDY CLAY AND GRAVEL 160.

1978
DAILY MEAN WATER LEVELS IN FEFT BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	oct	NOV	DEC	DAY
1				28.60					30.41	30.47	31.26	30.85	1
2				28.63					30.71	30.45	31.29	30.86	2
.3				28.58					30.82	30.44	31.33	30.66	3
4				28.56					30.8A	30.44	31.30	30.42	4
5				24.61					31.03	30.41	31.17	30.52	5
6				28.61					31.11	30.37	31.17	30.62	6
7				28.56					31.07	30.38	31.25	30.73	7
H				28.56					31.03	30.32	31.20	30.66	8
Q.				28.45					31.00	30.26	31.16	30.53	9
10									30.79	30.26	31.19	30.41	10
1.1									30.68	30.29	31.22	30.40	1.1
1.2									30.73	30.30	31.16	30,48	12
1:3									30.73	30.48	31.07	30.49	13
1.4									30.73	30.52	31.01	30.52	14
15									30.73	30.49	31.03	30.48	15
1.6									30.73	30.55	31.06	30.44	16
17									30.73		30.99	30.40	17
1.4									30.70		30.94	30.41	18
10									30.69		30.95	30.51	19
50									30.73		31.01	30.47	20
21									30.71		31.10	30,49	21
5.5									30.72		31.11	30.64	22
5.3			29.10						30.73		30.94	30.63	23
24			29.12						30.55		30.83	30.48	24
25			28.93					30.07	30.48		30.91	30.29	25
26	28.30		28.6A					30.05	30.56	31.04	30.93	30.33	26
27	24.40		28.54					29.96	30.57	31.14	30.89	30.42	27
24	28.51		28.66					29.86	30.56	31.18	30.83	30.60	28
59	28.59		28.73					30.00	30.60	31.18	30.85	30.71	29
30			18.85					30.17	30.51	31.17	30.83	30.69	30
31			28.79					30.38		31.24		30.45	31
						NTHLY SUMM	ARY-						
MEAN									30.73		31.07	30.54	MEAN
INST									30.34		30.80	30.26	INST
MAX									(1)		(24)	(25)	MAX
INST									31.15		31.35	30,90	INST
MIN									(5)		(4)	(5)	MIN

ENVIRONMENT ONTARIO WELL REC #: 4106416 UTM CO-ORD: Z-17 E440900 N4723040 LOT 13 LAT & LONG: 42-40NORTH 81-43WEST DBSERVATION WELL 221 TORONTO MIDDLESEX COUNTY TOWNSHIP OF MOSA RANGE 2

PEC METHOD: STEEL TAPE

PEC COMMODI DOT. 11 1968

MEASURE DI: 0,5 FEET ABOVE GROUND SURFACE

GND ELFV: 685 FEET ABOVE SEA LEVEL

WELL LOG: DVERBURDEN (BLUE CLAY AND QUICKSAND) 134. PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : QUICKSAND
QUALITY : N.A

1978
DATE AND WATER LEVEL MEASUREMENTS IN FEET BELOW GROUND SURFACE

ADD MAY JUN JUL AUG SEP

24/ 53.11

ENVIRONMENT ONTARIO TORONTO MIDDLESEX COUNTY

OPSERVATION WELL 029

TOWNSHIP OF WESTMINSTER

WELL RFC #: 4103521 UTW CO-GRD: Z-17 E471660 N4753600 LOT 48 LAT & LONG: 42-56NORTH 82-21WEST

GORF

REC METHOD: A35 RECURDER DIAMETER OF WELL: 8 INCHES DUMP RATE: N.A.

REC COMMCD: JAN 24 1952 LENGTH OF CASING: 96 FEET SPEC. CAP! N.A.

MEASURE PT: 3.6 FFET ARRIVE GRIUND SURFACE LENGTH OF SCREEN: NONE AQUIFER: SAND 6 GRAVEL

GND ELEV: #05 FEET ARRIVE SEA LEVEL DEPTH OF WELL: 96 FEET QUALITY: FRESH

WELL TYPE: DPILLED

WELL LOG: TOPSOIL 41 GRAVEL AND FINE SAND 301 GRAVEL AND FINE SAND 611 RLUF CLAY AND GRAVEL 741 GRAVEL AND CLAY 901 RLUE

CLAY 961 HEDROCK 96.

1978
DAILY MEAN WATER LEVELS IN FEET RELOW GROUND SURFACE

DAY	MAL	FFB	MAR	APR	MAY	NUL	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	4.18												1
3	4.18												5
3	4.19												3
5	4.20												4
5	4.22												5
6	4.23												6
7	4.25												7
9	4.26												8
9	4.26												9
10	4.27												10
1.1	4.29												1.1
12	4.31												12
13	4.33												13
1 4	4.36				27								1 4
15	4.39												15
1.6	4.40												16
1.7	4.42												17
1 12	4.44												18
19													19
20													20
2.1													21
5.5													55
5.3													2.3
24													24
25													25
26													26
27													27
2.8													28
50													29
3.0													30
31													31
Commence (Section)					-MO!	NTHLY SUMMI	ARY-						111117-1-11111111111111111111111111111
MEAN													MEAN
INST													INST
MAX													MAX
000000													2002
INST													INST
MIN													MIN

ENVIRONMENT ONTARIO	01	SERVATION HELL 071		HELL REC #1	4105766 Z=17 E478438 N4747840
HIDDLESEX COUNTY	TOWNSHIP	OF WESTMINSTER	NTR E LOT 62	LAT & LONG!	
REC METHOD: A35 RECORDER		DIAMETER OF WELLS	36 INCHES	PUMP RATE:	N.A.
REC COMMED: OCT 16 1958		LENGTH OF CASING!	45 PEET	SPEC. CAPI	N.A.
MEASURE PTS 0.0 FEET ABOVE	GROUND SURFACE	LENGTH OF SCREENS	NONE	AQUIFER I	CLAY
GND ELEV: 862 FEET ABOVE	SEA LEVEL	DEPTH OF WELLS	45 PEET	QUALITY :	FRESH

1978
DAILY MEAN WATER LEVELS IN FRET BELOW GROUND SURFACE

				DAILY M	EAN WATER	PEAFER IN A	SEL REFOR	GROUND SUN	PACE				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	2.98				5,35	6.57	7.32	7.91	8.39		9.20	9,35	1
5					5,42	6,61	7.34	7,93	8.41	8.90	9.20	9,35	2
3					5,49	6,63	7.35	7.95	8.42	8.91	9.22	9,20	3
4					5,55	6.66	7.38	7.96	8.44	8,92	9,23	8.74	4
5					5,62	6.69	7.41	7.97	8.46	8.92	9.24	8,61	5
6					5,68	6.69	7.43	7,99	8.47	8,93	9,25	8,55	6
7					5.74	6,75	7.45	8.02	8,50	8.94	9,25	8.47	7
8					5.80	6.77	7.47	8.03	8,51	8.95	9.27	8,47	8
9					5,85	6.80	7.50	8.04	8,53	8.96	9.27	8,12	9
10					5,90	6,83	7.52	8.05	8,54	8.98	9,28	8.07	10
11					5,96	6.85	7,55	8,06	6,56	8.99	9.30	8.07	10
12					5,99	6.88	7.57	8.08	8,57	8,99	9,31	8.04	12
13					6.01	6.91	7.59	8.09	8,59	9.01	9,32	8.04	13
14					6,01	6,93	7.61	8,11	8,61	9.01	9.32	8.04	14
15					6.03	6,96	7,63	8,13	8,61	9.02	9,34	8.04	14
16					6.07	6,98	7.60	8,16	8,62	9.04	9,35	8.04	10
17					6,10	7.01	7.67	8,18	8,63	9.05	9,34	8.04	17
18					6,13	7.04	7.68	8,18	8,65	9.06	9,33	8.04	18
19				4.39	6,16	7.06	7.71	8,20	8,65	9.07	9,33	8.04	19
20				4.47	6,19	7,08	7.73	8,21	8,67	9.08	9,34	8.05	20
21				4.50	6,21	7.11	7.75	8,22	8,68	9.09	9,35	8.02	21
5.5				4.64	6,23	7,13	7.77	8,24	8,69	9,10	9,35	8.02	5.5
23				4.71	6,26	7,16	7.78	8,25	8,71	9.11	9.30	8,01	23
24				4.80	6,29	7.17	7.80	8.27	8.72	9,12	9,30	8,02	24
25				4,89	6.31	7,19	7.82	8,29	8,73	9,13	9,36	8,01	25
26				4.97	6,35	7.21	7.83	8,30	8,75	9.14	9.36	8,01	26
27				5,05	6.37	7,24	7.84	8,31	8.76	9,14	9,35	8.01	27
28				5,13	6,42	7,25	7.86	8,33	8,78	9,15	9,35	8.02	88
29				5,20	6.46	7.28	7.87	8.34	8.80	9,16	9.35	8,02	29
30				5,28	6,50	7.30	7.88	8,36		9,17	9.35	8,01	30
31				,,,,	6,54		7,90	8,38		9,18		7.64	31
													-
320						NTHLY SUMM		20.02			2 (20)	20.20	
MEAN					6,03	6,96	7.63	8 . 15			9.31	8,22	MEAN
INST					5,31	6,55	7.31	7.91			9,19	7.44	INST
MAX					(1)	(i)	(1)	(1)			(1)	(31)	MAX
INST					6,55	7.31	7.91	8,38			9,30	9,35	INST
MIN					(31)	(30)	(31)	(31)			(24)	(1)	MIN

EUVIRONMENT ONTARIO TOPONTO MIDDLESEX COUNTY

OBSERVATION WELL 091

WELL REC #: 4103839
(ITM CO-UPD: Z-17 EARA160 N4745410
CONC. 8 LOT 15 LAT 6 LONG! 42-52NORTH 81-12WEST TOWNSHIP OF WESTMINSTED

PUMP RATE: 16 IGPM SPEC. CAP: 8.05 IGPM/FT AQUIFER I CLAY. SAND. GRAVEL QUALITY : FRESH

PFC METHOD: ASP DECIDIDED

REC CUMMOD: ADD. 14 1961

LENGTH OF CASING: 197 FEET

SPEC. CADI: 8.05 IGDM/FT

MEASURE DT: 3.5 FEET ARRYE GROUND SURFACE

LENGTH OF SCPEEN: 35 FEFT

MEASURE DT: 3.5 FEET ARRYE GROUND SURFACE

LENGTH OF SCPEEN: 35 FEFT

AGUIFER : CLAY. SAND. GRAVEL

OUALITY : FRESH

WELL LOG: TROSTIL 0.51 BROWN CLAY 101 GREY CLAY WITH SILT 611 FINE SAND AND CLAY 641 SANDY CLAY. SOME GRAVEL 1211 HARD

DACKED CLAY. SAND AND GRAVEL 1261 CLAY. SAND AND GRAVEL 1421 GRAVEL. SAND AND CLAY 1821 CLAY. GRAVEL AND SAND

1931 HARD PACKED CLAY. SAND. GRAVEL AND DDD ROULDERS 1981 GRAVEL. SAND AND SILT 2271 GRAVEL. SAND. SILT AND CLAY

2281 CLAY. DIDTY SAND. GRAVEL AND SILT 232.

1978
DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

DAY	JAN	FFR	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	DAY
1	66.80				65.87	65.74	65.75	65.52	65.52	65.30	65.47	68.00	
2					65.86	65.72	65.70	55.58	65.50	65.35	65.42	65.09	1
5					65.87	65.74	65.62	65.54	65.46	65.27	65.41	65.15	3
9					65.81	65.74	65.64	65.63	65.47	65.12	65.36	64.88	4
5					65.70	65.73	65.72	65.69	65.47	65.16	65.33	04.00	5
6					65.81	65.74	65.75	65.71	65.45	65.01	65.29		6
7					65.95	65.65	65.75	65.71	65.42	65.07	65.28		7
a					65.81	65.53	65.73	65.63	65.42	65.20	65.29		В
9					65.60	65.64	65.73	65.56	65.46	65.29	65.25		9
10					65.69	65.77	65.71	65.54	65.47	65.33	65.28		10
1.1					65.79	65.76	65.74	65.55	65.40	65.29	65.34		11
12					65.72	65.68	65.81	65.56	65.35	65.14	65.43		12
1.3					65.54	65.69	65.74	65.58	65.45	65.17	65.42		13
1.9					65.50	65.82	65.72	65.64	65.37	65.22	65.27		14
15					65.53	65.89	65.70	65.62	65.25	65.23	65.37		15
16					65.60	65.88	65.64	65.48	65.23	65.27	65.45		16
1.7					65.63	65.82	65.66	65.44	65.23	65.41	65.34		17
1.6					65.72	65.78	65.71	65.46	65.24	65.39	65.21		18
19				65.82	65.79	65.82	65.75	65.43	65.30	65.26	65.37		19
50				65.70	65.73	65.80	65.79	65.53	65.31	65.22	65.50		20
51				65.73	65.77	65.71	65.79	65.60	65.29	65.22	65.52		21
55				65.92	65.87	65.74	65,69	65.62	65.43	65.22	65.51		22
2.5				65.98	65.83	65.80	65.68	65.58	65.56	65.25	65.29		23
2.4				65.98	65.79	65.79	65.72	65.50	65.51	65.28	65.11		24
25				65.99	65.83	65.76	65.69	65.49	65.46	65.15	65.17		25
26				66.03	65.90	65.64	65.57	65.49	65.46	65.04	65.26		26
27				66.01	65.92	65.62	65.41	65.48	65.36	65.12	65.16		27
2 A				65.96	65.93	65.72	65.51	65.38	65.37	65.24	65.04		28
5.0				65.92	65.86	65.75	65.44	65.31	65.41	65.42	65.12		29
3 ()				65.92	65.78	65.74	65.45	65.41	65.34	65.50	65.05		30
31					65.73		65.49	65.45		65.47			31
MEAN						NIHLY SUMM							
MEAN					65.77	65.74	65.67	65.54	65.40	65.25	65.31		MEAN
INST					65.49	65.51	65.39	65.28	65.22	64.99	64.97		INST
MAX					(15)	(8)	(27)	(88)	(16)	(26)	(85)		MAX
1851					65.99	65.92	65.84	65.73	65.58	65.51	65.53		INST
M 1 14					(7)	(16)	(21)	(6)	(23)	(30)	(55)		MIN

ENVIRONMENT ONTARIO OBSERVATION WELL 513 TORONTO MIDDLESEX COUNTY TOWNSHIP OF WESTMINSTER

MELL REC #1 4103736 UTM CO-ORD: Z-17 E479040 NA746890 CONC, 5 LOT 22 LAT 6 LONG: 42-54NORTH 81-15#E\$T

STEEL TAPE

DIAMETER OF WELL: 10 INCHES

PUMP RATE: 700 IGPM

AUG 9 1959

LENGTH OF CASING: 102 FEET

SPEC. CAP: 17.9 IGPM/FT

S45 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 10 FEET

AUGIFER: 1 GRAVEL

BY MELL: 12 FEET

QUALITY: FRESH

TOPSOIL 1; FINE SAND 8; BLUE CLAY 48; CLAY AND GRAVEL 80; BLUE CLAY AND GRAVEL 90; CLAY AND GRAVEL 90; GRAVEL

AND MIXED SAND 103; CLAY AND GRAVEL 104; GRAVEL AND MIXED SAND 118; FINE SAND 125; MIXED SAND AND SILT, CLAY 129

GRAVEL AND FINE SAND 139; GRAVEL 144. REC METHOD: REC COMMCD: MEASURE PT: GND ELEV: MELL TYPE: MELL LOG:

1978
DATE AND WATER LEVEL MEASUREMENTS IN FEET BELDW GROUND SURFACE

FEB APR Jun JUL AUG MAR SEP DCT NOV DEC

18/ 33,27

ENVIRONMENT ONTARIO DXEGRO COUNTY

DASFRVATION WELL 542

THENSHIP OF ALENHEIM

WELL HEC #: 4704983 UTW CO-OPD: Z-17 E530500 N4794630 CONC. 13 LOT 18 LAT & LONG: 43-18 NORTH 80 - 37 WEST

REC METHORS ASS DECREDED DIAMETER OF WELL: 7 INCHES DUMP PATE: 100 IGDM REC COMMENT OCT. 26 1978 LENGTH OF CASINGS AND FEET ADDY GROUND SURFACE LENGTH OF SCREEN: 5 FEET ADDIFFER: COARSE SAND GROUND FEET ADDY SEA LEVEL DEPTH OF WELL: 53.5 FEET QUALITY: FRESH WELL TYPE: STORY TILL 191 STLITY CLAY 251 STORY TILL 321 FINE SAND A51 COARSE SAND 531 MUDDY COARSE SAND 551 VERY COARSE SAND 56.

1978
DAILY MEAN WATER LEVELS IN FEFT BELOW GROUND SURFACE

DAY	MAL	FER	MAR	ADB	MAY	JUN	JUL	AUG	SEP	OC T	NOV	DEC	DAY
1											6.82	6.36	1
3											6.83	6.44	2
3											6.87	6.37	3
4											6.86	6.07	4
5											6.86	5.78	5
6											6.89	5.82	6
7											6.90	5.93	7
д											6.90	5.85	8
9											6.90	5.78	9
10											6.91	5.95	10
1.1											6.91	6.09	1 1
1.2											6.92	6.14	12
1.3											6.90	6.19	13
15											6.80	6.04	14
15											6.78	6.04	15
17											6.79	6.12	16
18											6.58	6.19	17
19											6.23	6.33	18
Su											6.22	6.36	19
21											6.24	6.32	20
5.5											6.33	6.40	51
23											6.40	6.42	5.5
24											6.32	6.46	23
25											6.13	6.45	24
26										8 020	5.91	6.50	25
27										6.79	5.92	6.55	26
2 14										6.79	6.03	6.57	27
29										6.79	6.22	6.59	28
30										6.80	6.31	6.58	
31										6.82	6.31	5.84	31
										0.02		3.04	31
100000000					-MO	NTHLY SUMM	ARY-						
MFAN											6.56	6.23	MEAN
INST											5.88	5.20	INST
MAX											(26)	(31)	MAX
INST											6.92	6.59	INST
M I to											(13)	(28)	MIN

WELL REC #: 4702077 UTW CO-NRD: Z-17 E524100 N4750750 CONC. 9 LOT 2 LAT & LONG: 42-55NORTH 80-42WEST ENVIRONMENT ONTARIO DRSEPVATION WELL 176 TOWNSHIP OF S. NORWICH

REC METHOD: STEEL TAPE

REC COMMON: MAR. 16 1966

REASURE DI: 2.0 FEFT AROVE GROUND SUPFACE

REASURE DI: 2.0 FEFT AROVE SEA LEVEL

RED ELEV: RED FEFT AROVE SEA LEVEL

RELL TYPE: DRILLED

RELL LOG: BLACK LOAM 11 BROWN SAND 91 RUNNING SAND 32. PUMP RATE: N.A.
SPEC. CAP! N.A.
AQUIFER : RUNNING SAND
OUALITY : FRESH

1978
DATE AND WATER LEVEL MEASUREMENTS IN FEET RELOW GROUND SURFACE

APP MAY JAN FEB MAR JUN JUL DCT DEC

25/ 1.80

ENVIRONMENT ONTARIO TORONTO OXFORD COUNTY

OBSERVATION WELL 177

TOWNSHIP OF S. NORWICH

CONC. 9 LOT 2

HELL REC #1 4702076 UTM CO-ORD1 Z=17 E524100 N4750750 LAT & LONG1 42-55NORTH 80-42MEST

PUMP RATE: 17 IGPM SPEC, CAP: 17.0 IGPM/FT AQUIFER : LIMESTONE QUALITY : SULPHUR

REC METHOD: A35 RECORDER

DIAMETER OF MELL: 7 INCHES

PUMP RATE: 17 IGPM

REC COMMOD: MAY 26 1966

LENGTH OF CASING: 110 FEET

SPEC. CAP: 17.0 IGPM/FT

MEASURE PT: 3.0 FEET ABOVE SEA LEVEL

LENGTH OF SCREEN: NONE

BELL: 550 FEET ABOVE SEA LEVEL

DEPTH OF MELL: 123 FEET

WELL TYPE:

MELL TYPE:

BELK LOAM 1; FINE BROWN SAND 10; FINE QUICK SAND 36; GREY CLAY 52; GRAVEL LAYER 53; CLAY MITH GRAVEL 60; GRAVEL

61; SAND 65; QUICK SAND 76; CLAY AND SILT 88; MARD CLAY WITH STONES 112; LIMESTONE BEDROCK 123.

1978 DAILY MEAN NATER LEVELS IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	43,17										43.57	42,44	1
2	43.17										43,57	42,31	2
3	43.20										43.57	42.11	3
4	43.24										43.57	41,63	4
5	43.25										43.58	41.59	5
6	43.25										43,56	41,58	6
7	43.21										43,61	41.59	7
8	43.05										43,64	41,55	8
9	43.04										43,66	41.37	9
10	43.04										43.69	41.31	10
11	43.05										43.73	41.31	11
12	43.08										43.78	41.29	13
14	43.08										43.85	40.80	14
15											43.89	40.79	15
16											43.94	40.74	16
17											43.97	40,64	17
18											43.98	40.63	18
19											44.02	40.63	19
20											44.07	40,42	19
21											44.11	19,98	21
5.2											44,13	39.99	5.5
23											44.05	40.03	23
24											43.86	40.06	24
25										12	43.83	40.07	25
56										43.53	43.67	40.07	26
27 28										43,52	43,20	40.09	27
28										43.52	42.90	40.13	28
5.6										43.53	42.80	40.16	29
30										43.55	42.49	40.16	31
31										43,30		40 4 10	3.1
					- #01	NTHLY SUMMA							
MEAN						TINET SUNN					43.67	40,80	MEAN
INST											42.49	39,98	INST
MAX											(30)	(21)	MAX
											1.00		
INST											44.14	42.49	INST
MIN											(23)	(1)	MIN

WELL RFC #1 5001877 UTM CO-ORD: Z-17 E474275 N4795450 LOT 11 LAT & LONG: 43-19NORTH 81-18#EST ENVIRONMENT ONTARIO DESERVATION WELL 045 TORONTO PERTH COUNTY wB TOWNSHIP OF BLANSHARD PUMP RATE: 15 IGPM SPEC. CAP: N.A. AQUIFER : GRAVEL QUALITY : FRESH DIAMETER OF WELL! 4 INCHES LENGTH OF CASING: 32 FEET LENGTH OF SCREEN! 4 FEET DEPTH OF WELL! 36 FEET REC METHUD: A35 RECORDER

DIAMETER OF WELL: 4 INCHES

REC COMMCD: MAY 26 1970

LENGTH OF CASING: 32 FEET

SPEC. CAD: N.A.

MEASURE DI: 1.1 FEET AROVE GROUND SURFACE

LENGTH OF SCREEN: 4 FEET

AQUIFER: 1 GRAVEL

GND ELEV: 175 FEET AROVE SEA LEVEL

DEPTH OF WELL: 36 FEET

OUALITY: 1 FRESH

WELL TYPE: OFFILE: SAND AND CLAY FILL 21 SAND, GRAVEL 61 COARSE GRAVEL AND SMALL STONES 351 COARSE SAND, YELLOWISH CLAY 36,

DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE ADD MAY 300 AUG SEP DAY JAN FER MAR JUN DCT NOV DEC DAY 3.58 3.67 3.74 3.80 3.85 3.91 4.00 4.02 3.83 8.89 8.91 8.93 8.96 8.98 5.68 5.71 5.73 5.79 5.82 5.87 5.92 5.97 6.01 9.19 9.19 9.19 9.20 9.16 9.07 8.76 8.24 8.04 8.01 4.29 4.41 4.51 4.53 4.53 4.55 4.57 4.54 4.46 4.39 8.55 8.60 8.65 8.38 7.85 7.78 7.81 7.65 7.60 7.63 7.69 7.75 7.83 7.88 7.99 7.99 8.00 8.31 8.36 8.49 8.55 8.62 8.67 8.75 8.80 8.81 8.96 8.93 8.92 8.93 8.95 8.95 8.95 8.95 9.01 3.82 4.23 6.07 8.04 9.11 4.20 4.20 4.21 4.23 4.26 4.30 4.35 6.10 6.14 6.09 5.92 5.82 5.76 3.86 3.80 3.75 3.77 3.83 3.90 3.98 4.04 4.06 3.89 3.97 4.06 8.09 8.18 8.27 8.35 6.43 8.50 8.55 5.67 9.07 18 4.39 4.43 4.48 4.53 4.57 8.70 8.59 8.60 8.66 8.72 8.81 8.98 8.95 8.94 8.96 8.95 8.73 19 20 21 22 23 24 5.65 5.65 5.27 4.69 4.28 3.98 4.09 4.29 4.43 4.53 4.59 4.61 4.40 8.61 8.66 8.71 8.75 8.80 8.85 8.04 20 21 22 23 24 25 8.10 8.10 8.10 8.12 4.50 4.13 4.62 4.59 4.51 4.47 4.46 4.47 8.89 8.98 9.06 9.13 9.18 9.19 8.1. 8.18 8.21 8.25 8.27 8.29 25 26 27 28 29 30 4.21 8.87 8.52 9.08 26 8.86 8.86 8.85 8.85 4.32 8.43 8.44 8.47 8.51 31 -MONTHLY SUMMARY-MEAN 4.43 5.14 5.37 2.68 8.67 8.90 B. 04 MEAN 8.66 INST 9.20 9.11 INST 4.64 5.66 f.14 (58)

DRSERVATION WELL 182

TOWN OF STRATEGRO

CONC. - LOT -

WELL REC #: 5001349 UTM CO-DRD: Z-17 F503000 N4802260 LAT & LONG: 43-23NDRTH 80-58WEST

HEC METHOD:

A35 PECURDER

DIAMETER OF WELL: 14 INCHES

DIAMETER OF WELL: 14 INCHES

DIAMETER OF WELL: 14 INCHES

DEC. CAP: 10.8 IGPM/FT

MEASURE DI:

1.5 FFFT ARRIVE GROUND SUPFACE

LENGTH OF SCREEN: NONE

A0UIFER: LIMESTONE

A0UIFER: LIMESTONE

MELL: 179F: DRILLED

WELL: 179F: DRILLED

WELL: 179F: DRILLED

WELL: 179F: DRILLED


TUDSOIL 31 SAND AND GRAVEL 6: YELLOW CLAY 15: YELLOW CLAY AND BUILDERS 25: GREY HARDAN 103: CEMENTED GRAVEL


115: COARSE GRAVEL 120: CEMENTED GRAVEL 127: BROWN LIMESTONE 345: BROWN LIMESTONE 415: SOFT WHITE LIMESTONE 435:


GREY SHALE 440.


1978
DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE


PAG	JAN	FFR	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1	57.66	61.32	63.54	60.56	60.52	65.31	67.29	59.98	68.31	65.38	65.76	62.44	1
2	56.26	61.52	63.83	61.67	60.31	65.42	65.40	61.38	66.05	64.85	65.76	61.93	2
3	50.80	62.09	63.38	60.88	61.28	63.92	64.21	61.42	65.13	65,62	65.94	57.52	3
· a	60.23	60.76	61.89	59.98	61.57	63.73	64.09	60.30	64.24	66.49	65.38	59.06	4
5	59.64	60.39	62.35	61.65	61.85	63.12	65.40	59.55	65.42	66.88	60.46	61.72	5
6	60.17	60.74	62.63	62.52	60.75	64.93	65.39	61.50	67.86	66.97	61.68	62.77	6
7	58.85	62.05	62.69	62.37	54.74	65.91	66.81	61.3.	68.46	66.31	60.94	63.31	7
A	59.44	62.23	63.47	59.82	59.83	64.90	66.63	62.32	66.38	65.64	61.35	63.51	8
9	59.32	62.85	63.53	54.61	60.81	65.31	55.36	63.73	64.78	62.37	61.24	62.57	9
10	59.36	63.11	63.60	59.01	61.79	64.84	65.55	65.62	65.90	63.38	61.34	57.57	10
1.1	59.01	62.60	61.53	59.78	62.43	64.36	67.10	64.86	66.46	65.15	60.18	59.62	11
12	60.02	61.82	56.25	60.18	62.43	65.05	68.55	64.74	68.48	65.32	57.73	62.55	12
1.3	61.04	61.89	60.18	62.21	59.43	64.19	70.92	64.35	69,99	65.96	57.01	62.66	13
1 4	59.84	62.77	62.49	61.20	60.43	64.74	70.14	66.85	70.16	65.07	57.38	63.08	14
1.5	60.13	63.27	63.32	59.23	61.00	65.69	68.18	69.32	69.75	60.28	61.56	63.16	15
16	60.54	63.62	63.67	60.16	62.16	65.72	64.65	69.28	66.27	63.98	61.31	61.61	16
1.7	61.39	63.74	63.83	60.17	62.57	65.07	65.70	69.14	63.80	65.03	61.33	57.64	17
1.8	61.72	63.33	61.95	50.56	63.23	58.37	68.43	59.42	65.15	63,97	59.16	59.25	18
19	62.41	62.39	56.33	59.31	63.70	62.03	71.18	69.05	65.24	61.00	58.10	62.23	19
20	62.51	52.44	60.08	59.73	62.80	64.98	70.46	64.89	66.88	65.86	61.21	62.46	20
21	62.11	62.01	62.17	60.82	54.79	65.25	69.25	66.86	66.03	64.64	62.89	62.51	21
2.2	61.83	62.09	62.63	59.53	53,99	64.36	63.58	66.92	56.42	64.45	59.10	62.69	55
23	62.03	62.23	62.44	59.25	60.03	64.71	64.87	68.32	65.85	64.58	61.04	62.03	23
24	62.47	62.23	55.83	59.44	62.14	65.77	65.19	58.85	65.37	65.40	61.40	61.01	24
25	62.61	61.19	58.97	60.32	63.04	65.18	63.58	66.94	65.55	65.59	62.77	57.85	25
26	61.59	61.39	60.57	60.82	63.88	65.20	63.37	65.06	66.47	66.07	62.62	53.57	26
27	54.55	62.17	60.90	61.39	63.14	67.13	62.21	63.64	66.73	66.54	62.49	56.20	27
28	58.80	62.81	61.93	61.77	63.09	70.05	62.90	54.42	67.69	65.92	63.22	57.57	28
5.0	54.16		62.63	59.44	63.45	70.82	60.44	65.92	68.88	64.98	63.49	57.65	29
30	58.28		62.93	60.63	65.32	70.12	56.76	68.04	66.53	64.87	63.14	56.96	30
31	60.42		62.39		65.05		58.40	67.93		65.45		58.20	31
					-MO	NTHLY SUMM	ARY-						
MEAN	60.07	62.18	61.74	60.30	61.34	65.21	65.55	55.22	66.67	64.97	61.57	60.42	MEAN
INST	50.65	54.23	53.03	52.01	52.11	54.99	53.80	54.70	59.63	54.65	53,66	51.72	INST
MAX	(2)	(5)	(13)	(9)	(22)	(19)	(31)	(5)	(17)	(19)	(14)	(27)	MAX
					17.552	010767.57	115-200	The Edition	35.55.55.55	8 (5-5.5)	07.24703		
1851	63.33	64.61	64.62	65.56	67.93	71.56	71.40	70.94	71.27	68.87	68.56	64.20	INST
w 1 hi	(191)	(17)	(16)	(13)	(30)	(30)	(20)	(24)	(14)	(20)	(21)	(9)	MIN
								- N-T-1-01-01-01	141040474	A		A	


























West Central Region









REGIONAL OFFICE STONEY CREEK 140 Centennial Pkwy. N. 416-561-7410

DISTRICT OFFICES Welland 637-641 Niagara St. N. 416-735-0431 Cambridge 400 Clyde Road P.O. Box 219 519-623-2080



Regional Office District Office Recording Observation Well Number of Recording Wells in same location Manually Measured Well Number of Manually Measured Wells

in same location

LEGEND

OBSERVATION WELL DISTRIBUTION

ENVIRONMENT ONTARIO TURONTO
R. M. OF HALDIMAND . NORFOLK

OBSERVATION HELL 413

TUWNSHIP OF MIDDLETON

#ELL REC #: 4400966 UTM CO-ORD: Z-17 E553400 N#738050 LOT 23 LAT & LONG: 42-48NUMTM 80-36MEST

REC METHOD: A35 RECORDER

REC COMMCD: FEB 1966

MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE

GND ELEV: 760 FEET ABOVE SEA LEVEL

MELL LOG: BLACK LOAM 2; MEDIUM SAND 20; QUICKSAND 35; BLUE CLAY 36.

PUMP RATE: N.A.
SPEC. CAPE N.A.
AQUIFER & SAND AND CLAY
QUALITY : FRESH

E - ESTIMATED

1978 DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	Jun	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1		2.68 E	3,90 €				4.85	6.04	6.45	4.93	4.14	3.48	1
2		2,75 E	3,93 €				4.89	6.07	6.50	4.95	4.16	3.47	ż
3		2.84 E	3,93 €				4.92	6.03	6.53	4.96	4.20	3.45	3
4		2.91 E	3,96 E				4.94	5.87	6.54	4.89	4.22	3.10	4
5		2.96 E	4.00 E				4.99	5.81	6.55	4.69	4.24	2.85	5
6		3.03 E	4.03 E				5.06	5.79	6.56	4.47	4.27	2.83	6
7		3.09 E	4.00 E				5.12	5.71	6.59	4.04	4.31	2.85	7
8		3,15 E	4.07 E				5.18	5.77	6.48	3.87	4.33	2.79	8
9		3,20 €	4.08 E				5.23	5.77	6.19	3.83	4.33	2.61	9
10		3,23 E	4.09 E				5.29	5.77	6.05	3.84	4.37	2.63	10
11		3,27 E	4.13 E				5.35	5.77	5.98	3.85	4.40	2.78	11
12		3,30 E	4.17 E				5.40	5.80	5.93	3.88	4.43	2.91	12
13		3,34 E	4.19 E				5.46	5.84	5.92	3.93	4.45	2.97	13
14		3,38 E	4.03 E			3.72	5.49	5.90	5.90	3.94	4.44	3.04	14
15	2,44 E	3,43 E	3,29 E			3.80	5.56	5.97	5.63	3.94	4.37	3.10	15
16	2.57 E	3.47 E	2.84 E			3.88	5.61	6.00	5.28	3.97	4.33	3.15	16
17 -	2.60 E	3,51 E	2,61 E			3.93	5.67	6.02	5.14	4.03	4.27	3.19	17
18	2.72 E	3,53 €	2,55 €			4.00	5.75	6.05	5.03	4.05	4.03	3.21	18
19	2.79 E	3,57 E	2.49 E			4.07	5.82	6.08	4.83	4.05	3.88	3.24	19
20	2.83 E	3,60 E				4.14	5.89	6.12	4.71	4.09	3.84	3.28	50
51	2.88 E	3,64 E				4.20	5.96	6.16	4.67	4.12	3.84	3.29	21
5.5	2,95 E	3,68 E				4.26	6.01	6.20	4.67	4.15	3.84	3.32	55
5.3	3.00 E	3.71 E				4.32	6.07	6.23	4.68	4.19	3.83	3.36	23
24	3.02 E	3.75 €				4.39	6.12	6.26	4.69	4.22	3.59	3.39	24
25	3.03 E	3,79 E				4.45	6.16	6.27	4.71	4.23	3.46	3.41	25
26	2.76 E	3.83 E				4.50	6.20	6.28	4.76	4.22	3.44	3.47	26
27	2.44 E	3,86 €				4.56	6.18	6.31	4.78	4.15	3.44	3.53	27
28	2.42 E	3.87 E				4.64	6.12	6.34	4.84	4.11	3.48	3.59	88
5.9	2.46 E					4.70	6.07	6.35	4.88	4.11	3.54	3.63	50
30	2.54 E					4.77	6.04	6.38	4.90	4.11	3.53	3.67	50
3 1	2.61 E						6.02	6.40		4.12		3.66	31
					-40	NTHLY BUMMA	RY-						
MEAN		3,37				Older Without Contraction	5.59	6.05	5.55	4.19	4.03	3.20	MEAN
INST		2.64					4.82	5.77	4.67	3.82	3.43	2.58	INST
MAX		(1)					(1)	(10)	(21)	(9)	(27)	(10)	MAX
INST		3.88					6.21	6.44	6.60	4.96	4 45	3.69	INST
MIN		(28)					(56)	(31)	(8)	(3)	(13)	(31)	

ENVIRONMENT ONTARIO
TORONTO
R, M, OF HALDIMAND - NORFOLK

TOWNSHIP OF N, CAYUGA OBSERVATION HELL 064

WELL REC #1 2000272 UTM CO-ORD1 2-17 E592905 N4750410 LOT 23 LAT & LONG: 43-54NURTH 79-528881

REC METHOD: A35 RECORDER
REC COMMCD: APR 15 1954
MEASURE PT: 0,0 FEET ABOVE GROUND SURFACE
GND ELEV: 669 FEET ABOVE SEA LEVEL
MELL TYPE: DRILLED
WELL LOG: CLAY 21; LIMESTONE 100,

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 21 FEET LENGTH OF SCREEN; NONE DEPTH OF WELL: 100 FEET

JT

PUMP RATE: 5 IGPM SPEC, CAP: 0,06 IGPM/FT AGUIFER : LIMESTONE GUALITY : FRESH

				DAILY ME	AN WATER	LEVELS IN	FEET BELOW	GROUND SU	RFACE				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NUV	DEC	DAY
1	20.05	20.49	21.28			20.27	21.68	23.31	23.91	24.12			1
2	19.83	20.56	21,51			20,27	21,68	23.40	23,95	24.08			ż
3	19.81	20.66	21,48			20,33	21.67	23,30	23.86	23,95			3
4	19.95	20.77	21,34		19.92	20,33	21.77	23,28	23,93	23.77			4
5	19.96	20,68	21,58		19.82	20.31	21.94	23,29	23,99	23.71			5
6	19.93	20.57	21.68		19.93	20.48	22.03	23,28	24.03	23.44			6
7	19,92	20.54	21.84		20.06	20.48	22,05	23,29	24.02	23,39			7
8	20.09	20,59	21,92		19,95	20,38	22,03	23,30	24.06	23,47			8
9	20.42	20,65	21.84		19.74	20.48	22.05	23,30	24.13	23,50			9
10	20.43	20,59	21.67		19,83	20.66	22,11	23,32	24.20	23.41			10
11	20,12	20,52	21,65		19.97	20.68	22,27	23,34	24.10	23,25			11
12	19.99	20,53	21,69		19,91	20,68	22,38	23,36	24.11	22.97			12
13	19,95	20,58	21,89		19.76	20.76	22,35	23.40	24,30	22,93			13
14	19,96	20,58	21,61		19.67	20,95	22.34	23.49	24,27	22.84			14
15	19,98	20.76	21,39		19.70	21.06	22,36	23,50	24.14	22.70			15
16	20.09	20,83	21,59		19,79	21,09	22,38	23,39	24,12	22.63			16
17	20,27	20.86	21,55		19.81	21.04	22,52	23,38	24,16	22,73			17
18	20.22	20.88	21.57		19.87	21,00	22,69	23,46	24.28	22,59			18
19	20.33	20.88	21.41		19.93	21.09	22,79	23,48	24,27				19
20	20,28	20.89	21,53		19,90	21,17	28,55	23,63	24,17				20
21	20.19	20.90	21,31		19,93	21,15	25,83	23.77	24.06				21
5.5	20.34	20,93	21.21		80.08	21,21	22,86	23.76	24.21				55
5.3	20,48	20.93			20,13	21.30	25.65	23,65	24.30				23
24	20.45	20,86			20.17	21,36	23,09	23,54	24,23				24
25	20.20	20.86			20.25	21.37	23,12	23,54	24.18				25
56	19.65	21.03			20.31	21,32	23.04	23.59	24.20				26
27	19,60	21.22			20.32	21.40	22,94	53.65	24.16				27
85	19.91	21.26			20.28	21.56	23,09	23,51	24.19				85
29	20.11				20.23	21.61	23,09	23.49	24,30				29
30	20.30				20.21	21,64	23,17	23,68	24.22				50
31	20.39				20.20		23,25	23,77					31
1012/0700	22000 000	0200 2200			-MO	NTHLY SUMM	ARY =						
MEAN	20.10	20,76				20,91	22,49	23.47	24.14				MEAN
INST	19.45	20.41				20,23	21,00	23,26	23,83				INST
MAX	(27)	(1)				(1)	(i)	(1)	(3)				MAX
INST	20.52	21,26				21,66	23,26	23,83	24.39				INST
MIN	(53)	(28)				(30)	(31)	(31)	(23)				MIN

OBSERVATION WELL 138

ENVIRUMENT ONTARIO
TORONTO
R,M, UF HALDIMAND-NORFOLK
TOWNSHIP OF S. MALSINGHAM

#ELL REC #: 4401235 UTM CO-ORD: Z=17 E540150 N4722800 CONC 4 LOT 13 LAT & LONG: 42-39NORTH 80-31485T

REC METHOD: A35 RECORDER
REC COMMCD: MAY 20 1965
READURE PT: 2,2 FEET ABOVE GROUND SURFACE
RED CELEVI 680 FEET ABOVE SEA LEVEL

DEPTH OF WELL: 40,5 FEET

WELL TYPE: DRILLED

DARK SAND 47,

1978
DAILY MEAN WATER LEVELS IN FEET BELOH GROUND SURFACE

				W. W. W. C.			201 00001	4.00.00					
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	3 E P	OCT	NOV	DEC	DAY
1							8.45	9.30	9.86	10.32	9.90	10.37	1
2							8.48	9.32	9.88	10.34	9.91	10.38	2
3							8.49	9.34	9.90	10.36	9.92	10.41	3
á							8.51	9.35	9.93	10.38	9.92	10.39	4
5							8.54	9.37	9.95	10.39	9.94	10.40	5
6							8.57	9.38	9.97	10.39	9.96	10.42	6
7						7.88	8.60	9.39	9.99	10.37	9.99	10.42	7
8						7.90	8.62	9.40	10.02	10.30	10.02	10.42	8
9						7.94	8.66	9.41	10.04	10.22	10.03	10.42	9
10						7.98	8.70	9.43	10.06	10.15	10.05	10.42	10
11						8.01	8.73	9.44	10.08	10.09	10.08	10.42	11
11						8.04	8.77	9.46	10.09	10.03	10.11	10.41	12
13						8.07	8.78	9.49	10.11	9.99	10.13	10.40	13
14						8.09	8.80	9.52	10.14	9.95	10.14	10.40	14
15						8.11	8.83	9.53	10.15	9.92	10.17	10.39	15
16						8.13	8.86	9.55	10.16	9.90	10.19	10.38	16
17						8.14	8.90	9.57	10.18	9.90	10.20	10.37	16
18						8.15	8.94	9.59	10.19	9.89	10.20	10.37	18
19						8.18	8.97	9.60	10.20	9.86	10.22	10.37	19
20						8.20	8.99	9.63	10.21	9.85	10.25	10.36	20
21						8.22	9.02	9.66	10.21	9.84	10.27	10.32	21
2.2						8.25	9.06	9.68	10.23	9.84	10.28	10.32	22
23						8.28	9.09	9.69	10.25	9.84	10.28	10.33	23
24						8.30	9.13	9.71	10.26	9.83	10.28	10.33	24
25						8.32	9.16	9.73	10.28	9.84	10.31	10.32	25
26						8.33	9.18	9.75	10.30	9.84	10.32	10.33	26
27						8.35	9.20	9.76	10.30	9.83	10.32	10.35	27
27 28						8.37	9.21	9.77	10.31	9.82	10.32	10.38	28
29						8.40	9.24	9.79	10.32	9.85	10.33	10.39	29
30						8.43	9.26	9.81	10.33	9.87	10.35	10.39	30
31							9,27	9.84		9.89		10.40	31
					-MO	NTHLY BUMMA	RY.						
MEAN							8.87	9.56	10,13	10.03	10.15	10.38	MEAN
INST							8.44	9.28	9.85	9.82	9.89	10.32	INST
MAX							(1)	(1)	(1)	(27)	(1)	(22)	MAX
INST							9.28	9.85	10.33	10.39	10.37	10.43	INST
MIN							(31)	(31)	(30)	(5)	(30)	(7)	WIN

ENVIRONMENT ONTARIO
TORONTO
R. M. OF MALDIMAND = NORFOLK
TOWNSHIP OF S. MALSINGMAM

OBSERVATION MELL 406

CONC. 4 LOT 5

MELL REC #: 4401260 UTM CD=0R0: Z=17 E535300 N4721000 LAT & LONG: 42=39NDRTM 80=34MEST

REC METHOD: A35 RECORDER

REC COMMCD: NOV, 1965

MEASURE PT: 3,0 FEET ABOVE GROUND SURFACE

GND ELEV: 680 FEET ABOVE SEA LEVEL

MELL LOG: SAND 21; SILTY CLAY 26,

PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : SILTY CLAY
QUALITY : FRESH

1978
DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	StP	OCT	NOV	DEC	DAY
1							7.88	8,92	9,58	10,05	9.98	10,21	1
2							7.90	8,93	9.61	10.07	9.99	10.21	2
1 2 3 4 5 6 7							7,93	8,94	9.63	10.09	9,99	10.55	3
- A							7.96	8,98	9,65	10,11	10.01	10,21	4
5							8.00	9.00	9.67	10,12	10.02	10.21	5
							8.04	9.01	9.71	10,13	10.03	10.22	6
,							8.08	9.04	9.73	10.14	10.03	10,22	7
							0,12	9.05	9.76	10.10	10.05	10.22	8
8 9							6,15	9.06	9.79	10.05	10.05	10,19	9
10						7.15	8.20	9.08	9.80	10.01	10.06	10,16	10
10						7,19	8,25	9.09	9.77	9,99	10.07	10,15	11
11						7.23	8.28	9,11	9.78	9.98	10.11	10,13	18
12						7.27	8,32	9,13	9.80	9.98	10.13	10.09	13
1 3							8,34	9,15	9.81	9,98	10,14	10.06	14
14						7.30				9.98	10,14	10.03	15
15						7,33	8,38	9,18	9,80		10.15	10.03	1.5
16						7.36	8.41	9,22	9,82	9.97	10,15		16
17						7,38	8.44	9.24	9,85	9,96			18
18						7.40	8,49	9,27	9,86	9,96	10,16		10
19						7.43	8,55	9,28	9,86	9,96	10.16		19
20						7 . 47	8,59	9.30	9,87	9,96	10.15		20
51						7.50	8,62	9,32	9.91	9.96	10.18		51
5.5						7.55	8,65	9,35	9,93	9,95	10.18		55
23						7.59	8,69	9.37	9,93	9,95	10,18		5.2
24						7.63	8,73	9.40	9,96	9.95	10.19		24
25						7.65	8,76	9,42	9,96	9,95	10.19		25
26						7,68	8.79	9,43	9,99	9,96	10,19		26
27						7.72	8,82	9.47	9.99	9.96	10.19		27
28						7.77	8.84	9.49	9,99	9,95	10.19		28
29						7.80	8.80	9.51	10.01	9,95	10.20		50
30						7.83	8,86	9.54	10.03	9,96	10.21		30
30 31							8,91	9,50		9.97			31
					∞M0	NTHLY SUMM	ARY.						
MEAN							8.41	9,22	9,83	10,00	10.15		MEAN
INST							7.85	8,92	9.57	9,95	9,98		INST
MAX							(i)	(1)	(1)	(25)	(1)		MAX
INST							8,92	9,57	10.05	10.14	10.21		INST
MIN							(31)	(31)	(30)	(7)	(30)		MIN

ENVIRONMENT ONTARIO
TORONTO
R. M. OF HALDIMAND-NORFOLK

OBSERVATION HEL
TOWNSHIP OF TOWNSEND

OBSERVATION WELL 545

WELL REC #: 4404036 UTM CO-OHD: Z-17 E567485 N4750580 CONC. 11 LOT 21 LAT & LONG: 42=54 NORTH 80= 11HEST

REC METHOD: A-35 RECORDER
REC COMMCD: NOV, 22 1978
REC METHOD: A-35 RECORDER
REC COMMCD: NOV, 22 1978
REASURE PT: 0,7 FEET ABOVE GROUND SURFACE
LENGTH OF SCREEN: NOME
REASURE PT: 0,7 FEET ABOVE SEA LEVEL
DEPTH OF WELL: 32 FEET
REASURE PT: 0,7 FEET ABOVE SEA LEVEL
DEPTH OF WELL: 32 FEET
REASURE PT: 0,7 FEET ABOVE SEA LEVEL
DEPTH OF WELL: 32 FEET
REASURE PT: 0,7 FEET ABOVE SEA LEVEL
REASURE PT: 0,7 FEET ABOVE SEA LEV

1978 DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1												9,40	1
5												9.30	2
2 3 4												9.21	3
4												9.03	4
5												8,83	5
6 7												8.63	6
4												A 2A	8
8 9												7 98	9
10												7.69	10
11												7.48	11
10 11 12 13 14 15 16 17 18 19 20 21 22												9,40 9,31 9,03 8,03 8,03 8,03 8,28 7,00 7,10 7,00 7,00 9,00 0,00 0,00 0,00 0,00 0,0	10 11 12
13												7.19	13
14												7.09	14 15 16 17 18 19
15												7.02	15
16												6.97	16
17												6,43	17
10												6.72	10
30												6.88	20
21												6.81	20 21 22 23
22												6.81	22
23											10.48	6,85	23
24											10.48	6,89	24
25											10.15	6.89	24 25 26 27 28 29
50											10.02	6.92	5.6
27											9,88	6,99	27
28											9.72	7.07	20
29											9.61	7 18	3.0
24 25 26 27 28 29 30											7,41	7.21	30
					-MO	NTHLY SUMM	ARY-						
MEAN												7.56	MEAN
INST												(22)	INST
INST												9.40	INST
MIN												(1)	MIN

ENVIRONMENT ONTARIO HELL REC #: 3802296 UTM CO-DRD: Z-17 E614640 N4779860 CONC, 5 LOT 12 LAT 6 LONG: 4%-10NORTH 79-35HEST OBSERVATION WELL 399 TORONTO
REGIONAL MUNICIPALITY OF NIAGARA TOWNSMIP OF N. GRIMSBY

REC METHOD: A35 RECORDER

REC COMMCD: NOV 18 1969

REC COMMCD: NOV 18 1969

MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE

SPEC LENGTH OF SCREEN: NONE

AQUIF
GND ELEV: 630 FEET ABOVE SEA LEVEL

DEPTH OF MELL: 47 FEET

WELL TYPE: DRILLED

WELL LOG: SOFT BROWN CLAY, STONES 10; SOFT GREY CLAY, STONES 36; HARD, DENSE WHITE DOLOMITE 47. PUMP RATE: N.A.
SPEC, CAP: N.A.
AQUIFER : DULOMITE
QUALITY : FRESH

1978 DAILY MEAN HATER LEVELS IN FEET BELOW GROUND SURFACE

				*****					V1.11 (0.11)				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1	1.12						2.76	3,96	4.62	4.39	3.00	2,41	1
2	1,13						2.70	3,98	4.81	4.40	2.94	2.41	2
3	1.21						2,63	3,92	4.77	4,35	2.94	2.39	3
4	1.27						2.61	3.94	4.82	4.24	2.91	2.09	4
5	1,27						2,68	3,96	4,86	4,21	2.91	2.07	5
6	1.28					1.71	2.00	4.00	4.88	3,86	2.91	2.14	
7	1.29					1,65	2,66	3,99	4,93	3.71	2,95	2.20	7
8	1,20					1.69	2.77	3,95	4.95	3.75	2.94	2.05	8
9	1,11					1.83	2,93	3,95	4.99	3.79	2.90	1,92	9
10	1.18					1.81	3.03	3,98	5.03	3.72	2,95	1.95	10
11	1.27					1.84	3,18	4.01	5,00	3.64	2,99	2.00	11
12	1.27					1.79	3,31	4,05	4.94	3,50	3.00	1,93	12
13	1.24					1.82	3,29	4.11	4.98	3,52	3.07	1,83	13
14	1.19					1.87	3,43	4.20	4.95	3.48	2.95	1.86	14
15	1,21					1.88	3,51	4.22	4.90	3,39	3.04	1,81	15
16	1.28					1.86	3,55	4,25	4.88	3,30	3.05	1,84	16
17	1,30					1,99	3,53	4.26	4,86	3.37	2.93	1,82	17
1.6	1.26					2,13	3,62	4,34	4.74	3,29	2.81	1.83	18
19	1,28					2,11	3,60	4,34	4.64	3,10	2.90	1,85	19
50	1.28					2,12	3.72	4.42	4.58	3.17	2.93	1.75	20
21	1.28					2,09	3,72	4,45	4.51	3.16	2.90	1.70	21
5.5	1.28					2.09	3,75	4,45	4,55	3.14	2.84	1.81	5.5
23	1.30					2,10	3.78	4.47	4,59	3.10	2.65	1,88	5.3
24	1.30					2,15	3,89	4,45	4,52	3.10	2,52	1,89	24
25	1.25					2,19	3,89	4.47	4.51	3,00	2.60	1.77	25
26	1.06					2.16	3,89	4.49	4.53	3.01	2.61	1,88	26
27	1.14					2,26	3.84	4,55	4.47	3.01	2,52	1,94	27
28	32.41930					2,45	3,90	4,51	4.49	3.01	2.44	2.06	28
29						2,66	3,82	4,52	4,52	3.08	2.49	2.09	29
30						2,69	3,92	4,58	4.47	3.09	2.40	2.07	30
31						1350	3,93	4,69	0.011.	2.99		2.00	3 1
					-MO	NTHLY SUMMA							
MEAN							3,37	4.24	4,75	3,49	2,83	1.97	MEAN
INST							2,59	3,89	4,43	2,96	2.36	1,62	INST
MAX							(4)	(3)	(30)	(31)	(10)	(51)	MAX
INST							4,15	4,82	5.06	4,45	5.11	2,50	INST
MIN							(28)	(31)	(10)	(1)	(13)	(3)	HIN

ENVIRONMENT ONTARIO OBSERVATION WELL 228

#ELL REC #: 6602409 UTM CO-0ND: Z=17 E624861 N4755444 CONC, 5 LOT 37 LAT & LONG: 42-57NONTH 79-28#EST REGIONAL MUNICIPALITY OF NIAGARA TOWNSHIP OF WAINFLEET

A35 RECORDER

FEB 26 1969

3.1 FEET ABOVE GROUND SURFACE

DEPTH OF MELLI 175 FEET

DETILED

DETILED PUMP RATE: 40 1GPM SPEC. CAP: 0.65 IGPM/FT AGUIFER : LIMESTONE GUALITY : MINERAL REC COMMODI

GND ELEV: HELL TYPE: HELL LOGI BROWN CLAY 5; BLUE CLAY 48; REDDISM CLAY 70; CLAY AND GRAVEL 110; SALINA LIMESTONE 175.

1978
DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1						8.60	9.14	10.33	10.20	9.87	9.22	8,91	1
2						8.72	9,13	10,32	10.20	9.81	9.21	8.92	5
3						8.79	9,13	10,17	10.12	9.80	9.22	8,90	3
ű.					8.30	8,75	9,14	10.13	10.10	9.66	9,21	8,64	4
					8,25	8.66	9,18	10,18	10.12	9,53	9.20	8,61	5
- 1					8.30	8,78	9,18	10,16	10.16	9.31	9.20	8.67	
7					8.37	8.78	9.27	10,13	10.15	9.18	9.23	8.74	
é					8,35	8.62	9.35	10.25	10.19	9.17	9,23	8,66	4
9					8,25	8.64	9,37	10.32					Ŷ
					0,25				10.29	9,18	9.23	8,57	
10					8,35	8.71	9,39	10.24	10,36	9,19	9.24	8,57	10
1 1					8,42	8.74	9.51	10.22	10.43	9,19	9.29	8,66	11
12					8,34	8.73	9,63	10.19	10.53	9,13	9,32	8.67	12
13					8.25	8,72	9,77	10,18	10,57	9,16	9.33	8,60	13
14					8.18	8,78	0.91	10,18	10.50	9,17	9,25	8,59	14
15					8,13	58.8	10,00	10,18	10.38	9,09	9,29	8.57	15
16					8,14	8.83	10.17	10,15	10.34	9.08	9,31	8,58	16
17					8.14	8.79	10.40	10,13	10.33	9,18	9.24	8.57	17
18					8.21	8.76	10.46	10,16	10,30	9,18	9,11	8,59	18
19					8,36	8.80	10.46	10.10	10.20	9.11	9.21	8,61	19
50					8,27	8.84	10.49	10,16	10,14	9.08	9,24	8,59	20
21					8.19	6.83	10,51	10.17	10.67	9.11	9,25	8.44	21
5.5					8,19	8.80	10.56	10,17	10,11	9,12	9.25	8,53	22
53					8,19	8,91	10.72	10,15	10.15	9.12	9,13	8,61	23
24					8,17	8,98	10,91	10.09	10.12	9,17	8,95	8.60	24
25					8.22	9,16	10.96	10.05	10.08	9.10	8.95	8.40	25
26					8,33	9,15	10.96	10.03	10.11	9.04	8,97	8,55	26
27					8,37	9,17	10.73	10.00	10.04	9.05	8.94	8,63	27
28					0.38	9,18	10,65	9.97	10.03	9,09	8.92	8.75	28
29					8.44	9,14	10,55	9.97	10.07	9,19	8.95	8,83	29
30					8,51	9,14	10.46	10.00	10.00	9.24	8.91	8.82	30
31					8,55		10.38	10.12		9,23		8.78	31
31					0,00		10,30	10,12		*,		0,10	
					-401	THLY SUMM	ARY						
MEAN						8,85	10,02	10.15	10.21	9.24	9.17	8,65	MEAN
INST						8,56	9,10	9,95	10.00	9.04	8.90	8.42	INST
MAX						(1)	(3)	(88)	(86)	(56)	(27)	(25)	MAX
INST						4.22	11.01	10.35	10.60	10.02	9,33	8,95	INST
MIN						(27)	(26)	(1)	(13)	(1)	(13)	(3)	MIN

ENVIRONMENT ONTARIO OBSERVATION WELL 034
TORONTO
REGIONAL MUNICIPALITY OF KATEPLOO CITY OF KITCHENER ENVIRONMENT ONTARIO WELL REC #: 6503537 UTM CD-ORD: Z-17 E540478 N4808546 LAT & LONG: 43-26NORTH 80-30WEST ORSERVATION WELL 034 LOT -CONC. -

PFC METHOD: STEEL TAPE

REC COMMCO: SEP. 11 1946

MIASURE DT: 1.0 FEFT ARROY GROUND SURFACE
GNO ELEV: 1082 FEET ARROY SEA LEVEL

METHOD: DOTALED

METHOD: STEEL TAPE

DEPTH OF SCREEN: NONE

DEPTH OF MELL: 370 FFET

MELL: 106: OVERBURDEN 200: DOLOMITE 370. PUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : DOLOMITE
QUALITY : FRESH

1978
DATE AND WATER LEVEL MEASUREMENTS IN FEET BELOW GROUND SURFACE

APR MAY JUN JUL AUG SEP OCT NOV JAN FER MAD

01/ 37.75 31/ 39.36 01/ 37.71 01/ 43.07 30/ 46.92 30/ 45.76 27/ 48.48 27/ 47.98 29/ 48.54 30/ 46.92

WELL REC #1 6503538 UTM CO-ORD: Z-17 E540482 N4808508 LAT & LONG: 43-26NORTH 80-30WEST ENVIRONMENT (MIAHIO DRSERVATION WELL 035 PRECIONAL MUNICIPALITY OF WATERLOO CITY OF KITCHENER LOT -CONC. -

HEC VETHID: STEEL TARE

REC CHMMCD: SED. 11 1946

MEASINE DII 1.0 FEET AROVE GROUND SURFACE
GND ELEV: 1002 FEET AROVE SEA LEVEL

MELL 170F: DRILLED

MELL LOG: OVERRUNDEN 1901 DOLOMITE 196. DIAMETER OF WELL: 12 INCHES
LENGTH OF CASING: 190 FEET
LENGTH OF SCREEN: NONE
DEPTH OF WELL: 196 FEET PUMP RATE: N.A. N.A. DOLOMITE FRESH SPEC. CAPI AGUIFER : QUALITY :

DATE AND WATER LEVEL MEASUREMENTS IN FEET HELOW GROUND SURFACE

APR MAY JUN JUL AUG SEP JAN FEB MAP OCT 01/ 20,58 01/ 26,51 30/ 31.00 30/ 27.55 27/ 31.67 27/ 30.35 29/ 31.64 30/ 31.00 01/ 21.92 31/ 23.24

PENTROPHET OF TARIO DISEPVATION WELL 059 #ELL PEC #1 6503534 UT# CO-OPD: Z-17 E539865 N4810265 LAT & LONG: 43-26N08TH 80-30WEST TORUNTO REGIONAL FUNICIPALITY OF WATERLOO CITY OF KITCHENER CONC. - LOT -REC METHODS STEEL TADE COMMCDS OF SELECTION SUPFACE CENTER OF SELECTIONS OF SELECTION OF SELECTI CHAMPTER OF *FLL: 12 INCHES
LENGTH OF CASING: 160 FFFT
LENGTH OF SCREEN: NOME
DEPTH OF *FLL: 202 FFET PUMP RATE: SPEC. CAPI AQUIFER : N.A. N.A. DILOMITE FFESH AQUIFER 1 QUALITY 1 TYPE: OBILLED
THE OVERHUBDER 1601 DOLOMITE 202. 1978
DATE AND WATER LEVEL MEASUREMENTS IN FEET BELOW GROUND SURFACE

01/ 66.10 01/ 74.05 30/ 74.92 30/ 48.50 27/ 79.23 27/ 80.08 29/ 78.17 30/ 74.92

NUL YAM SOA

ENVIRONMENT ONTARIO OBSERVATION WELL OBZ HELL REC #1 6500265 UTM CD-ORD1 2-17 2544590 N4806630 LAT & LONG1 4.5-25NORTH 60-27MEST TORONTO REGIONAL MUNICIPALITY OF WATERLOD CITY OF KITCHENER CONC. . LOT -REC METHOD: A35 RECORDER DIAMETER OF HELL: 6 INCHES PUMP HATE; 1') IGPM
REC COMMCD! MAY 10 1958 LENGTH OF CABING: 130 FEET SPEC, CAP: 0,71 IGPM/FT
MEASURE PT: 0.0 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: NONE AQUIFER: 3 AND AND GRAVEL
GND ELEV! 1020 FEET ABOVE SEA LEVEL DEPTH OF MELL: 130 FEET QUALITY: FRESH
MELL TYPE: MELL LOG: PREDUG 43; CLAY AND STONES 51; DRY GRAVEL 64; CEMENTED GRAVEL 74; CLAY, HARDPAN AND STONES 67; 3ANDY CLAY 90;
BROWN CLAY 120; COARSE SAND 125; GRAVEL 127; UNKN 130. PUMP RATE: 15 1GPM SPEC, CAP: 0.71 1GPM/FT AQUIFER : SAND AND GRAVEL QUALITY : FRESH

E - ESTIMATED

FER

01/ 69.42 31/ 68.50

1976
DAILY MEAN MATER LEVELS IN PEET BELOW GROUND SURFACE DAY JAN FFR OCT NOV DEC DAY 78.66 75.72 74.74 79.57 81.03 76.72 81.46 68.91 66.76 69.64 73.54 77.72 60.05 79.19 72.66 77.42 60.60 61.17 81.48 61.75 09.53 72.69 71.02 72.31 68.17 68.17 71.19 72.57 74.02 75.31 77.18 79.40 80.09 79.40 80.09 79.40 80.09 77.55 09.64 74.94 80.42 78.42 75.79 78.29 73.58 67.79 67.09 74.95 80.00 78.36 75.09 77.25 76.94 77.25 76.97 77.97 75.00 77.17 78.89 79.27 77.65 75.45 75.45 77.85 77.58 77.58 77.58 77.58 77.58 77.59 70.25 60.34 71.23 75.32 78.86 77.46 73.52 78.60 80.41 81.01 81.27 81.51 77.08 77.42 81.51 77.08 61.80 78.17 75.76 75.26 76.91 76.35 77.65 61.24 76.61 75.76 79.85 78.97 79.85 77.15 87.56 62.35 68.34 67.32 68.69 68.77 70.33 67.29 61.37 10 11 12 13 14 15 16 17 18 19 20 22 23 24 25 10 121314151617181201223 78,46 79,84 76,47 70,41 76,00 80,10 80,10 80,92 81,15 81,61 81,61 80.30 82.27 82.62 82.84 82.81 72.81 72.01 74.55 80.43 71.43 71.68 68.52 66.13 71.34 81.05 81.42 81.87 61.48 71.99 74.57 75.92 79.83 81.70 61.89 77.75 73.85 78.41 75.70 77.59 77.51 78.78 75.53 76.73 78.43 75.68 26 76.57E 74.38E 72.81E 74.79E 71.12E 28 29 30 31 30 -MONTHLY SUMMARY-MEAN 75.80 74.95 MEAN INST 72.89 INST (9) INST 61,58 81.94 INST

ENVIRONMENT ONTARTO ORSEPVATION WELL 116 WELL REC #1 6502124 TORONTO
REGIONAL MUNICIPALITY OF *ATERLOD UTM CO-ORDI 2-17 E536325 N4805375 TOWNSHIP OF WILMOT CONC. BRN LOT 2 HEC METHODS STEEL TADE DIAMETER OF WELL: 2 INCHES LENGTH OF CASING: 74 FEET LENGTH OF SCREEN: 11 FEET DEDIN OF WELL: 86 FEET 27 IGDM 7.71 IGDM/FT SAND AND GRAVEL STEEL TADE
JUN. OR 1962
LENGTH OF CASING: 74 FEFT
O.O FEET AROVE GROUND SUPFACE
LENGTH OF SCREEN: 11 FEET
ADULEFD : SAND AND GRAVEL
1125 FEFT AROVE SEA LEVEL
DEDTH OF WFILL: 86 FFET
DUALITY : FRESH
TOPSOIL AND ROULDEPS 03: SILTY SAND A91 SAND AND GRAVEL 531 SAND AND GRAVEL STREAKS, FINE SAND 70: FINE SAND AND
GRAVEL 751 ROULDEPS, CRASS GRAVE: AND SAND 80: GRAVEL AND SAND 84: HARD PACKED ROULDERS GRAVEL AND SAND 85:
HARD AND SOFT STREAKS OF BLUE AND BROWN CLAY 97. REC COMMON! MEASURE PT: GND ELEV: WELL TYPE:

1978
PATE AND WATER LEVEL MEASUREMENTS IN FEET HELDW GROUND SURFACE

APR MAY JUN JUL AUG SED JAN MAR NOV DEC

01/ 25.92 13/ 26.23 29/ 26.46 27/ 26.25

DEC

ENVIRONMENT ONTARIO ORSERVATION WELL 117 WELL PEC #: 6502168 HTM CO-UPD: 2-17 E536875 N4804000 CONC. RPS LUT 2 LAT 6 LONG: 43-24NDPTH 80-33#EST

REGIONAL SUNICIPLATTY DE *ATERIDO TORNSHIP DE WILHOT

REC COMMENT:

REC COMMENT:

REC COMMENT:

JUM, OR 1962

LENGTH OF CASTNG:

MEASURE DI:

2.6 FEFT ARRYE GROUND SUBFACE

LENGTH OF SCREEN:

N.A.

AQUIFER

GND FLEV:

1100 FEET ARRYE SER LEVEL

RELL LOG:

MUCK 021 COARSE SAND, FINE GRAVEL 441 CLAY AND GRAVEL 681 CLAY 1071 CLAY AND GRAVEL 136. DUMP RATE: N.A.
SPEC. CAP: N.A.
ADUIFER : CLAY AND GRAVEL
QUALITY : FRESH

FFB MAD

IAN

1978
DATE AND WATER LEVEL MEASUREMENTS IN FEET BELOW GROUND SURFACE

01/ 23.92 31/ 24.52 28/ 24.17 26/ 24.05 30/ 23.82 28/ 23.90

01/ 24.34 13/ 24.86 29/ 24.15

DEC

APR MAY JUN JUL AUG SEP OCT NOV

ENVIRONMENT ONTARIO
TORONTO
REGIONAL MUNICIPALITY OF MATERLOO
TOMNSHIP OF MILMOT NELL REC #: 6502145 UTM CO-ORD: Z-17 2530300 N4804475 LOT 11 LAT & LONG: 43-24NDRTH 80-37HEST OBSERVATION HELL 396 BRN REC COMMCD: JUN-13 1973

REC COMMCD: JUN-13 1973

REC COMMCD: JUN-13 1973

REC COMMCD: JUN-13 1973

REASURE PT: 4.5 FEET ABOVE GROUND SURFACE

LENGTH OF SCREEN: 1: FEET

SOD ELEV: 1200 FEET ABOVE SEA LEVEL

DEPTH OF MELL: 155 FLET

GUALITY: FRESH

WELL TYPE: DILLED

MELL LOG: BROWN CLAY 8; SAND 17; SAND AND GRAVEL 38; BOULDERS, GRAVEL AND BROWN CLAY 51; BROWN CLAY CHAMGING TO GREY COLOR

SO; SILTY SAND WITH CLAY STREAMS 128; GRAVEL, SAND WITH BOULDERS 155; SAND AND FINE GRAVEL 182; GREY CLAY 205;

GREY CLAY, GRAVEL 216; CEMENTED SAND, GRAVEL 218; BEDROCK 218.

1978

				DAILY ME	AN WATER	LEVELS IN	FEET BELOW	GROUND BU	RFACE				
DAY	JAN	PEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NUV	DEC	DAY
1							48.97	48.92	48.95	48.93	49,35	48.78	1
2							49.02	48.89	48.89	48.99	49.24	48,87	2
3							49.04	48.87	48.82	48.87	49.19	48.69	3
4							48.92	48.94	48.86	48.88	49.06	48,53	4
5							48.84	48.92	48.89	48.94	49.01	48.62	5
6							48.97	48.87	49,11	48.95	49.00	48,78	
7							49.08	48.83	49,29	49.08	48.97	48,77	7
8							49.14	48.78	49.33	49.17	48.91	48.64	
9							49,19	48.77	49.26	49.21	48,86	46.61	9
10							49.09	48.80	49.15	49.19	48.95	48.77	10
11							49.27	48.80	49.02	49.09	48.90		11
15							49,35	46,83	49.27	49,05	49.01		12
13							49.32	49,11	49.50	49.19	48,88		13
14							49,40	49.30	49,46	49.21	48.80		14
15							49.44	49.40	49.37	49.20	48.99		15
16							49.51	49.47	49.27	49.27	48,98		10
17						48.45	49.58	49.51	49.22	49.35	48,73		17
18						48.41	49.65	50.98	49.18	49.26	48,83		18
19						48,44	49,69	49.29	49,13	49,18	48.92		19
20 21 22						48.39	49,69	49,33	49.03	49.24	48,94		20
21						40.31	49,72	49.26	49.07	49,26	48,83		51
55						48,34	49,55	49.16	49.29	49,30	48,76		5.5
53						40.32	49.37	49.09	49,19	49.37	48,55		5.2
23 24						40,20	49.31	49.02	49.02	49.30	48,61		24
25						48,20	49,15	49.02	49.04	49,16	46,77		25
26						46,13	49.01	48.99	48,99	49,22	48,82		26
27						48,28	48,96	48,98	48,88	49.32	48.67		27
28						48,59	49,02	45,80	48,96	49,42	48.72		28
29						48,72	48,91	48.94	48,95	49.51	48.74		29
30						48.87	48,98	48.99	48,88	49.46	48.76		30
31							48.90	48,96		49,34			31
					-40	NTHLY SUMM					W05 1 (1456)		0.000000000
MEAN		ř.					49,23	49,04	49,11	49,19	48.90		MEAN
INST							48,78	48,74	48.76	48,81	48,44		INST
MAX							(5)	(9)	(3)	(3)	(23)		MAX
INST							49,73	49,55	49,54	49,53	49.38		INST
MIN							(21)	(17)	(13)	(29)	(1)		MIN

ENVIRONMENT ONTARIO OBSERVATION O TORONTO REGIONAL MUNICIPALITY OF WATERLOO TOWNSHIP OF WILMOT DBSERVATION WELL 514

#ELL REC #: 6503056 UTM CO-ORD: Z-17 £527650 N4805550 CONC, SRS LOT 14 LAT & LONG: 43-24NORTH 80-39#EST

REC METHOD: IF! TYPE RECORDER

REC COMMCO: JANUARY 1974

MEASURE P1: 4,92 FEET ABOVE GROUND SURFACE

GND ELEV: 1160 FEET ABOVE SEA LEVEL

MELL LOG: BLUE CLAY 36; GRAY SILTY SAND 51,

PUMP NATE: 40 IGPM SPEC, CAP: 3,3 IGPM/FT AQUIFER : BILTY BAND AND CLAY QUALITY : FRESH

1978
DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	8EP	OCT	NOV	DEC	DAY
1	7.05	7.30					6,81	6.75				7 22	ï
2	7.07	300.03057					6.75	6,74				7.22	ż
3	7,13						6.70	6,77			7 28	7.17	3
4	7,16						4.65	6.73			7.26	7 10	Á
5	7.16						6,70 6,85 6,77 6,79 6,83	6.72			7.21	7.10	5
	7.14						6.79	6.74			7.28		
7	7.10			11.60			6.83	6.72			7.19		ž
8	7.03			5.55			6.77	6.75			7,29 7,29 7,27	7 - 31	8
. 9	7.03						6.71	6.80			7.27	7.31 7.26 7.27	•
10	7.09						0.71 0.77 0.82 0.76 0.81 0.81 0.83 0.90 0.97 0.87 0.87	6.76			7.29	7.27	10
11	7.13						6.79	NE - 10 (50)			7.28		ii
12	7.10						50.0				7.24		11
13	7.15						6.76				7.27	7.31	13
14	7.10						6.81				7.23	7.33	14
14	7.09						6.84				7.27	7.31	13 14 15 16
16	7.17						6.78				7.27	7.32	16
17	7.20						6.83				7,23	7.31 7.33 7.31 7.32 7.30	17
18	7.20						6.90				7,15	50,000,000	19
19	7.22						6.94				7,17		19
20	7.20						6,97				7,23		30
21	7.19					6.83	6,89				7.24		21
55	7.21					6.83	6.76				7.24		51
5.2	7.24					6.87	4.72				7.19		5.3
24	7,23					6,85	6.76				7.13		24
24 25 26	7.20					6.80	6,77				7.15		25
56	7.08					6.80	6,77				7.14	7.31	23 24 25 26 27
27 28 29 30 31	7.14					6.84	6,73				7.15		27
58	7.21					6,88	6.73				7.10		5.0
50	7.21					6.90	6.68				7.22		54
30	7.27					6,90	6.67				7.20		30
31	7,29						6.71						28 29 30 31
ME VIII					-MOI	NTHLY BUMMA	RY-						
MEAN	7.16						6,79						MEAN
INST	6.95						6,62						INST
MAX	(· •)						6,62						MAX
INST	7,34						7,13						INST
MIN	(31)						(21)						MIN

ENVIRONMENT ONTARIO OBSERVATION NO TORONTO REGIONAL MUNICIPALITY OF MATERIOO TOWNSHIP OF WILMOT MELL REC 8: 6:04745 UTM CO-DRD: Z:-17 E327640 N4604700 CONC, SRS LOT 15 LAT & LONG: 4:-24MORTH 80-40MEST OBSERVATION HELL 524 REC METHOD: 'F' TYPE RECORDER
REC COMMCD: JANUARY 1974
MEASURE PT: 0,5 FEET ABOVE GROUND SURFACE
GND ELEV: 1150 FEET ABOVE SEA LEVEL
MELL TYPE: DUG
OVERBURDEN DIAMETER OF HELL: 36 INCHES LENGTH OF CABING: 32 FEET LENGTH OF SCREEN! NONE DEPTH OF HELL: 32 FEET PUMP RATE: N.A. SPEC. CAP: N.A. AGUIFER : O/ERBURDEN QUALITY : FRESH

1978
DAILY MEAN WATER LEVELS IN PRET BELOW GROUND SURFACE

				DATEA W	EAN MATER	FEASTS IN	SET BELON	GROUND SUR	PAGE				
TAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1					29,85	30.37					31.84	31,95	1
2					29.86	30,38					31.84	31,96	ż
3					29.87	30.39					31,83	31,96	3
4					29,88	30,41					31.84	31.96	4
5					29.89	30,42					31.84	31,96	5
6				128 (22)	29,93						31.85		•
7				30.79	50.00						31,85		7
•				30.73	20,96						31.86	\$2.07	8
				30.65	29,97						31,86	35.00	•
10				30.57	30.01						31.87	32.05	10
15				30.48	30.04						31.87	32.05	11
13				30.34	30.06					31.80	31.87	32.05	1.5
14				30.26	30.08					31.01	31,88	32.04	13
15				30,21	30.10					31,61	31.89	32.03	14
16				30,14	30,13					31,61	31.89	32.03	10
17				30.07	30,15					31,61	31,90	32.03	17
18				30.00	30,17					31.81	31.90	32.03	18
19				29,95	30,18					31,82	31.90	32.02	18
20				29,93	30,19					31,81	31.91	30.52	20
21				29.91	30.22					31,81	31.91	32.02	21
22				29,89	30,23					31.81	3: .92	32.02	55
5.3				29,87	30.24					31.61	3:.92	32.01	5.2
23 24 25				29,85	30,25					31.81	3 93	10.56	24
25				29,85	30.27					31,82	31,93	32.01	25
26				29,84	30.29					31,82	31,94	32.00	56
27				29.83	30.30					31,62	31,94	31,99	27
28				29,83	30.31					31,83	31.94	31,98	58
50				29,83	30,33					31,83	31,94	31.98	5.0
30 31				29.84	30.34					31.63	31.94	31.98	30
31					30,35					31.84		31.97	31
MEAN						NTHLY SUMMA	RY-						
					30,11						31,89		MEAN
INST					29,84						31.83		INST
MAX					(1)						(3)		MAX
INST					30,36						31.94		INST
MIN					(31)						(26)		MIN

ENVIRONMENT ONTARIO TORONTO MELLINGTON COUNTY

OBSERVATION WELL 432

TOWNSHIP OF ERIN

CONC. 4 LOT 4

HELL REC #: 6700628 UTM CO-ORD1 Z-17 E574860 N4835410 LAT & LONG: 45-40NURTH 80-04HEST

REC METHOD: A35 RECORDER

DIAMETER OF HELL: 7 INCHES

PUMP HATE: N.A.

REC COMMOD: MAY 1966

LEMOTH OF CASING: 95 FEET

SPEC. CAP: N.A.

SPEC. CAP: N.A.

AGUIFFH: GRAVEL

GROW ELEV: 1200 FEET ABOVE SEA LEVEL

DEPTH OF HELL: 100 FEET UALLITY: FRESH

HELL TYPE:

HELL TYPE:

BUFF TILL 93; COARSE SAND AND FINE GRAVEL 96; FINE TO MEDIUM GRAVEL 100, FINE TO MEDIUM SAND 105.

			197	78					
VAILY	MEAN	WATER	LEVELS	IN	FEET	BELOW	GROUND	BURFACE	

								4					
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	BEP	OCT	NOV	DEC	DAY
1	39.97	40,21	40.93			37.41	39.67	41.85	43,49	43.30	43.24	43,16	1
2	39,91	40,21	40.98			37,50	39,75	41.94	43,52	43,36	43.24	43,10	2
3	39,90	40.25	40.99			37.59	39.78	41.98	43,55	43,36	43.25	43.17	3
4	39,94	40.28	40.99			37.67	39.84	42.00	43.59	43,32	43,25	43.13	4
5	39,95	40.29	41.05			37,73	39,92	42.11	43,65	43.30	43,25	43,11	5
•	39.96	40.29	41.12			37,65	40.00	42.18	43,66	43,23	43,25	43.11	
7	39,97	40.29	41.16			37.94	40.07	42,25	43,73	43.20	43.27	43.11	7
8	39,95	40,32	41,19			37,97	40.12	42.30	43.76	43,19	43,29	43,10	8
9	39.86	40.33	41,19			30,00	40.16	42,39	43,80	43,20	43,29	43.07	9
10	39.86	40.33	41.19			38,19	40.25	42.41	43,85	43,19	43,32	43.03	10
11	39,92	40.33	41.21			30,27	40.36	42,48	43,84	43.19	43.34	43.03	11
12	39.97	40,34	41.25			30,33	40.47	42,53	43,89	43,18	43,38	43.03	12
13	39.97	40,40	41.31			38,39	40.53	42.60	43,93	43.18	43.40	42.97	13
14	39.97	40.43	41,31			38,49	40.58	42,68	43,94	43.19	43,38	42,93	14
15	39,95	40.49	41.30			38,50	40.64	42.74	43.94	43,19	43,36	42.93	15
16	39,98	40.53	41.32			38.65	40.71	42.78	43,94	43,18	43,39	42.92	10
17	40.03	40,55	41.32			38,69	40,81	42.62	43,93	43.10	43,40	42.90	17
18	40.05	40.58	41,32			36,72	40.91	42.86	43,93	43.14	43,32	42.90	18
19	40.08	40.59	41.32			38,80	41.01	42,90	43,91	43.13	43.34	42,91	19
50	40.10	40.61	41,32		30,86	38.90	41.09	42.98	43,82	43,12	43.37	42,89	50
21	40.10	40.64	41,31		36,85	38,96	41,10	43.04	43,72	43.12	43,36	42.81	21
2.5	40.14	40.68			36,88	39.01	41.20	43,09	43,66	43.12	43,30	42.85	5.5
53	40.16	40.69			36.89	39.07	41.27	43,12	43.62	43,12	43,32	42.86	23
24	40.16	40.70			36.90	39,17	41.37	43,14	43.55	43,15	43.27	42.90	24
25	40,12	40.74			36,93	34.55	41.44	43,16	43.49	43,15	43,26	42.88	25
50	39,96	40.62			37.01	39.26	41.46	43,21	43.47	43.16	43.24	42.87	26
27	39.94	40.90			37.08	39.38	41.50	43,24	43,44	43,10	43,23	45.91	27
28	40.00	40.92			37,12	39,41	41.58	43,28	43,41	43,10	43,22	42,95	28
54	40.17				37,17	39,49	41.64	43,31	43,41	43,10	43,20	42,98	29
30	40.20				37,23	39.56	41.70	43.37	43,40	43.22	43.19	42.99	30
31	40,20				37,30		41,80	43,43		43,24		42,96	31
					-40	NTHLY BUNN	ARY-						
MEAN	40.02	40,49				30,54	40.74	42,72	43.70	43.20	43,30	42.99	MEAN
INST	39,83	40.20				37,35	39,63	41,82	43,30	43,11	43,19	42,80	INST
MAX	(10)	(1)				(1)	(1)	(1)	(30)	(50)	(30)	(51)	MAX
INST	40.20	40,93				39,63	41.62	43,46	43,94	43,38	43.41	43,19	INST
MIN	(31)	(28)				(30)	(31)	(31)	(15)	(1)	(17)	(1)	MIN

ENVIRONMENT ONTARIO TORONTO HELLINGTON COUNTY

OBSERVATION WELL 532

TOWNSHIP OF GUELPH

DIV. C 5 LOT 6

HELL REC #1 4701127 UTM CO-ORD: Z-17 E563190 N4625675 LAT & LONG: 43-36 NORTH 80 - 13HEST

REC METHOD! A35 RECORDER

REC COMMCD! MAR, 13 1978

MEASURE PT: 12,65 FEET ABOVE GROUND SURFACE

MEASURE PT: 12,65 FEET ABOVE SEA LEVEL

DEPTH OF NELL: 220 FEET

MELL TYPE: WELL TYPE: WELL LOG: BROWN CLAY, STONES AND FINE GRAVEL 8; GREY CLAY AND GRAVEL 47; LIGHT BROWN BROKEN ROCK 55; DARK BRUNN ROCK 60; BLACK ROCK 110; DARK GREY ROCK 120; LIGHT GREY ROCK 210; GREY AND BLUE ROCK 220; BLUE SHALE 220.

			197	7.8				
DAILY	MEAN	MATER	LEVELS.	IN	PEET	BEFOR	GROUND	SURFACE

				Taraba and The Pole	ocenii sooresta m oos		Whater commissions	05/01/68/01/05/11 17:05/	CONTRACTOR OF THE PARTY OF THE				
DAY	JAN	FEB	MAR	APR	HAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	BAY
1				-0.12							-2.05		1
2				-0.17							-2.06		2
3 4				-0.44							-1.98		3
4				-0.66							-1.98		4
5											-1.93		5
•										-2.73	-1,06		
7										44.50	-1.89		7
8										-2.67	-1.91		8
•				-5.53						-2.68	-1.87		9
10				-2,88						-2.74			10
11				-3,55						-2.80			11
12				-4.61						-2.79			12
13				-5,51						-2,68			13
14			1,53	-5.79						-2,66			14
15			1,56										15
9 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 28 29 30			1.41										1113456789012345678901
17			1.33										17
18			1.31										18
19			1.25										19
20			1.31						-2,42	-2.30			50
21			1.08						-2.58	-2.34			21
55			0.91						-2.60	-2,20			55
5.2			0.73						-2,66	-5.50			53
24			0.56						-2.76	-2.20			24
25			0.37						-2.75	-2.20			25
26									-2.76	-2.14			50
27									-2,50	-2.04			27
28									-2,68	-2.00			28
5.9									-2,63	-1.90			29
30									-2,63	-2.01			30
31										-2.09			31
					-H0	NTHLY SUMM	ARY.						
MEAN													MEAN
INST													INST
MAX													MAX

ENVIRONMENT ONTARIO TORONTO WELLINGTON COUNTY

OBSERVATION WELL 131

TOWNSHIP OF PUSLINCH

MELL REC #: 6702804 UTM CO-ORD: Z=17 E568056 N4822756 CUNC, 11 LOT 4 LAT 6 LONG: 45-34NORTH 80-10#EST

REC METHOD: IF' TYPE RECORDER

REC COMMCD: FEB 2 1965

MEASURE PI 28 FEET ABOVE GROUND SURFACE

MELEVI: 115 FEET ABOVE SEA LEVEL

DEPTH OF MELL: 136 FEET

MELL TYPE: DRILLED

MELL LOGS LOAM: 13 GRAVEL, SAND AND BOULDERS 5; GRAVEL, CLAY AND BOULDERS 27; SAND, GRAVEL, CLAY 32; SAND 38; DANK HAND SHALE 53; GREY LIMESTONE 113; VERY SOFT LIMESTONE 113; HAND GREY LIMESTONE 138.

			191	8				
DAILY	MEAN	WATER	LEVELS	IN	FEET	BELOW	GROUND	SURFACE

					0.55				100000				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	8EP	OCT	NOV	DEC	DAY
1										50,86			1
2		47.56											ż
3		47.52											3
4		46.37		45,08									4
5	46,93			44.36									5
6	46.87			43.69									6
7	46.82			41.87									7
8	46.75			41.47									8
9	47.40			41.37									9
10	47.59			41.45									10
11	46,99			41.49									11
12	46.89			41.48	1000								12
13	46,95			41.44	45.97								11 12 13 14
14	47.02			41.40	45,89								14
16	47.07			41.50	45.92								15
17	47.12				45.95								15 16 17
18	47.13			42,24	46.01								17
19	47.14			42,29	46.10								18
20	47.13			42,33	46.12								19 20 21
51	47.09			42,27	46.25								20
55	47.16			42.87	40,65								23
23	47.18			42.23									22
24	48.46												24
24	46.99												25
56	46.92												26
27	46.86												27
28	46.79								49.91				28
29	46.79								51.62				29
30	46.71								49.56				30
3 1	46,60												31
					-404	THLY SUMM	ARY-						
MEAN													MEAN
INST													INST
MAX													MAX
200202								1					
INST													INST
MIN													MIN.

ENVIRONMENT ONTARIO MELL REC #: 6704351 UTM CO-ORD: 2-17 E567500 N4822500 LAT & LONG: 43-33NORTH 80-10MEST OBSERVATION HELL 213 TORONTO HELLINGTON COUNTY TOWNSHIP OF PUSLINCH CONC. 10 LOT 4

REC METHOD: 'F' TYPE RECORDER

REC COMMCD: MAR 19 1988

MEASURE PT: 0,0 FEET ABOVE GROUND SURFACE
GND ELEV: 1050 FEET ABOVE SEA LEVEL

MELL TYPE: DUG
MELL LOG: CLAY AND BOULDERS 6; COARSE GRAVEL 11.

PUMP RATE: N.A.
SPEC. CAP: N.A.
AGUIFER : OVERBURDEN
GUALITY : FRESM

		*		DAILY ME	AN WATER L	1978 EVELS IN F	EET BELOW	GROUND SUR	FACE				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1					9,18	9.06	9.12	9,24	9,12	9,20		9,28	1
2					9,18	9.06	9.12	9.24	9.12	9.20		9.28	2
3				2002	9.17	9.05	9.13	9,25	9,12	9.21		9,28	3
4				9.27	9,17	9.05	9.14	9,25	9,13	9.21		9.28	4
5				9,26	9,17	9.05	9.14	9,25	9,13	9.21		9.28	5
7				9,26		9.04	9.15	9.26	9,13	4.21		9.29	6
				9,25		9.04	9.15	9,26	9,13	9.21		9.29	7
8				9,25		9.04	9.16	9.26	9,14	9,22		9,29	8
				9,25		9.04	9.16	9,26	9.14	9,22		9.29	9
10				9,25		9.04	9.17	9.26	9,14	9.23		9,29	10
11				9,25		9.03	9.18	9.27	9,14	9,23	9.27	9.29	11
12				9,25	2.22	9.03	9.18	9.27	9,15	9.22	9,27	9.29	15
14				9.24	9.14	9.03	9.19	9.27	9,15	9.23	9,27		13
15				0.23	9.14	9.03	9,20	9,27	9,15	9.23	9,26		14
16				9,23	9.13	9.04	9,20	9,27	9,15	9,23	9.27		15
17				9,23	9.13	9.04	9.21	9.27	9,15	9.24	9,27		16
18				9,23	9.12	9.04	9.21	9.28	9,16	9.24	9.27		17
19				9.22	9.12			9.26	9,16	9.24	9.27		18
20				9,22	9.12	9.05	9.22	9.29	9,16	9.24	9,27		19
21				9,22	9.11	9.06	9,22	9.29	9.10	9.24	9.27		50
55				9,21	9.11	9.06	9.22	*, **	9,17	9.25	9.27	9.33	52
53				9,21	9.10	9.07	9.22		9,18	9,25	9.28	9.32	23
24				9.20	9.09	9.08	9.22		9,18	9.25	9.28	9.32	24
25				9.20	9.09	9.09	9,23		9,18	9,25	9.28	9,32	25
26				9.20	9.09	9.09	9,23	9,10	9.19	9.25	9.28	9,32	26
27				9,19	9.08	9.10	9,23	9,10	9.19	9.25	9.28	9.32	27
28				9,19	9.08	9.10	9,23	9.10	9.19	9.25	9.28	9,32	28
29				9,19	9.07	9.11	9,23	9.10	9.20	9.25	9.28	9,32	29
30				9.19	9.07	9.11	9.24	9,11	9.20		9.28	9,33	30
31				7.4.7	9.06	2.11	9,24	9.11	7,20		7,20	1,33	31
						THLY SUMMA	RY-						
MEAN						9,06			9.16				MEAN
INST						9.03			9,11				INST
MAX						(14)			(1)				MAX
THET						0 12			9 30				

ENVIRONMENT ONTARIO TORONTO WELLINGTON COUNTY

OBSERVATION HELL 397

TOWNSHIP OF PUSLINCH

#ELL REC #1 6700871 UTM CO-0MD1 Z-17 E566100 N4821250 CONC, 9 LOT 4 LAT & LONG: 45-34NONTH 80-11eEST

PUMP HATE: 1200 IGPM SPEC, CAP: 141 IGPM/FT AQUIFER : LIMESTUNE QUALITY : FRESH

REC METHOD: A35 RECORDER DIAMETER OF WELL: 10 INCHES PUMP HATE: REC COMMCO: JUL 25 1973 LENGTH OF CASING: 22,5 FEET SPEC. CAP: MEASURE PT: 3,6 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: NONE ADUIFRE: GNO ELEV: 1076 FEET ABOVE SEA LEVEL DEPTH OF HELL: 05 FEET QUALITY: HELL TYPE: DRILLED TOPSOIL 2; DIRTY SAND AND GRAVEL 6; GRAVEL AND CLAY 21; BROWN LIMESTONE 29; GREY LIMESTONE 65.

			19	78				
DAILY	MEAN	WATER	LEVELS	IN	FRET	BELOW	GROUND	SURFACE

				DAILY	EAN WATER L	EVELS IN	PEET BELOW	GROUND SU	RFACE				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1					-2.21					1,50			1
2					-2.16					1,50			2
3					-2.12					0.00.000			3
4					-2.13								4
5					-2.09		-0.24						5
					-2.00		-0.21						
7				-1,61	-1.99		-0.16						7
8				990	-2.06		-0.11						8
9					-2.04		0.02						9
10				-2,11	22-18-2 FI		0.0						10
10				-2,20			0.01				3,56		10
12				-2,23			-0.02				3,65		15
13				-2,23			0.0				3,69		13
14 15				-2,26			0.05				3.73		14
15				-2.27			0.07		0.87		3.82		15
10				·2.31	-1.96		0.11		0.87		3,89		14 15 16 17 18 19
17				.2.32	-1.98		3		1,84		3,89		17
18				-2,35	-1.95				1.75		3,93		16
19				-2.43	-1,95				1,29		4.02	5.08	19
20				-2.40	-1.99				0,92		4.10	5.05	52 51 50 50
51				-2,32	-1.92				0.98		4,15	5.14	21
22				-2.20	-1.91				1,12		4,15	5.23	22
23				-2,31	-1,93				1,15		4,13	5.32	23
24				1770-00-00-00-00-00-00-00-00-00-00-00-00-	-1.91				1,10		4.18	5,14 5,23 5,32 5,35 5,43 5,52	24 25 26
24 25					-1,86						4.24	5.41	25
26					-1.81						4.30	5.52	26
27					-1.81				1.30		4.35		27
28				.2.27	-1.80				1.30		4,38		20
29				-2.27 -2.26	-1,80 -1,79				1000 -0000		4,43		29
30				-2,24								5.11	30
31												5.11	31
													195.5
					- MON	THLY SUMM	ARY						
MEAN													MEAN
INST													INST
MAX													MAX
INST													INST
MIN													MIN


ENVIRONMENT ONTARIO TORONTO MELLINGTON COUNTY OBSERVATION WELL 544 HELL REC #1 6702440 UTM CO-ORD1 Z-17 E564663 N4617366 LAT & LONG1 - NORTH - HEST TOHNSHIP OF PUBLINCH CONC. 7 LOT 7


REC METHOD: 1F1 TYPE RECORDER DIAMETER OF WELL: 12 INCHES PUMP RATE: 103 IGPM
REC COMMCO: JUL, 27 1977 LENGTH OF CASING: 45 FEET SPEC, CAP: 0,55 IGPM/FT
MEABURE PT: 0,0 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: NONE AQUIFER: LIMESTUNE.
GND ELEV: 1055 FEET ABOVE SEA LEVEL DEPTH OF WELL: 271 FEET QUALITY: FRESH
MELL TYPE: MELL LOG: STONES AND GRAVEL 20; GRAVEL 23; FINE CLAY, SAND AND STONES 43; LIGHT BROWN BROKEN ROCK 45; LIGHT BROWN ROCK 49;
DARK BROWN ROCK 135; DARK GRAY ROCK 175; LIGHT GRAY ROCK 255; GRAY AND BLUE LIMESTONE 270; BLUE SMALE 271,


			1	97				
DATIV	MEAN	MATER	IFUEL		-	ERET	 CONTINA	BUREACE


DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	3 E P	OCT	NOV	DEC	DAY
1		5.41			3,35	3,95		6,53		6.83		7,62	1
2		5.44			3,34	4.00		6.38		6,89		7.40	2
3		5.46			3,26	WAR LAND		6.19		6.89		7.49	3
4		5,53			3.43	4.00		6,39		7.01		7.64	4
5		5,45			3.44	4.00		6.46		6.90		7.63	5
					3.42	3.86		6.36		6.90		7.48	
7	5.50			3,81		3,72		6.25		7.03		7.53	7
8	5.40			3.74		3.90		6,30		7,13		7.54	8
9	5.47			3,51		3,93		6.48		6,95		7,63	9
10	5.59			3,59		3,94		0,53		7.01		7.50	10
11	5,58			3,58		3.80		6,33		6,99	7.95	7.50	11
12	5.40			3,60		4.02		6.47		7.10	7.74		18
13	5.37			3.47		4.13		4,45		6.97	7.81		13
14	5.47			3,70		4.13		6.54		6.99	7.76		14
15	5.46			3,69		3,89		4.34		7.22	7.87		15
16	5,23			3,65	3.74	4.06		6,52		7.20	7.68		16
17	5,28			3,55	3,76					7.00	7.77		17
10	5,27			3,76	3,61			6.52		6.99	7.73		18
19	5,38			3,72				6,32		7.13	7.84		19
50	5,28			3.67	3,83		6.79	6.41		7.13	7.70		20
21	5,35			3,59	3,85		6,79			7.02	7.77		21
22	5,42			3,55 3,76 3,72 3,67 3,59 3,71	3,68		6.79 6.79 6.35			7.10	7.78		55
5.2	5,52			3,67	3.80		6,62			7.15	7.85		5.2
24	5,35			3,63	3,83		6.62			7.23	7.67		24
52	5,39			3,40	3,92		6.76			7.06	7.72		25
26	5,39			3.41	3,76		6.37		6.97	7.03	7.71		20
27 28	5.50			3,37	3,97		6.44		6,79	7.10	7.71		27
28	5.39			3,35	3,90		6.47		6.85	7.10	7.55		28
29 30 31	5,42			3,28 3,35	3,95		6,39		6,82		7.56		24
30	5.44			3,35			6,20		6,99		7.65		30
31	5,52				4.01		6,46						31
					-MON	THLY BUMMA	RY-						


MEAN INST INST INST INST



































OBSERVATION WELL DATA

REGIONAL OFFICE DON MILLS 150 Ferrand Dr. 416-424-3000

DISTRICT OFFICES

Barrie 12 Fairview Rd. 705-726-1730

Muskoka-Haliburton **Gravenhurst Shopping** Centre

705-687-3408

Peterborough 139 George St. N. 705-743-2972

Halton - Peel 125 Cross Ave. Oakville 416-822-2566

LEGEND

Regional Office	
District Office	
Recording Observation Well	•
Number of Recording Wells in same location	•2
Manually Measured Well	A
Number of Manually Measured Wells in same location	▲ ²

DISERVATION WELL 329

ENVIRONMENT ONTARIO DESERVATION WELL TORONTO PEGLONAL PUNICIPALITY OF DUREAM TORNSHIP OF DICKERING WELL PFC #1 4505090 UTM CH-09D1 Z-17 F653700 N4869025 CONC.7 LOT ? LAT 6 LONG1 43-58NURTH 79-06#EST

PUMP PATE: N.A.
SPEC. CAP! N.A.
AQUIFEP ! CLAY
QUALITY ! FRESH

REC METHIN: 1FT TYPE PECHAPER DE DIAMETER OF MELL: 6 INCHES DEC CHAMCOL DEC 21 1970 LENGTH OF CASING: 16 FEET MEASURE DIL 3.3 FEET ANDVE SODIUND SURFACE LENGTH OF SCREEN: NONE DEDTH OF WELL: 16 FEET MELL TYPE: DRILLED WELL LOGI HOUND FINE SAND, SILT BE GREY CLAY, SILT, SAND AND PEHBLES 16.

1978
DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

1	DAY	HAL	FEA	MAR	APR	MAY	JUN	JUL	AUG	SEP	nc r	NOV	DEC	DAY
A.04 5.00 6.68 8.03 8.78 2	1						4.04	4.96	6.63	7.99	8.76			1
1 4.06 5.05 6.74 8.06 8.80 3 4.07 5.10 6.79 8.09 8.180 4 5 4.09 5.16 6.84 8.12 8.82 5 6 4.11 5.22 6.99 8.18 8.86 7 7 4.11 5.22 6.99 8.18 8.86 7 8 4.15 5.32 7.00 8.21 8.86 9 9 4.18 5.32 7.00 8.21 8.86 9 10 4.18 5.32 7.00 8.25 8.86 9 11 4.19 5.44 7.10 8.28 8.87 10 11 4.19 5.44 7.10 8.28 8.87 10 11 4.25 5.54 7.18 8.32 8.87 11 12 4.25 5.54 7.18 8.32 8.87 11 13 4.29 5.60 7.24 8.38 8.87 12 14 4.25 5.54 7.88 8.41 8.89 114 15 4.29 5.65 7.28 8.41 8.89 114 15 4.29 5.65 7.28 8.41 8.89 114 16 4.33 5.76 7.38 8.44 8.89 114 17 4.33 5.76 7.38 8.44 8.89 115 18 4.47 5.99 7.47 8.59 8.90 116 19 4.48 5.99 7.47 8.59 8.90 119 20 4.48 5.99 7.47 8.59 8.90 119 20 4.48 5.99 7.47 8.59 8.90 121 21 4.40 6.00 7.57 8.57 2.28 8.26 22 4.40 6.00 7.57 8.57 2.28 8.60 23 4.46 6.00 7.57 8.57 2.28 8.60 24 4.47 6.00 7.57 8.57 2.28 8.60 25 4.48 6.00 7.57 8.57 2.28 8.60 26 4.48 6.00 7.57 8.57 2.28 8.60 27 4.78 6.38 7.87 8.69 8.90 21 28 4.49 6.60 7.90 8.73 2.90 30 4.92 6.54 7.99 8.75 30 31 5.75 7.99 8.60 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30 31 5.75 7.99 8.75 30							4.04	5.00	6.68	8.03				
4 4.07 5.10 6.79 8.09 8.80 8.80 5 6 4.09 5.16 6.84 8.12 8.82 5 6 4.11 5.22 6.90 8.18 8.82 6 7 4.14 5.27 6.95 8.18 8.86 7 8 4.15 5.32 7.00 8.21 8.86 8 9 4.18 5.38 7.06 8.25 8.86 9 10 4.19 5.44 7.10 8.28 8.87 10 11 4.22 5.49 7.14 8.32 8.88 11 12 4.25 5.54 7.18 8.35 8.87 12 13 4.29 5.60 7.24 8.38 8.88 13 14 4.31 5.65 7.26 8.41 8.89 11 15 4.33 5.72 7.33 8.44 8.89 11 16 4.33 5.72 7.33 8.44 8.89 11 17 4.33 5.72 7.33 8.44 8.89 11 18 4.42 5.89 7.47 8.53 8.90 11 19 4.42 5.89 7.47 8.53 8.92 18 10 4.45 5.95 7.52 8.56 19 20 4.47 6.00 7.57 8.57 2.22 8.56 22 21 4.55 6.13 7.65 8.61 22 22 4.45 6.60 7.57 8.57 2.22 8.64 22 24 4.45 6.60 7.57 8.57 2.22 8.66 22 24 4.45 6.60 7.57 8.59 7.52 8.66 22 24 4.45 6.60 7.57 8.65 22 25 4.45 6.19 7.69 8.63 22 24 4.55 6.13 7.65 8.61 22 25 4.45 6.13 7.65 8.61 22 26 4.45 6.24 7.72 8.66 22 27 4.47 6.00 7.57 8.57 2.52 8.66 22 28 4.45 6.60 7.57 8.65 22 29 4.45 6.13 7.65 8.61 22 20 4.45 6.60 7.57 8.65 22 21 22 4.45 6.60 7.59 8.66 22 22 4.45 6.24 7.72 8.66 22 23 4.65 6.24 7.72 8.66 22 24 4.65 6.24 7.72 8.66 22 25 4.45 6.34 7.79 8.66 22 26 4.68 6.30 7.76 8.66 22 27 4.47 6.34 7.79 8.66 22 28 4.65 6.24 7.79 8.66 22 29 4.68 6.37 7.86 8.66 22 20 4.68 6.30 7.76 8.66 22 21 22 4.65 6.24 7.79 8.67 22 22 4.45 6.34 7.79 8.66 22 23 4.65 6.34 7.79 8.66 22 24 4.65 6.37 7.86 8.66 22 25 4.68 6.30 7.76 8.66 22 26 4.68 6.30 7.76 8.66 22 27 4.78 6.34 7.79 8.68 8.79 30 30 31 31 31 31 31 31 31 31 31 31 31 31 31							4.06	5.05	6.74	8.06				
5 4.09 5.16 6.84 8.12 8.82 5 4.11 5.22 6.90 8.14 8.86 6 7 7 4.14 5.27 6.95 8.16 8.86 7 9 4.15 5.32 7.00 8.21 8.86 8 9 4.18 5.32 7.00 8.21 8.86 9 10 4.18 5.38 7.06 8.25 8.86 9 11 4.19 5.44 7.10 8.28 8.87 10 11 4.22 5.49 7.14 8.32 8.87 11 12 4.22 5.49 7.14 8.32 8.87 12 13 4.29 5.60 7.24 8.36 8.89 11 14 4.29 5.60 7.24 8.36 8.89 12 15 4.29 5.60 7.24 8.36 8.89 12 16 4.33 5.72 7.33 8.44 8.89 12 17 4.33 5.72 7.33 8.44 8.89 12 18 4.47 6.00 7.57 8.57 8.57 8.57 8.57 20 21 4.47 6.00 7.57 8.57 8.57 20 21 4.47 6.00 7.57 8.57 22 22 4.55 6.13 7.65 8.61 22 23 4.65 6.24 7.72 8.64 22 24 4.65 6.24 7.72 8.64 22 25 4.68 6.30 7.66 8.69 22 26 4.68 6.30 7.66 8.60 7.98 8.60 25 27 4.78 6.38 7.89 8.60 25 28 4.68 6.30 7.76 8.60 25 29 4.68 6.30 7.76 8.60 25 20 4.68 6.30 7.76 8.60 25 21 4.69 6.49 7.79 8.60 25 22 4.68 6.33 7.69 8.60 25 23 4.68 6.30 7.76 8.60 25 24 4.69 6.49 7.90 8.73 29 31 4.92 6.58 7.97 33 8.42 MEAN							4.07	5.10	6.79	8.09				
A 4.14 5.27 6.95 8.18 8.86 7 A 4.15 5.32 7.00 8.21 8.86 8 A 4.15 5.32 7.00 8.21 8.86 8 A 4.15 5.38 7.06 8.25 8.86 9 10 4.18 5.38 7.06 8.25 8.86 9 11 4.19 5.44 7.10 8.28 8.86 11 12 4.22 5.49 7.18 8.32 8.87 12 13 4.25 5.50 7.28 8.41 8.89 13 14 4.31 5.65 7.28 8.41 8.89 14 15 4.31 5.65 7.28 8.41 8.89 15 16 4.33 5.72 7.33 8.48 8.90 16 17 4.42 5.89 7.47 8.53 8.90 16 18 4.42 5.89 7.47 8.53 8.90 18 19 4.45 5.85 7.48 8.48 8.90 16 20 4.45 5.85 7.48 8.48 8.90 16 21 4.45 6.06 7.57 8.55 22 22 4.455 6.13 7.65 8.61 22 23 4.455 6.19 7.60 8.59 22 24 4.55 6.19 7.60 8.60 22 24 4.55 6.19 7.60 8.60 22 25 4.455 6.19 7.60 8.60 22 24 4.55 6.19 7.60 8.60 22 24 4.55 6.19 7.60 8.60 22 25 4.455 6.19 7.60 8.60 22 26 4.45 6.06 7.76 8.60 22 27 4.45 6.30 7.76 8.60 22 28 4.45 6.30 7.76 8.60 22 29 4.468 6.30 7.76 8.60 22 30 4.468 6.30 7.76 8.60 22 31 30 4.92 6.54 7.72 8.66 22 31 30 4.92 6.54 7.72 8.66 22 31 31 31 2.28 2.29 31 31 31 2.29 3.69 3.78 3.78 3.78 3.69 3.79 3.78 3.78 3.78 3.78 3.78 3.78 3.78 3.78	5						4.09	5.16	6.84					5
7	. 6						4.11	5.22	6.90					6
# 4.18 5.38 7.00 8.21 8.86 8 9 4.18 5.38 7.06 8.25 8.86 9 10 4.19 5.44 7.10 8.28 8.87 10 11 4.12 4.25 5.49 7.18 8.35 8.87 11 12 4.25 5.54 7.18 8.35 8.87 11 13 4.29 5.60 7.28 8.38 8.89 11 14 4.31 5.65 7.28 8.41 8.89 11 15 16 4.33 5.72 7.33 8.44 8.89 15 17 18 19 4.33 5.72 7.33 8.44 8.89 15 17 18 19 4.43 5.83 7.43 8.50 8.91 17 18 19 4.44 5.95 7.52 8.56 19 20 4.45 5.95 7.52 8.56 19 21 22 3 4.55 6.06 7.60 8.59 21 23 24 4.65 6.19 7.69 8.63 23 24 4.65 6.19 7.69 8.63 23 24 4.65 6.24 7.72 8.64 22 25 4.68 6.30 7.76 8.66 25 26 4.72 8.64 22 27 28 4.68 6.30 7.76 8.66 25 28 4.68 6.30 7.76 8.66 25 29 4.78 6.38 7.89 8.73 29 4.89 6.49 7.90 8.73 29 31 **MEAN** **MAX** **							4.14	5.27						7
4.18 5.38 7.06 8.25 8.86 9 4.19 5.44 7.10 8.28 8.87 10 11 4.22 5.49 7.14 8.32 8.87 11 12 4.25 5.54 7.18 8.35 8.87 11 13 4.29 5.60 7.24 8.38 8.88 11 14 4.29 5.60 7.24 8.38 8.88 11 15 4.31 5.65 7.28 8.41 8.89 11 16 4.35 5.76 7.38 8.48 8.80 15 17 4.35 5.76 7.38 8.48 8.90 16 18 4.35 5.76 7.38 8.48 8.90 16 18 4.45 5.89 7.47 8.53 8.92 18 19 4.45 5.89 7.47 8.53 8.92 18 20 4.46 5.89 7.47 8.53 8.92 18 20 4.47 6.00 7.57 8.57 20 21 4.40 6.00 7.57 8.57 20 22 4.55 6.13 7.65 8.61 22 23 4.55 6.13 7.65 8.61 22 24 4.56 6.19 7.69 8.63 22 24 4.56 6.19 7.69 8.63 22 25 4.62 6.19 7.69 8.63 22 26 4.68 6.30 7.76 8.66 25 27 4.68 6.30 7.76 8.66 25 28 4.68 6.30 7.76 8.66 25 29 4.69 6.34 7.72 8.69 27 20 4.78 6.38 7.88 8.69 27 21 4.89 6.49 7.90 8.73 29 22 4.89 6.49 7.90 8.73 29 31 4.89 6.49 7.90 8.73 29 31 4.89 6.49 7.90 8.73 30 31WUNTHLY SUMMARY- 4.39 5.78 7.95 8.42 MEAN							4.15	5.32	7.00					8
10 11 11 12 12 13 14.25 15.54 7.18 16.35 18.67 11 12 12 14.25 15.54 7.18 16.35 18.67 12 13 14 14.21 15.65 7.28 18.41 18.69 11 16 17 18.6.35 18.69 11 18 18.69 11 18 18.69 11 18 18.69 11 18 18.69 11 18 18 18.69 18 18 18 18 18 18 18 18 18 18 18 18 18							4.18	5.38	7.06					9
11 12 12 13 14.25 15.40 17.18 18.35 18.87 12 13 14.29 15.60 17.24 18.31 18.83 18.88 13 13 14.11 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18							4.19	5.44	7.10					
12 13 14 14 14 14 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18							4.22	5.49	7.14					
13 14							4.25	5.54	7.18					
14 14 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18							4.29	5.60						
15							4.31	5.65	7.28	8.41	8.89			
16							4.33	5.72	7.33	8.44				
17 18 18 19 19 19 19 10 10 10 10 10 10 11 11 11 11 11 11 11							4.35	5.78	7.38	8.48	8.90			
18 19 19 19 19 19 19 10 10 10 10 10 10 10 10 10 10 10 10 10							4.39	5.83						
19 20 4.47 6.00 7.57 8.56 21 21 4.50 6.06 7.60 8.59 21 22 23 4.55 6.13 7.65 8.61 22 23 24 4.66 6.19 7.69 8.63 24 25 26 4.68 6.30 7.76 8.66 25 27 4.68 6.30 7.76 8.66 25 27 4.72 8.68 27 4.72 8.68 27 4.78 6.38 7.88 8.69 27 28 4.88 6.43 7.88 8.69 27 29 4.88 6.43 7.88 8.69 27 29 4.89 6.49 7.90 8.73 30 31 WUNTHLY SUMMARY- MEAN MEAN MEAN 4.03 4.94 6.60 7.98 8.75 MAX [11) [1] [1] [1] [1] MAX INST MAX 4.94 6.60 7.98 8.75 INST							4.42	5.89	7.47					
20 21 21 3-50 6-06 7-60 8-59 21 22 23 4-55 6-13 7-65 8-61 22 23 24 4-62 6-19 7-69 8-63 23 24 25 4-65 6-24 7-72 8-64 24 25 26 4-68 6-30 7-76 8-66 25 26 27 4-78 4-78 6-34 7-79 8-66 27 28 4-78 6-34 7-79 8-66 27 28 4-78 6-34 7-79 8-66 27 28 4-78 6-38 7-86 8-71 28 29 30 30 31 30 4-92 6-54 7-94 8-75 30 30 31							4.45	5.95	7.52	8.56				
21 22 4.55 6.13 7.65 8.61 22 23 4.65 6.19 7.69 8.63 23 24 4.65 6.24 7.72 8.64 25 26 4.68 6.30 7.76 8.66 25 26 4.72 6.34 7.79 8.68 27 28 4.72 6.34 7.84 8.69 27 28 4.83 6.43 7.84 8.69 27 28 4.83 6.43 7.86 8.71 28 29 4.89 6.49 7.90 8.73 30 31							4.47	6.00	7.57	8.57				
22 23 3							4.50	6.06	7.60	8.59				
23							4.55	6.13	7.65	8.61				
24 24 25 26 26 4.68 6.30 7.76 8.66 25 26 27 4.78 6.34 7.79 8.68 26 27 28 4.83 6.43 7.84 8.69 27 28 4.83 6.43 7.86 8.71 28 29 30 4.89 6.49 7.90 8.73 30 31 -WONTHLY SUMMARY- 4.39 5.78 7.35 8.42 MEAN INST WAX (1) (1) (1) (1) (1) (1) (1) INST MAX IUST 4.94 6.60 7.98 8.75 INST							4.62	6.19	7.69	8.63				
25 4.68 6.30 7.76 8.66 25 26 4.72 6.34 7.79 8.68 26 27 4.78 6.38 7.84 8.69 27 28 4.83 6.43 7.86 8.71 28 29 4.89 6.49 7.90 8.73 29 30 4.92 6.54 7.94 8.75 30 31							4.65	6.24	7.72	8.64				
26. 4.72 6.34 7.79 8.68 26 27 4.78 6.38 7.84 8.69 27 28 4.83 6.43 7.86 8.71 28 29 4.89 6.49 7.90 8.73 29 30 4.92 6.54 7.94 8.75 30 31							4.68	6.30	7.76	8.66				
27 27 28 4.78 6.38 7.86 8.71 28 29 30 4.89 6.49 7.90 8.73 29 30 31 4.92 6.58 7.97 31								6.34	7.79	8.68				
### ### ### ### #### #### ############							4.78	6.38	7.84	8.69				
### ### #### #########################							4.83	6.43	7.86	8.71				
								6.49	7.90	8.73				
105T							4.92	6.54	7.94	8.75				30
MEAN 4.39 5.78 7.35 8.42 MEAN INST WAX (1) (1) (1) (1) (1) MAX IUST 4.94 6.60 7.98 8.75 INST	31							6.58	7.97					
INST 4.03 4.94 6.60 7.98 INST MAX (1) (1) (1) (1) (1) MAX IUST 4.94 6.60 7.98 8.75 INST							THLY SUMM	ARY-						
MAX (1) (1) (1) (1) MAX (105T	MEAN						4.39	5.78	7.35	8.42				MEAN
UST 4.94 6.60 7.98 8.75 INST														INST
institution of the state of the	VA x						(1)	(1)	(1)	(1)				
WIN (30) (31) (30) MIN														INST
	~1N						(30)	(31)	(31)	(30)				MIN

WELL REC #: 4605830

UTM CO-ORD: Z-17 E651608 N4864396

CONC. 6 LOT 20 LAT 6 LONG: 43-55NOPTH 79-06WEST ENVIRONMENT ONTARIO OHSERVATION WELL 405 FRANCE ORSERVATION WELL
TORONION
REGIONAL MUNICIPALITY OF DURHAM TOWNSHIP OF DICKEPING

BEC AFTHORS ASS DECORDED

DIAMFTER OF WELLS 6 INCHES

DEC CHWCDS MAY 16 1974

LENGTH OF CASINGS 83.6 FEET SPEC. CAPS 447 IGDM/FT

MFASURE DIS 3.6 FEET ADDVE GROUND SURFACE

LENGTH OF SCREENS 3 FEET ADDUFFED SAND AND GRAVEL

FULL TYPES DESIGNED SET ABOVE SEA LEVEL

DEDTH OF WELLS 86.6 FEET OUALITY : FRESH

WELL COST BROWN SAIDY CLAY. GRAVEL 351 SAND. FINE GRAVEL, SILTY CLAY 401 GREY FINE SAND, SILT ADS GRAVEL, SAND, ROULDERS

ARE GREY CLAY. SAND 97.

1978
DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

DAY	JAN	FFR	MAR	APP	MAY	JUN	JUL	AUG	SFP	ncı	NOV	DEC	DAY
1					24.29	23.91	25.80	26.79	27.70	28.11	28.83	29.28	1
>					24.39	24.00	25.81	26.83	27.74	28.23	28.79	29.41	5
					24.50	24.06	25.84	26.81	27.67	28.25	28.82	29.11	3
4					24.60	24.06	25.88	26.92	27.74	28.12	28.83	28.90	•
•					24.4A	24.10	25.97	27.01	27.79	28.29	28.82	29.19	5
•					24.66	24.30	26.01	27.00	27.80	28.20	28.84	29.51	6
7					24.91	24.29	26.00	26.99	27.82	28.20	28.95	29.42	7
Α.					24.77	24.21	25.97	26.93	27.91	28.43	28.97	29.29	8
9					24.35	24.39	26.05	26.91	27.96	28.52	28.90	29.26	9
10					24.52	24.69	26.17	26.95	28.03	28.48	29.03	29.51	10
1.1					24.86	24.6R	26.25	27.01	27.90	28.44	29.16	29.49	11
12					24.7A	24.64	26.32	27.02	27.93	28.25	29.21	29.26	12
1.3					24.55	24.72	26.27	27.03	28.04	28.42	29.14	29.26	13
14					24.47	25.05	26.23	27.07	27.98	28.52	28.88	29.31	14
15					24.4R	25.18	26.26	27.07	27.76	28.51	29.16	29.37	15
16					24.43	25.25	26.28	27.05	27.78	28.63	29.26	29.31	16
1 7					24.16	25.16	26.36	27.06	27.91	28.72	29.10		17
1 A					24.04	25.14	26.49	27.24	28.06	28.63	24.87		18
19					23.98	25.20	26.54	27.24	28.17	28.45	29.24		19
5.0					23.77	25.28	26.54	27.35	28.15	28.43	29.43		20
21					23.71	25.26	26.53	27.48	27.98	28.49	29.40		21
25					23.83	25.33	26.53	27.49	28.16	28.54	29.30		22
51					23.72	25.44	26.52	27.47	28.27	28.66	29.03		23
24					23.64	25.50	26.72	27.44	80.8S	28.73	28.86		24
25					23.65	25.51	26.71	27.44	28.05	28.52	29.18		25
25					23.73	25.51	26.43	27.46	28.17	28.47	29.34		26
27				24.30	23.80	25.51	26.39	27.49	28.04	28.71	29.23		27
28				24.25	23.80	25.63	26.58	27.43	28.10	28.80	29.15		28
50				24.22	23.77	25.71	26.61	27.40	28.25	28.97	29.23		29
30				24.26	23.76	25.76	26.68	27.5A	28.19	28.99	29.19		30
31					23.77		26.77	27.65		28.84			31
						THEY SUMM							
MEAN					54.50	24.92	26.31	27.18	27.97	28.50	29.07		MEAN
INST					23.63	23.82	25.80	26.78	27.66	28.09	28.74		INST
W A Y					(25)	(1)	(1)	(1)	(3)	(4)	(18)		MAX
1/151					24.94	25.80	26.78	27.67	28.28	29.01	29.45		INST
MIN					(7)	(30)	(31)	(31)	(23)	(30)	(20)		MIN

DUSERVATION WELL 406

TOWNSHIP OF PICKEPING

WELL PEC #1 4605831 UTM CO-DPD: 2-17 E646822 NAR68413 LOT 24 LAT 6 LONG: 43-57NORTH 79-09WEST

CHNC. B

REC METHOD:

A35 PECODDED

DIAMFTED OF MELL: 6 INCHES

DUMP PATE: N.A.

DEC COMMOD:

MAY 28 1974

LENGTH OF CASING: 51 FEET

SPEC. CAP: N.A.

ADUIFER : SAND AND GRAVEL

REL 1795:

REL 1795:

RELL LOG:

RECH OF SAND:

RELL CAY, GRAVEL GAY, GRAVEL SAND GRAVEL SAND;

SAND CLAY, GRAVEL SAND GRAVEL SAND;

SOME COMMOD:

A35 PECODDED

DIAMFTED OF MELL: 6 INCHES

DUMP PATE: N.A.

SPEC. CAP: N.A.

ADUIFER : SAND AND GRAVEL

GRAVEL:

SOME GAY

RELL TOG:

RECH OF SAND:

RECH OF

			197	78				
DAILY	MEAN	WATER	LEVELS	IN	FEET	RELOW	GHOUND	SURFACE

DAY	JAN	FEH	MAR	APR	MAY	JUN	JUL	AUG	SEP	nc t	NOV	DEC	DAY
3					9.129	_							100
2				-0.40	-0.28	0.14	1.61	2.80	3.74	3.85	337	1.90	1
3				-0.43	-0.19	0.24	1.62	2.87	3.76	3.84	3.32	1.95	5
4				-0.37	-0.10	0.34	1.62	2.85	3.75	3.83	3,30	5.05	3
5				-0.37	-0.05	0.40	1.66	2.93	3.76	3.68	3.29	1.72	4
				-0.38	-0.02	0.42	1.74	3.00	3.81	3.65	3.27	1.67	5
. 6				-0.39	-0.03	0.51	1.78	3.02	3.84	3.52	3.26	1.75	6
A				-0.56	0.04	0.55	1.81	3.03	3.85	3.4A	3.26	1.83	7
9				-0.50	0.05	0.54	1.81	3.03	3.89	3.51	3.26	1.71	8
				-0.48	-0.13	0.61	1.83	3.03	3.97	3.55	3.26	1.56	9
10				-0.51	-0.14	0.76	1.89	3.04	4.04	3.55	3.29	1.57	10
1.1				-0.60	-0.14	0.80	1.98	3.0A	4.03	3.52	3.33	1.63	11
12				-0.61	-0.14	0.80	2.05	3.12	4.01	3.42	3,38	1.63	12
1.3				-0.61	-0.21	0.79	2.06	3.22	4.07	3.42	3.38	1.60	13
1 4				-0.61	-0.32	0.90	2.06	3.25	4.08	3.43	3.24	1.60	14
15				-0.60	-0.42	0.99	2.07	3.25	4.07	3.43	3.22	1.61	15
16				-0.60	-0.44	1.03	2.10	3.23	4.07	3.45	3.27	1.62	16
17				-0.60	-0.52	1.03	5.50	3.22	4.08	3.52	3.20	1.63	1.7
1 8				-0.61	-0.54	1.03	2.29	3.29	4.06	3.52	2.91	1.74	18
19				-0.62	-0.55	1.06	2.35	3.32	3.83	3.43	2.94	1.83	19
50				-0.69	-0.57	1.12	2.36	3.39	3.82	3.41	3.00	1.85	20
51				-0.71	-0.61	1.18	2.37	3.48	3.84	3.40	3.00	1.75	21
53			0.30	-0.71	-0.60	1.22	2.38	3.48	3.93	3.40	2.95	1.96	5.5
2.1			0.21	-0.70	-0.59	1.26	2.39	3.48	4.01	3.42	2.65	2.10	23
24			0.20	-0.70	-0.56	1.31	2.49	3.4A	3.98	3.48	2.31	2.12	24
25			0.20	-0.67	-0.45	1.33	2.52	3.48	3.93	3.42	2.27	2.05	25
26			0.20	-0.64	-0.30	1.33	2.52	3.50	3.95	3.34	2.19	2.14	26
21			0.16	-0.61	-0.20	1.34	2.51	3.54	3.93	3.33	2.05	2.27	27
24			-0.05	-0.53	-0.13	1.43	2.60	3.53	3.91	3.34	1.91	2.40	28
50			-0.05	-0.45	-0.08	1.48	2.71	3.52	3.98	3.42	1.93	2.45	29
30			-0.05	-0.36	-0.02	1.54	2.74	3.61	3.99	3.46	1.89	2.43	30
31			-0.10		0.06		2.76	3.70		3.40		2.31	31
						THLY SUMM	ARY-						
MEAN				-0.55	-0.26	0.92	2.16	3.25	3.93	3.50	2.93	1.88	MEAN
INST				-0.72	-0.61	0.11	1.58	2.76	3.71	3.33	1.88	1.55	INST
MAX				(55)	(20)	(1)	(1)	(1)	(1)	(27)	(30)	(9)	MAX
INST				-0.24	0.11	1.58	2.76	3.72	4.09	3.92	3.40	2.46	INST
MIN				(1)	(31)	(30)	(31)	(31)	(18)	(1)	(13)	(24)	MIN

ORSERVATION WELL 512			WELL PEC #1	N460600
			UTM CO-ORDS	Z-17 E651820 N4862274
TOWNSHIP OF PICKERING	CONC. 5	LOT 21	LAT & LONG!	43-44NORTH 79-07WEST
	P-1400 (475-40) (475-40) (475-40) (475-40) (475-40)	PARAMOUNDALINOOD TOUR STORE STORE THE PROPERTY AND THE PR	12/00/00/00 2746 13/00/00/00/00 (2000)	UTM CO-ORDI

AS RECORDER

OLAMETER OF WELL! 5 INCHES

DUMP RATE: 13 IGPM

OCT 28 1974

LENGTH OF CASING: 163 FEET

SEC. CAP: 6.5 IGPM/FT

AUJIFEP I FINE SAND

OCILIED

RDORN SILTY SAND. TILL 121 GREY SILT SAND. TILL 551 GREY STONEY SAND. TILL 1001 GREY FINE SAND 1281 GREY SILT.

SHALE 271. REC METHOD: REC COMMON: MEASURE DT: GND ELEV: WELL TYPE: WELL LOG!

1978 DAILY MEAN WATER LEVELS IN FEET RELOW GROUND SURFACE

								di di di	ar act				
DAY	JAK	FER	DAD	ADD	MAY	JUN	JOL	AUG	SEP	oc T	HOV	DEC	DAY
1						23.43	23.76	24.25	24.66	24.93	25.34	25.33	1
S						23.44	23.77	24.2A	24.69	24.95	25.33	25.33	2
3						23.45	23.78	24.28	24.67	24.96	25.33	25.31	3
4						23.45	23.80	24.32	24.67	24.91	25.31	25.30	4
5					23.70	23.43	23.82	24.39	24.68	24.91	25.28	25.31	5
•					23.70	23.45	23.84	24.42	24.68	24.87	25.27	25.32	6
7					23.76	23.46	23.86	24.44	24.68	24.86	25.26	25.32	7
H					23.76	23.41	23.88	24.44	24.71	24.91	25.27	25.32	8
.9					23.63	23.41	23.90	24.43	24.75	24.96	25.25	25.33	9
1.0					23.63	23.47	23.91	24.43	24.77	25.03	25.28	25.34	10
1.1					23.66	23.48	23.93	24.43	24.76	25.04	25.35	25.34	11
12					23.67	23.48	23.96	24.42	24.73	25.00	25.41	25.37	12
1.3					23.62	23.48	83.98	24.43	24.79	25.01	25.42	25.38	13
1 4					23.55	23.53	23.98	24.46	24.80	25.04	25.35	25.39	14
15					23.52	23.61	23.98	24.49	24.76	25.05	25.37	25.41	15
16					23.52	23.66	23.9A	24.48	24.74	25.09	25.44	25.42	16
17					23.52	23.67	23.99	24.44	24.75	25.18	25.40	25.43	17
1.8					23.52	23.63	24.04	24.45	24.79	25.20	25.28	25.45	18
19					23.53	23.62	24.09	24.46	24.79	25.16	25.38	25.4A	19
5.0					23.51	23.63	24.10	24.51	24.81	25.15	25.50	25.42	20
21					23.48	23.64	24.11	24.58	24.84	25.15	25.54	25.28	21
55					23.52	23.64	24.11	24.61	24.90	25.14	25.55	25.31	22
23					23.53	23.65	24.09	24.62	24.99	25,15	25.43	25.37	23
24					23.52	23.67	24.13	24.58	25.00	25.19	25.28	25.38	24
25					23.52	23.69	24.16	24.54	24.99	25.15	25.28	25.34	25
24					23.51	23.68	24.15	24.55	25.01	25.08	25.29	25.36	26
27					23.51	23.67	24.12	24.59	24.98	25.09	25.30	25.43	27
24					23.51	23.67	24.13	24.56	24.96	25.15	25.30	25.58	28
50					23.50	23.68	24.16	24.53	25.00	25.26	25.31	25.69	29
30					23.47	23.72	24.20	24.56	24.99	25.33	25.32	25.72	30
31					23.43		24.22	24.61		25.34		25.70	• 1
						NTHLY SUMM	ARY-						
MEAN						23.56	24.00	24.47	24,81	25.07	25.35	25.40	MEAN
INST						23.40	23.74	24.23	24.63	24.86	25.25	25.27	INST
MAX						(9)	(1)	(1)	(1)	(6)	(9)	(50)	MAX
INST						23.74	24.23	24.63	25.01	25.35	25.55	25.73	INST
MIN						(30)	(31)	(31)	(29)	(30)	(55)	(30)	MIN

DRSERVATION WELL 301 WELL PFC #1 4605197
HTM CO-ORD: Z-17 E648450 N4872000
LAT & LONG! 43-59NORTH 79-09WEST TOWNSHIP OF UNHRIDGE LOT 1 CONC. 4

HEC HETHIN: 'F' TYDE DECORDED

DEC COMMON! JUN 3 1970

MEASURE DI: 0.0 FEET ARMYE SEDUMD SURFACE
GHD ELEV: 935 FEET ARMYE SEA LEVEL

RELL TYPE: DUG

AFEL LOG: OVERBURDEN 14% SAND AND GRAVEL 23.

DIAMETER OF WELL: 4H INCHES LENGTH OF CASING: 23 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 23 FEET

PUMP PATE: N.A.
SPEC. CAP! N.A.
AQUIFER : GRAVEL
QUALITY : FPESH

1978

DAILY	MEAN	WATER	LEVELS	IN	FEET	BELDW	GROUND	SURFACE

DAY	JAN	FER	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOA	DEC	DAY
1		16.45			14.58	14.78	15.81	16.22	16.3A	16.29			1
2		16.48			14.71	14.84	15.80	16.24	16.37	E1000-0010			2
3		15.53			14.80	14.91	15.81	16.21	16.33				3
4		16.56			14.85	14.95	15.83	16.25	16.38				4
5		16.53			14.88	14.96	15.85	16.25	16.40				5
6		16.53			15.02	15.07	15.87	16.26	16.39				6
7		16.55			15.08	15.06	15.87	16.27	16.42				7
Α.		16.62			14.97	15.05	15.88	16.26	16.43				8 9 10
Q		16.64			14.88	15.15	15.92	16.25	16.45				9
10		16.63			15.04	15.27	15.94	16.27	16.46				10
11					15.12	15.25	15.98	16.28	16.40				1.1
15	16.00				15.05	15.24	16.00	16.30	16.40				12
13	15.99				14.97	15.27	15.97	16.33	16.43				13
1.4	15.94				14.53	15.34	15.98	16.36	16.39				14
15	15.99				13.32	15.3A	15.99	16.35	16.30				15
16	16.01				13.14	15.37	16.01	16.27	16.32				16
17	16.06				13.35	15.36	16.05	16.32	16.39				17
l a	16.08				13.60	15.37	16.09	16.37	16.41				18
19					13.77	15.44	16.11	16.35	16.29				19
50					13.83	15.48	16.12	16.3A	16.23				20
21					13.85	15.49	16.11	16.40	16.22				21
2.2					13.87	15.54	16.09	16.38	16.32				5.5
23					13.90	15.60	16.07	16.39	16.35				23
24					14.03	15.62	16.14	16.36	16.27				24
25						15.63	16.11	16.33	16.30				25
25	16.18					15.62	16.08		16.35				26
27	16.27			14.13		15.67	16.08		16.31				27
2 A	16.41			14.26		15.74	16.17		16.37				28
29	16.44			14.36		15.76	16.15		16.42				5.9
30	16.44			14.50		15.79	16.20		16.35				30
3.1	16.42						16.20						31
						NTHLY SUMM	ARY-						
MF AN						15.33	16.01		16.36				MEAN
INST						14.72	15.80		16.20				INST
MAY						(1)	(5)		(51)				MAX
INST						15.81	16.22		16.48				INST
MIN						(30)	(31)		(10)				MIN
									33004-33560				WASSERSON !

ENVIRONMENT ONTARIO TORONTO REGIONAL MUNICIPALITY OF HALTON WELL PEC #: 2800838 UTM CO-DRD: Z-17 E582900 N4826900 LAT & LONG: 43-35NDRTH 79-59WEST ORSERVATION WELL 414 TOWNSHIP OF ESCHESING CONC. 3 10T 16

PEC METHIN: A35 PECOPRED DIAMETER OF WELL: 7 INCHES
PEC COMMON: AHGUST 1966 LENGTH OF CASING: 9.5 FEET
MEASURE DI: 3.0 FEET ARRYE GROUND SUBFACE LENGTH OF SCREEN: NAME
GID FLEV: 1075 FEET ARRYE SEA LEVEL DEPTH OF WELL: 38.5 FEET
MELL LOGI MENUM SAND AND STONES 51 WHITE GREY LIMESTONE 251 GREY PLACK LIMESTONE 38.5.

DUMP RATE: N.A.
SPEC. CAP: N.A.
AQUIFER : LIMESTONE
OUALITY : FRESH

E - ESTIMATED

1978

	90			090000000000000000000000000000000000000	OWEN DESTROYOUS TO A	1478							
				DATLY ME	AN WATER L	EVELS IN FE	FET BELOW (SROUND SUR	FACE				
1) A Y	JAN	FFR	MAD	APR	MAY	JUN	JUL	AUG	SEP	oc t	NOV	DEC	DAY
4	3.26 F	3.29 F	4.88 E	0.99 F	3.67 €	4.48 E			9.12 E				1
2	3.39 F	3.35 F	4.93 F	1.47 E	3.84 F	4.60 E			9.15 E				2
	3.60 f	3.51 E	4 . R 1 F	1.78 F	3.98 F	4.73 F			9.18 E				3
	3.79 1	3.58 F	4.94 F	1.92 F	4.05 F	4.78 F			9.25 E				
5	3.78 E	3.61 F	5.06 F	1.84 F	4.10 F	4.89 E			9.29 F				5
6	3.85 F	3.67 F	5.10 F	1.82 F	4.18 E	5.00 E			9.32 E				4 5 6 7 8 9
7	3.90 F	3.76 F	5.21 F	1.27 F	4.23 F	5.00 E			9.35 F				7
n	3.65 F	3.90 F	5.16 F	1.81 F	4.14 F	4.99 F	7.06 E		9.39 E				8
a	3.16 F	3.92 €	5.06 E	2.16 E	3.97 F	5.10 E	7.15 E		9.39 F				9
1.0	3.17 F	3.93 €	5.03 E	5.25 E	3.97 +	5.25 E	7.22 F		9.39 F				10
1.1	1.24 €	3.97 F	5.10 F	1.71 F	4.01 F	5.29 F	7.32 E		9.34 E				1.1
15	3.30 E	4.07 F	5.21 F	1.82 F	3.92 F	5.33 F	7.39 E						12
1/3	3.35 €	4.11 E	5.23 F	2.1H F	2.91 F	5.17 E	7.43 E						13
1.4	3.35 €	4.19 1	4.73 F	2.45 E	5.00 F	5.32 E	7.49 F						14
15	3.46 €	4.2H F	4.36 F	2.65 E	2.11 F	5.42 F	7.55 F						15
1.5	3.49 F	4.31 E	4.27 F	2.79 1	2.44 F	5.49 E	7.63 F						16
1 7	3.80 F	4.34 1	4.15 F	2.87 E	2.61 E	5.50 E	7.73 F						17
1.8		4.38 F	4.16 F	2.90 F	2.72 F	5.57 F	7.82 E						18
19		4.41 F	4.12 E	2.69 F	5.89 E	5.72 E		8.93 E					19
20		4.47 E	4.12 F	2.39 F	2.84 F	5.77 F		8.97 E					50
51		4.50 F	3.20 F	5.0H E	2.67 F	5.82 E		9.00 E					21
22		4.53 F	2.31 F	2.38 F	2.91 F	5.88 F		9.03 E					5.5
5.5		4.56 C	1.77 E	2.58 E	3.06 F	5.96 E		9.08 E					23
5 4	4.17 F	4.60 F	1.80 F	2.73 E	3.24 F	6.04 E		9.06 E					24
25	4.11 €	4.6H F	5.01 6	S. AA F	3.32 1	6.09 E		8.99 F					25
26	3.10 €	4.80 F	2.15 F	S. 98 F	3.52 1	6.14 E		9.06 F					26
21	5.89 F	4.85 E	2.24 F	3.07 F	3.71 E			9.11 E					27
24	2.97 1	A.RA E	5.51 1	3.24 F	3.84 E			9.11 F					28
50	3.01 F		2.24 F	3. 18 E	3,99 F			8.94 E					29
3.0	3.14 E		5.05 F	3.54 F	4.20 E			A.99 F					30
31	3.21 F		1.56 +		4.32 F			9.06 F					31
						THEY SUMMAR	· v -						
ME A .		4.15	1.85	2.35	3.46								MEAN
INST		3.24	1.18	0.52	1.94								INSI
MAX		(1)	(31)	(1)	(14)								MAX
INST		4.86	5.30	3.50	4 . 4 1								INST
W.T.		(24)	(12)	130)	(31)								MIN

ENVIRONMENT ONTARIO TORONTO REGIONAL MUNICIPALITY OF HALTON

DI SERVATION WELL 437

THENSHIP OF ESQUESTEG

WELL HEC #1 UTM CO-ORD: LAT & LONG!

2800686 7-17 E576800 N4828000 43-36NDPTH 80-03#EST

REC METHURI A35 DECORDED

DEC COMMODI MAY 1966
MEASURE DII 3.0 FEET ARRIVE GUDUNN SURFACE
GND FIELVI 1200 FIET ARRIVE SEA LEVEL

MELL LUGI CLAY TILL 4.5% PEDROCK 50.

DIAMETER DE WELL! LENGTH DE CASING! LENGTH DE SCREEN! DEPIH DE WELL! 7 INCHES 26 FEET NONE 50 FEFT

DUMP RATE! SPEC. CAP! AQUIFER ! QUALITY ! 4 IGPW 0.41 IGPM/FT PDCK FRESH

1978 DAILY MEAN WATER LEVELS IN FEET RELOW GROUND

					Carl Market	CEVELS IN	LEEL METON	GHOUND SU	RFACE				
DAY	JAN	FER		APR	WAY	JUN	JUL	AUG	SEP	OCT	NOV	DFC	DAY
1		1.01	2.65	-0.72	0.34	1.74	3.78	5.06	5.73	5.03	5.04	3.61	74
2		1.09	2.6R	-0.62	0.42	1.83	3.83	5.11	5.76	5.08	5.02	3.70	1 2
3		1.20	2.65	-0.55	0.51	1.94	3.87	5.08	5.81	5.08	5.05	3.69	3
4		1.29	2.70	-0.58	0.59	2.05	3.90	5.13	5.85	4.65	5.04	3.06	3
5		1.32	2.78	-0.61	0.53	2.15	3.95	5.18	5.89	4.54	5.06	2.45	•
		1.40	2.83	-0.61	0.42	2.28	4.03	5.24	5.93	4.44	5.09	2.45	6
7		1.48	2.91	-0.80	0.48	2.35	4.06	5	5.99	4.37	5.11	2.50	7
4		1.59	5.92	-0.63	0.48	2.34	4.10	5.29	6.01	4.38	5.11	2.36	8
9		1.64	2.88	-0.54	0.17	2.43	4.16	5.28	6.06	4.40	5.11	2.12	9
10		1.66	2.83	-0.56	0.17	2.54	4.21	5.28	6.10	4.45	5.17	2.16	10
11		1.74	2.70	-0.86	0.28	2.62	4.28	5.32	6.09	4.49	5.21	2.30	11
12		1.81	2.84	-0.75	0.13	2.66	4.34	5.36	5.84	4.53	5.24	2.37	12
13		1.87	2.85	-0.63	-0.25	2.42	4.36	5.43	5.87	4.64	5.21	2.37	13
14		1.94	2.19	-0.50	-0.39	2.53	4.41	5.49	5.90	4.69	5.00	2.53	14
15		2.02	1.42	-0.42	-0.34	2.64	4.45	5.52	5.43	4.74	4.99	2.56	15
16		2.07	1.30	-0.37	-0.20	2.73	4.50	5.50	5.44	4.82	4.97	2.71	16
17		2.11	1.23	-0.32	-0.17	2.78	4.60	5.52	5.25	4.91	4.73	2.76	
1 9		2.15	1.21	-0.27	-0.09	2.84	4.67	5.59	4.71	4.91	4.03	2.84	17
10		2.19	1.14	-0.52	0.03	2.91	4.69	5.62	3.97	4.90	3.97	2.90	18
20		2.24	1.11	-0.60	0.05	2.97	4.72	5.66	4.14	4.97	4.00	2.89	19
21		2.30	0.40	-0.61	-0.03	3.03	4.77	5.68	4.32	5.01	4.01	2.90	50
5.5		2.33	-0.06	-0.44	0.19	3.10	4.76	5.68	4.50	5.06	4.04	3.07	21
23		2.35	-0.25	-0.34	0.36	3.20	4.69	5.68	4.60	5.12	3.89	3.16	55
24		2.38	-0.22	-0.24	0.54	3.28	4.78	5.65	4.63	5.14	3.38	3.16	23
25		2.44	-0.17	-0.14	0.69	3.34	4.80	5.61	4.73	5.09	3.26	3.14	24
25	0.84	2.52	-0-14	-0.06	0.87	3.39	4.81	5.64	4.81	5.01	3.27	3.27	25
27	0.67	2.57	-0.13	-0.01	1.02	3.46	4.83	5.66	4.82	5.00	3.28	3.33	27
24	0.75	2.60	-0.17	0.09	1.17	3.55	4.89	5.62	4.91	5.02	3.3A	3.42	
50	0.81		-0.14	0.16	1.31	3.62	4.90	5.49	4.99	5.06	3.48	3.48	20
30	0.86		-0.20	0.27	1.44	3.71	4.97	5.58	5.00	5.05	3.54	3.48	30
31	0.92		-0.40		1.58		5.02	5.65		5.02	3.34	3.49	31
						NTHLY SUMM	ARY-						
MEAN		1.90	1.43	-0.43	0.40	2.75	4.46	5.45	5.30	4.83	4.46	2.91	MEAN
INST		0.97	-0.57	-0.95	-0.47	1.68	3.74	5.03	3.93	4.37	3.24	2.06	INST
MAY		(1)	(31)	(11)	(13)	(1)	(1)	(1)	(19)	(7)	(56)	(9)	MAX
INST		2.62	2.92	0.31	1.68	3.74	5.03	5.69	6.11	5.16	5.26	3.77	INST
M 1 **		(88)	(7)	(30)	(31)	(30)	(31)	(20)	(11)	(24)	(12)	(3)	MIN

ENVIRONMENT ONTARIO		ORSERVATION WELL 377			WELL REC #8	2804289
TORONTO		U - 2000 - 14			UTM CD-ORD!	2-17 E586240 N4832900
REGIONAL MUNICIPALITY OF HALTON TO	N OF	GEORGETOWN	CONC	LOT -	LAT & LONG!	
PEC METHOD: A35 RECORDER		DIAMETER OF WELLS	5 INCHES		PUMP PATEI	45 IGPM
REC COMMENT APR 26 1973		LENGTH OF CASING:	87 FEFT		SPEC. CAPI	N.A.
MEASURE DIE 2.0 FEET AROVE GROUND SUPFAC	F	LENGTH DE SCREENS	22 FEFT		AQUIFER 1	COARSE SAND
GHD FILVE AGO FEET AROVE SEA LEVEL		DEPTH OF WELLS	109 FEET		QUALITY :	FRESH
WELL TYPE: DRILLED		SECONOMIC COMMISSION OF STREET	***************************************			r RESH
WELL LIG: PER CLAY. SAND AND GRAVEL 27		NE SAND BOL COADEE SAND 10	0			

1978 DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE JAN FER ADR JUN nct NOV DEC DAY 5.85 5.72 5.79 5.81 5.74 5.76 5.77 5.87 5.91 5.92 6.18 6.19 6.18 6.19 6.18 6.28 6.28 7.52 7.55 7.58 7.57 7.66 7.66 7.71 7.83 7.82 7.82 7.83 7.82 7.92 8.04 8.06 8.09 8.11 8.11 8.22 8.31 11.49 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 21 23 24 25 26 27 28 29 30 7.22 7.23 7.27 7.32 7.35 7.50 7.47 7.49 6.42 6.42 6.40 6.42 6.43 6.45 6.45 5.95 5.95 5.95 5.95 5.93 8.32 8.37 8.39 4.24 MEAN 5.86 5.A3 4.15 3.73 6.16 7.22 7.96 9.82 9.52 MEAN 2.65 2.59 4.38 4.83 5.80 6.72 (5) 6.66 (5) 6.40 7.41 H.24 INST A.05 F.16 10.21 10.93 11.24 INST

WELL RFC #1 2803707 UTM CO-0001 Z-17 F591175 NAM18750 CONC. 3 LOT 14 LAT & LONG1 #3-31NOPTH 79-52WEST DESERVATION WELL 374 PERSONAL PUBLICIDALITY OF HALTON TOWNSHIP OF TRAKALGAR

HEC METURES 1 FET TYPE DECORDER DIASPETER OF WELL 4 INCHES DUMP

BEC COMMENT 5 FD 29 1071 LENGTH OF CASING 8 FFET SPEC

MEASURE DIS 24 FFET ABOVE GROUND SURFACE LENGTH OF SCREEN NONE AQUI

BELL 1401: DELLA TOPSOIL IS VERY HARD CLAY TILL 73 GRAVEL AND SOME GREY CLAY 8.5% BROWNISH CLAY 11.5. PUMP PATE! N.A.
SPEC. CAP! N.A.
AQUIFER ! CLAY
QUALITY ! FRESH

1978
DAILY MEAN WATER LEVELS IN FEET RELOW GROUND SURFACE

				DAILY ME	AN WATER	LEVELS IN	FEET BELOW	GROUND SUR	FACE				
DAY	JAN	FFH	MAP	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
10	1.39	2.35	4.08	0.46	1.81	2.78	4.60	5.60	6.41		5.62	4.79	1
2	1.53	2.37	4.13	0.48	1.97	2.88	4.60	5.62			5.63	4.75	è
•	1.68	2.41	4.15	0.51	2.12	2.98	4.59	5.65			5.64	4.73	3
•	1.82	2.48	4.16	0.56	2.26	3.10	4.60	5.68			5.66	4.59	
٠,	1.97	2.54	4.20	0.64	2.39	3.20	4.63	5.70			5.67	4.27	5
6	2.11	2.61	4.25	0.68	2.53	3.30	4.65	5.72			5.69	3.93	6
7	5.53	2.68	4.29	0.66		3.38	4.66	5.74			5.72	3.70	7
A	2.32	2.75	4.33	0.66		3.42	4.68	5.76	6.57		5.74	3.51	8
9	5.59	2.82	4.35	0.69		3.51	4.71	5.78	6.60		5.75	3.32	9
10	2.14	2.89	4.36	0.71		3.59	4.75	5.80	6.64		5.76	3.15	10
1.1	2.13	2.96	4.35	0.67		3.68	4.80	5.83	6.67		5.77	3.03	11
12	2.13	3.04	4.26	0.64		3.76	4.85	5.85	6.69	5.0A	5.78	2.97	12
1 1	7.14	3.13	4.05	0.67		3.83	4.89	5.88	6.71	5.08	5.79	2.93	13
14	2.17	3.21	1.59	0.73		3.91	4.92	5.90		5.10	5.79	2.93	14
15	2.24	3.29	3.02	0.83		3.98	4.96	5.93		5.12	5.80	2.94	15
16	2.32	3.36	2.49	0.94		4.09	5.00	5.94		5.16	5.82	2.97	16
17	2.41	3.41	2.10	1.06		4.15	5.06	5.97		5.21	5.83	3.02	17
18	2.51	3.50	1.80	1.09		4.20	5.11	6.03		5.25	5.83	3.09	18
10	5.65	3.56	1.55	1.06		4.26	5.16	6.05		5.27	5.82	3.14	19
50	2.72	3.62	1.33	0.9A		4.30	5.21	6.08		5.27	5.80	3.17	20
21	P. HO	3.67	1.16	0.93		4.34	5.24	6.12		5.29	5.76	3.20	21
22	2.A7	3.72	1.01	0.94		4.39	5.27	6.15		5.32	5.70	3.25	55
21	2.46	3.77	0.91	1.01		4.43	5.29	6.19		5.35	5.62	3.32	23
24	3.05	3.81	0.82	1.11		4.48	5.33	6.21		5.39	5.52	3.36	24
25	3.10	3.A7	0.75	1.25		4.51	5.38	6.24		5.41	5.38	3.37	25
54	3.04	3.93	0.71		2.04	4.53	5.41	6.27		5.42	5.23	3.42	26
27	5.45	3.99	0.67		2.17	4.57	5.44	6.29		5.45	5.07	3.47	27
24	2.40	4.05	0.65		2.29	4.60	5.48	6.31		5.50	4.93	3.54	28
5.0	2.47		0.58	1.52	2.40	4.62	5.50	6.34		5.55	4.87	3.62	29
30	2.40		0.54	1.67	2.52	4.61	5.53	6.37		5.59	4.81	3.68	30
31	2.37		0.50		2.65		5.56	6.40		5.61		3.72	31
						NTHLY SUMM	ARY-						
MEAN	2.37	3.21	2.55			3.91	5.03	5.98			5.59	3.51	MEAN
INST	1.32	2,34	0.47			2.72	4.59	5.58			4.80	2.92	INST
MAX	c 11	1 1)	(31)			(1)	(3)	(1)			(30)	(13)	MAX
INST	3.13	4.07	4.36			4.62	5.58	6.41			5.83	4.81	INST
MIN	1241	(24)	(11)			(59)	(31)	(31)			(17)	(1)	MIN

ENVIRONMENT ONTARIO
TORONTO
REGIONAL MUNICIPALITY OF HALTON
CITY OF RUPLINGTON WELL RFC #1 N.A.
UTM CO-ORD1 Z-17 F590760 N4806960
LAT G LONG1 43-25 NOPTH 79-52 WEST DASEPVATION WELL 531 NS 3 LOT 2

REC METHOD: 1F1 TYPE RECORDER

REC COMMON: ADMITE 1977

MEASURE DIT 2.5 FEET ARRIVE GROWND SURFACE

RENGTH OF SCREEN: NONE

RENGTH OF SCREEN: NONE

RELL 106: POSSIBLE LOG: OMERBURDEN 03; LIMESTONE BEDROOK 65. DUMP RATE: N.A.
SPEC. CAP! N.A.
AQUIFFR I LIMESTONE
QUALITY : N.A.

		7				1978							
				DATLY M	FAN WATER I	LEVELS IN	FEET HELOW	GROUND SU	RFACE				
DAY	JAF	FFH	- 44	APR	MAY	JUN	JOE	AUG	SEP	oc t	NOV	DEC	DAY
1	12.55	15.73	20.80	9.32		18.67		28.84		35.26		40.54	1
2	12.MH	15.96	20.97	9.64		18.90		28.95		35.44		40.53	5
3	13.43	16.34	20.76	9.80		19.03		29.07		35.58		40.55	3
4	13.82	16.62	20.79	9.83		19.07		29.24		35.68		40.51	
5	14.07	16.69	20.89	10.12		19.18		29.43		35.74		40.32	5
6.	14.30	16.77	20.43	10.26		19.47	24.70	29.54		35.78		40.09	6
7	14.52	17.00	21.06	9.99		19.49	24.81	29.65		35.82		40.01	7
	14.41	17.35	21.03	10.26		19.55	24.89	29.71		35.86		39.98	8
Q	13.63	17.42	20.89	10.56		19.97	25.00	29.73		35.91		39.92	9
10	13.7A	17.44	20.76	10.56		20.50	25.11	29.71		35.98		39.92	10
11	13.94	17.57	20.75	10.51		20.61	25.27	29.78		2.500.500.0	39.50	39.95	11
12	14.22	17.80	20.68	10.28		20.75	25.37	29.96			39.53	39.97	12
13	14.45	17.95	20.53	10.46		20.98	25.45	30.10	34.25		39.54	39.93	13
1 4	14.67	14.21	19.10	10.97		21.19	25.70	30.23	34.37		39.57	39.96	14
15	14.89	18.60	16.18	11.23		21.36	26.04	30.36	34.43		39.64	39.97	15
16	15.21	18.79	15.30	11.61			26.20	30.45	34.45		39.69	40.10	16
17	15.69	18.95		11.88			26.38	30.55	34.47		39.74	40.18	17
18	15.85	19.04		12.0B			26.54	30.65	34.21		39.83	40.25	18
19	16.18	19.14	14.28	11.82			26.70	30.75	33.79		39.90	40.30	19
50	16.34	19.29	13.96				26.83	30.85	33.81		30.92	40.28	20
21	16.57	19.39	12.07				27.11	30.95	33.95		39.93	40.40	21
52	16.57	19.44	10.78				27.47	31.06	34.12		39.95	40.45	22
5.3	16.74	19.52	10.14				27.72	31.17	34.24		39.97	40.49	23
24	16.89	19.63	9.92				27.91	31.28	34.32		40.02	40.49	24
25	17.0A	19.98	9.74				28.07	31.38	34.42		40.19	40.53	25
24	16.82	20.39	9.42		16.70				34.52		40.25	40.58	26
27	15.25	20.61	10.09		17.20		28.30		34.58		40.29	40.60	27
2 M	15.27	20.66	10.21		17.48		28.41		34.70		40.33	40.63	28
29	15.3A		10.38		17.70		28.52		34.82		40.39	40.64	29
30	15.51		10.31		17.94		28.62		35.04		40.43	40.66	30
31	15.67		9.86		18.29		28.72					40.67	31
					-401	THEY SUMM	ARY-						
MFAN	15.05	18.30										40.30	MEAN
INST	12.43	15.70										39.87	INST
MAY	(1)	(1)										(9)	MAX
INST	17.19	20.68										40.6R	INST

40.68 INST

INST

4.72

(24)

5.66

(54)

5.94

(13)

4.02

(30)

5.20

DUSERVATION WELL 530

THATISHIP OF HODE

CONC. 3 2 LOT 6

UTM CO-ONO:

WELL REC #1 1501998 UTM CO-0HD: Z-17 E707800 N4870500 LAT 6 LONG: 4)-58NOPTH 78-25 WEST

REC METHOD: A35 DECHROLR

DIAMETER OF *FLL: LENGTH OF CASING: LENGTH OF SCREEN: DEDIH OF WELL: 30 INCHES 22.5 FEET NONE 22.5 FEET SPFC. CAPI AQUIFER I 2 1GPM

GRAVELLY RROWN CLAY QUALITY

REC CHARCO: ACT. 25 1977 LENGTH OF CA.

MEASURE DI: 0.0 FEET AROVE GROWND SUBFACE LENGTH OF SCI
GND ELEVI ARO FEET AROVE SEA LEVEL DEDTH OF

MELL 106: TODSOIL DI: SANDY HADAN CLAY 121 GRAVELLY RROWN CLAY

197R DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE DAY JAN FFH MAR APR JUN JUL AUG OCT SEP NOV DEC DAY 8.77 8.83 8.85 8.89 8.89 8.00 7.97 7.92 7.87 7.83 3.71 4.07 5.65 1.24 5.15 4.06 7.20 9.53 6.92 5.59 3.78 3.93 4.06 4.13 4.19 5.72 5.70 5.72 5.79 5.84 1.48 1.73 1.83 1.41 4.17 5.15 5.28 5.39 5.48 5.60 9.54 9.55 9.58 9.61 6.88 6.88 6.87 6.86 5.59 5.56 5.31 7.25 7.31 7.38 7.45 7.51 7.56 7.60 7.66 7.71 7.79 4.31 4.41 4.46 4.54 5.00 9.63 9.65 9.68 9.72 9.75 9.77 4.40 7.75 6.87 6.89 6.90 6.88 6.93 6.98 6.97 6.91 6.88 6.71 6.88 4.99 4.23 4.16 3.75 3.64 3.78 3.89 5.67 5.69 5.76 5.86 5.92 5.98 5.00 4.90 4.76 4.76 4.88 4.62 4.24 5.89 1.24 8.94 8.94 8.98 9.01 9.05 9.07 9.10 9.15 9.18 9.21 7.65 7.60 7.54 7.49 3.97 5.90 5.89 5.89 5.91 5.93 5.68 2.25 2.34 2.84 3.19 4.79 4.83 4.87 4.94 1.7H 1.92 1.63 1.44 1.60 2.05 2.45 2.71 2.89 3.04 2.92 2.31 1.79 2.30 2.67 2.95 10 7.43 7.42 7.41 7.36 7.32 7.31 7.25 9.80 9.77 9.66 9.54 9.41 9.32 9.24 4.99 7.85 7.90 7.95 8.00 8.06 8.12 8.19 5.00 5.05 5.12 5.17 5.21 6.06 6.13 6.19 6.24 6.28 3.43 5.03 5.06 5.07 3.80 3.57 2.85 3.02 3.17 3.31 3.60 3.77 3.98 4.15 4.56 5.12 16 5.10 5.04 5.10 5.21 5.30 5.50 9.29 9.33 9.37 9.41 9.44 6.34 5.24 18 20 21 22 6.43 6.49 6.54 6.61 6.68 6.75 8.25 8.30 8.34 8.38 8.42 9.10 8.78 8.53 8.40 8.29 7.20 7.19 7.19 7.18 7.18 6.33 6.23 6.15 6.10 19 4.34 5.24 4.19 3.33 3.55 3.61 3.85 4.07 4.26 4.44 4.63 4.78 4.92 5.03 5.13 5.18 4.53 4.63 4.69 4.71 5.33 5.36 5.39 5.43 5.46 5.51 4.24 3.70 2.61 2.17 2.01 6.01 5.63 23 9.47 9.50 9.52 9.52 9.53 9.53 9.53 5.78 5.63 5.56 5.50 5.49 5.58 5.58 5.68 5.67 5.84 5.90 5.94 8.47 8.17 7.19 8.50 8.52 8.55 8.61 8.64 8.69 8.73 8.10 8.07 8.02 8.00 8.01 7.15 7.11 7.10 7.06 7.05 7.00 2.36 3.20 6.80 25 26 27 28 29 30 3.38 3.53 3.67 3.81 3.95 6.85 6.91 7.00 7.06 7.13 24 4.07 2.60 3.30 3.49 3.66 3.81 3.94 2.75 2.75 2.48 1.99 1.57 5.65 8.00 5.95 6.94 -MONTHLY SUMMAR MF AN 3. ## 5.01 4.32 2.33 4.05 8.03 9.21 9.07 7.40 6.45 5.33 2.11 1.34 1.05 2.81 8.74 7.99 6.93 5.46 4.73 INST (10) (2) (1) (30) (28) MAX

ENVIRONMENT ONTARIO HELL REC #1 UTH CO-ORD: LAT & LONG: 4704160 Z-17 E594400 N4664030 43-57NORTH 79-49WEST OBSERVATION WELL 253 TORONTO
REGIONAL MUNICIPALITY OF PEEL TOWNSHIP OF ALBION CONC. . REC METHOD: IF! TYPE RECORDER
REC COMMCO: MAR 3 1970
MEASURE PT: 3.6 FEET ABOVE GRO
GNO ELEV: 900 FEET ABOVE SE/
HELL TYPE: DRILLED DIAMETER OF HELL: 5 INCHES LENGTH OF CASING: 215 FEET LENGTH OF SCREEN: 3 FEET DEPTH OF HELL: 214 FEET PUMP RATES N.A. N.A. HARDPAN FRESH MAR 3 1970 LENGTH OF CASING: 215 FEET SPEC, CAP: N.A.

3.6 FEET ABOVE GROUND SURFACE LENGTH OF SCREEN: 3 FEET AQUIFER: HARDPAN
900 FEET ABOVE SEA LEVEL DEPTH OF MELL: 218 FEET QUALITY: FRESH
DRILLED
BLACK SOIL 4; BROWN CLAY, SAND AND STONES 38; BROWN SAND AND A FEW STONES 65; GREY CLAY, STONES AND SAND 68;
BROWNISH YELLOW SILT, CLAY 106; BLUE CLAY AND STONES 130; BROWNISH YELLOW SILT, CLAY 214; GREY HARDPAN 218. LOGI

7.17

8.74

9.54

9.81

8.00

£.98

5.96

INST

1978
DAILY MEAN MATER LEVELS IN FEET BELOW GROUND SURFACE APR MAY JUN JUL AUS DAY JAN FER MAR 35 P DET NOV DEC DAY 45.32 45.33 45.33 45.33 45.14 45.11 45.08 45.04 44.17 44.14 44.12 44.11 44.01 44.01 44.01 44.14 44.15 44.17 44.64 44.64 44.65 44.67 45.07 45.07 45.07 4: .13 4: .13 4: .13 4: .13 45.41 45.16 123456789 45.41 45.41 45.40 45.39 45.36 45.16 45.16 45.16 45.36 45.36 45.35 44.01 45.07 44.18 44.10 44.10 44.11 44.10 44.09 44.09 44.01 44.01 44.01 44.01 44.01 44.18 44.18 44.19 44.19 44.19 44.68 44.69 44.71 44.72 44.74 45 .13 45 .13 45 .13 45 .13 45 .14 45.07 45.07 45.07 45.01 45.16 45.16 45.16 45.16 45.16 45.16 45.16 45.34 45.39 45.39 45.34 45.32 45.33 45.33 45.33 45.33 45.32 45.32 45.32 45.32 45.32 45.32 45.32 45.03 45.03 44.75 44.77 44.78 44.80 44.81 44.83 44.01 45.14 44.09 44.08 44.08 44.07 44.06 45.37 44.01 44.20 45.03 45.14 44.01 44.02 44.02 44.02 44.22 44.23 44.25 44.27 44.28 45.15 45.15 45.15 45.15 45.36 44.92 45.02 45.16 44.87 44.82 44.77 44.73 45.02 45.02 45.02 45.02 45.32 45.32 45.32 45.32 45.32 45.32 45.32 45.32 45.32 45.32 45.32 45.31 45.31 45.36 45.36 45.36 45.36 45.36 45.36 45.36 45.36 44.05 45.16 44.02 44.84 45.16 44 68 44.04 44.03 44.30 44.84 45.02 45.16 44.30 44.32 44.35 44.37 44.41 44.46 44.51 45.16 45.17 45.17 45.16 45.16 45.17 45.17 45.17 45.18 45.18 45.18 44.63 44.59 44.55 44.51 44.03 44.02 44.01 44.00 44.03 44.85 45.02 44.04 44.04 44.05 44.06 44.86 44.86 44.87 44.87 45.02 45.02 45.03 45.03 45.32 45.31 45.31 45.31 45.31 45.31 45.30 45.30 45.29 45.28 45.27 45.25 44.47 44.00 44.00 43.99 43.99 43.99 43.99 44.00 44.00 44.06 45.16 44.42 44.88 45.03 44.38 44.07 44.55 44.88 45.04 45.16 45.18 44.07 44.08 44.09 44.09 44.11 44.12 44.58 44.59 44.59 44.60 44.62 44.63 44.88 44.89 44.89 44.90 44.90 44.91 45.18 45.19 45.19 45.19 45.19 45.20 44.34 44.31 44.28 44.25 45.16 45.16 45.16 45.16 45.04 45.23 45.22 45.20 45.19 45.17 45.16 45.04 45.05 45.05 45.06 45.07 45.31 45.32 44.22 45.16 45.16 44.19 44.00 44 .92 45.21 -MONTHLY SUMMAR MEAN 44.35 45.17 MEAN 44.05 44.04 44.80 INST INST 43.99 44.00 44.13 44.64 45.12 45.16 (2) (26) (8) (1) (2) (5) 45.21 (31) INST 44.13 (30) 44.64 (31) 45.17 44.18 (1)

MASERVATION FELL 157

WELL PEC #: 4901999 UTM CO-OPD: Z-17 E596500 N4832160 LAT & LONG: 43-38NOPTH 79-48WEST TOWNSHIP OF CHINGUACOUSY CONCLUSE 5 LOT 5

REGIONAL MUNICIPALITY DE DEFE

OIA-FILE OF WELL: 6 INCHES LENGTH OF CASING: 15 FEFT LENGTH OF SCREEN: 5 FFET DECTH OF WELL: 20 FFET

PUMP RATE: SPEC. CAPI AQUIFER I QUALITY

N.A. N.A. CLAY AND GRAVEL FRESH

PRE MITHOR: A35 RECORDED

DIAMETER OF WELL: 6 INCHES

PREC COMPCO: DEC 15 1965

MEASURE DI: 4.5 FFET ARMY GOUND SUPFACE

GEN 1LEVE 675 FFET ARMY STA LEVEL

WELL 19DE: DETLLED

WELL 10G: TOUSDIL 21 HDDW CLAY, GDAVEL 71 SAND AND GDAVEL 174 CLAY AND GRAVEL 20.

1978 DAILY MEAN WATER LEVELS IN FEET HELOW GROUND SURFACE

	1			DAIL .	EAS PRIEN	LEVELS IN	eri nerus	GROUND SU	AFACE				
DAY	MAL	FER	w A P	APR	M A Y	JUN	JUL	A∪G	SEP	OCT	NOV	DEC	DAY
1	5.09	5.63		4.19	4.25	4.79	5.66	6.62	7.23	6.79	7.19	7.30	1
2	5.13	5.65		4.05	4.30	4.84	5.69	6.64	7.23	6.79	7.20	7.30	2
3	5.20	5.6R		4.04	4.34	4.88	5.74	6.64	7.24	6.81	7.22	7.30	3
	5.24	5.69		4.06	4.39	4.90	5.78	6.66	7.25	6.84	7.23	7.26	4
5	5.24	5.70		4.05	4.41	4.96	5.82	6.67	7.26	6.85	7.25	7.24	5
6	5.25	5.70		3.98	4,49	4.99	5.87	6.71	7.29	6.86	7.27	7.23	6
7	5.29			3.76	4.54	5.03	5.91	6.74	7.31	6.90	7.28	7.23	7
А	5.31			3.72	4.54	5.06	5.95	6.76	7.32	6.92	7.29	7.20	B
G	5.30			3.79	4.55	5.11	5.99	6.78	7.35	6.93	7.30	7.18	9
1.0	5.37			3.82	4.60	5.14	6.03	6.80	7.36	6.95	7.30	7.14	10
1.1	5.39			3.77	4.62	5.15	6.08	6.83	7.37	6.95	7.30	7.10	1 1
12	5.42			3.70	4.62	5.16	6.11	6.85	7.38	6.94	7.29	7.06	12
1.3	5.43			3.74	4.63	5.20	6.14	6.87	7.36	6.96	7.29	7.03	13
1 4	5.44			3.84	4.56	5.24	6.16	6.92	7.32	6.97	7.29	7.03	1.4
15	5.46			3.91	4.42	5.29	6.19	6.95	7.29	6.98	7.30		15
16	5.50			3.96	4.38	5.29	6.23	6.98	7.28	7.02	7.32		16
17	5.50			4.01	4.38	5.30	6.25	7.00	7.26	7.05	7.32		17
18	5.52		6.08	4.03	4.37	5.34	6.25	7.01	7.24	7.03	7.33		18
19	5.56		6.07	4.04	4.39	5.37	6.27	7.03	7.17	7.03	7.34		19
20	5.56		6.08	4.01	4.40	5.41	6.29	7.05	7.03	7.03	7.34		20
21	5.5R		5.92	3.87	4.44	5.44	6.33	7.08	6.91	7.03	7.33		21
55	5.62		5.70	3.84	4.45	5.47	6.36	7.10	6.84	7.04	7.34		2.2
21	5.63		5.52	3.87	4.46	5.50	6.40	7.12	6.81	7.04	7.34		23
24	5.64		5.26	3.91	4.48	5.52	6.42	7.14	6.79	7.05	7.34		24
25	5.63			3.9A	4.53	5.54	6.44	7.16	6.77	7.05	7.33		25
24	5.51			4.04	4.57	5.55	6.46	7.17	6.77	7.07	7.33		26
27	5.52			4.0H	4.60	5.53	6.49	7.21	6.77	7.10	7.33		27
28	5.55			4.11	4.63	5.57	6.53	7.22	6.76	7.11	7.33		28
29	5.58			4.13	4.66	5.60	6.55	7.22	6.77	7.12	7.33		5.0
30	5.59		4.75	4.19	4.70	5.63	6.58	7.22	6.79	7.14	7.31		30
31	5.61		4.55		4.74		6.61	7.23		7.17			31
						NTHLY SUMM							
MEAN	5.44			3.95	4.50	5.26	6,18	6.95	7.12	6.98	7.30		MEAN
11151	5.09			3.69	4.20	4.76	5.65	6.61	6.76	6.79	7.18		INST
MAX	(1)			(13)	(1)	(1)	(1)	(1)	(59)	(2)	(1)		MAX
INST	5.64			4.39	4.76	5.65	6.61	7.24	7.38	7.18	7.34		INST
MIN	(24)			(11	(31)	(30)	(31)	(31)	(12)	(31)	(19)		MIN

ENVIRONMENT	DNTARIO	DESERVATION WELL 168		WELL REC #1	4901205
TORONTO				UTM CO-ORDI	Z-17 E597150 N4844050
REGIONAL MUN	CIPALITY OF PEEL TOWNSH	IP OF CHINGUACOUSY	HSE 2 LOT	15 LAT & LONG!	43-45NORTH 79-48WEST
PEC METHOD:	A35 PECUPDER	DIAMETER OF WELL:	12 INCHES	PUMP RATE!	N.A.
REC CONNED:	VAD 4 1966	LENGTH OF CASING!	53 FEFT	SPEC. CAPI	N.A.
MEASURE DT:	3.0 FEET ABOVE GROUND SUPFACE	LENGTH OF SCREENS	20 FEET	AQUIFER 1	SAND AND GRAVEL
GND ELEVE	ALG FEFT AROVE SEA LEVEL	DEPTH OF WELL:	73 FEET	QUALITY 1	FRESH
WELL TYPE:	DRILLED				
*FLL (116:	GRAVEL - OPD BIT OF CLAY 514 CLAY				71 FINE SAND. AND

1978
DAILY MEAN WATER LEVELS IN FEET HELDW GROUND SURFACE DAY JAN FFR ... APH MAY JUN JUL AUG SEP OCT NOV DEC DAY 22.49 22.47 22.41 22.50 22.51 22.68 22.76 22.70 22.67 22.72 25.29 25.27 25.33 25.30 25.17 25.17 25.17 25.10 25.19 25.16 25.16 25.16 25.12 25.11 25.12 25.11 25.12 25.11 25.12 25.11 25.12 25.11 25.12 25.11 25.12 25.13 25.13 25.14 25.15 25.17 25.17 25.17 25.17 25.17 25.17 25.17 25.17 25.17 25.17 25.21 25.24 25.10 25.18 25.25 25.27 25.35 25.29 25.18 25.17 25.19 25.26 25.31 25.32 25.35 25.35 24.53 24.70 24.52 24.50 24.35 24.35 24.33 24.23 23.93 23 22.67 22.66 22.61 22.54 22.55 22.53 22.34 22.29 22.41 22.25 22.15 22.15 22.16 22.16 22.11 22.11 22.11 22.34 22.35 22.35 22.36 22.36 22.30 22.37 22.44 22.36 22.30 22.37 22.42 22.36 22.36 22.36 22.36 22.36 22.21 22.22 22.23 22.17 22.10 22.13 22.16 22.18 22.16 22.13 22.04 22.12 22.13 22.20 22.21 22.21 22.20 22.18 22.17 22.21 22.21 22.85 22.90 22.91 22.95 22.99 23.00 23.02 23.07 23.07 23.03 23.11 23.15 23.05 23.02 23.02 23.02 23.15 23.12 23.21 23.32 23.28 23.17 23.18 23.24 23.24 23.24 23.24 23.24 22.51 22.50 22.56 22.56 22.60 22.60 22.63 22.63 22.72 22.63 22.72 22.83 22.84 22.84 22.80 22.71 25.22 25.19 25.05 25.01 25.13 25.24 25.24 25.18 25.09 25.06 25.16 25.21 11 12 13 14 15 16 17 22.01 22.24 22.09 22.09 22.10 22.07 22.02 22.84 22.83 22.83 22.90 22.94 22.85 22.76 23.34 13 14 15 16 17 18 19 22.27 22.27 22.19 22.26 22.32 22.51 22.56 22.57 22.57 22.67 23.34 23.27 23.30 23.29 23.31 23.31 25.13 25.18 25.09 25.08 25.17 25.15 25.16 24.81 24.81 25.15 25.24 25.28 25.28 25.30 25.33 25.30 25.10 25.18 25.21 25.30 25.14 24.80 24.75 24.80 24.75 24.61 22.05 20 21 22 23 24 25 22.70 22.71 22.67 22.68 22.78 22.79 22.66 22.68 22.70 23.16 23.03 22.99 23.01 23.07 23.29 23.25 23.11 23.07 22.35 22.34 22.39 22.30 22.29 22.34 22.34 22.34 22.27 22.26 22.22 22.06 22.06 22.06 22.07 22.19 22.18 22.18 22.20 22.25 22.25 22.25 22.25 22.32 22.03 22.04 22.02 22.02 22.05 21.95 21.95 21.95 22.08 22.08 22.02 22.02 22.28 22.41 22.42 22.38 22.37 22.33 22.38 22.41 22.43 22.43 22.45 22.46 22.48 23.31 23.39 23.43 23.37 23.38 23.41 23.23 23.14 23.12 23.14 23.12 23.14 23.23 23.31 22.80 20 21 22 23 24 25 26 27 28 29 30 31 25 27 24 29 30 22.60 22.71 22.75 22.67 23.17 23.20 23.16 23.19 HLY SUMM. MFAN 25.17 25.14 23.74 22.29 22.09 22.29 22.62 23.07 23.27 MEAN 22.01 (30) 21.88 11) 22.38 (3) INST 25.04 22.49 1851 25.36 25.40 24.75 22.70 22.47 22.23 22.82 (23) 23.38 (23) 23.52 INST (21)

OHSERVATION WELL 065

FOVERDMENT OPTABLE TORONTO PEGICMAL MUNICIPALITY OF DEFL

PEC METHOD: A35 DECORDED

PEC COMMEN: JUN # 1954

MEASURE DIT 1,0 FEET ARRYE CROWN SURFACE

GND FLEV: 360 FEET ARRYE SEA LEVEL

WELL TYPE: DUG

#FLL LOGI SAND AND GRAVEL 271 PED SHALE 31.

TOWNSHIP OF TORONTO

R 3 CIR

#ELL RFC #1 4902206 UTM CO-OPD1 7-17 ER09543 NA#20409 LOT 13 LAT 6 LONG1 43-32NORTH 79-39WEST

DIAMETER DE WELL: 36 INCHES LENGTH DE CASING: 31 FEET LENGTH DE SCREEN! NONE DEDIH DE WELL: 31 FEET

DUMP PATE! N.A. SPEC. CAP! N.A. AQUIFER ! SHALE QUALITY ! FRESH

			197	R				
DAILY	MEAN	WATER	LEVELS	IN	FEFT	BELDW	GROUND	SUDFACE

DAY	MAL	FEB	MAD	APR	MAY	JUN	JUL	AUG	SEP	OCT	PIOV	DEC	DAY
1	22.61		22.57	21.64	21.16	21.36		22.00	22.65				
2	22.55		22.58	21.73	21.15	21.35		21.99	22.67				1
	22.54		22.57	21.73	21.13	21.34		22.00	22.67				5
4	22.52		22.59	21.68	21.11	21.33		55.01	22.70				3
5	22.50		22.61	21.68	21.09	21.33		55.03	22.71				•
6	22.49		22.63	21.67	21.11	100000000000000000000000000000000000000		22.03	22.72				5
7	22.48		22.65	21.63	21.11			22.03	22.73				6
4	22.43		22.66	21.62	21.07		21.75	22.03	22.75				7
9	22.39		22.54	21.60	21.04		21.77	22.03	22.77				8
10	22.39		22.63	21.56	21.11		21.79	22.05	22.78				9
11	22.42		22.64	21.53	21.16		21.81	22.09	22.78				10
12	22.41		22.66	21.54	21.17		21.81	22.11	22.79				11
1.3	22.39		22.67	21.54	21.18		21.81	22.15	22.82				15
1 4	22.37		22.58	21.55	21.21		21.83	22.21	22.02				1.3
15	22.36		22.38	21.54	21.23		21.84	22.25					14
16	22.38		22.26	21.52	21.25		21.85	22.28					15
1.7	22.39		22.19	21.50	21.28		21.87	22.32					16
1 4	22.38		22.14	21.47	21.30		21.90	22.39					17
19	22.39		80.55	21.42	21.31		21.91	22.39					18
20	22.38		22.04	21.39	21.33		21.91	22.44					19
21	22.38		21.94	21.39	21.35		21.91	22.46					50
22	22.40		21.81	21.40	21.36		21.92	22.47					51
23	22.40		21.76	21.37	21.37		21.92	22.49					25
24	22.38	22.47	21.75	21.33	21.38		21.95	22.51					> 3
25		22.49	21.73	21.31	21.40		21.95	22.53					5.4
26		22.53	21.70	21.28	21.42		21.95	22.54					25
27		22.55	21.69	21.25	21.42		21.95	22.56					56
24		22.57	21.68	21.23	21.39		21.95	22.57					27
5.0			21.68	21.20	21.37		21.96	22.58					28
30			21.68	21.19	21.36		21.97	25.65					59
31			21.66	ALIE 1 2000	21.35		21.99	22.64					30
								22.04					31
						THLY SUMM	ARY-						
MEAN			25.55	21.48	21.25			22.2H					MEAN
INST			21.63	21.18	21.03			21.99					
MAX			(31)	(30)	(9)			(5)					INST
													MAX
INST			22.68	21.75	21.43			22.65					20.22
M 1.53			(13)	(3)	(27)			(31)					INST
								200700000					MIN

ENVIRONMENT ONTARIO	OHSERVATION WELL 529			WELL REC #1	*715034
SIMCOE COUNTY	CITY OF BARRIE	CONC	LOT -	LAT & LONG!	2-17 E 605145 N 4912050 44-22 NORTH 79-41 WEST
PEC METHOD: A71 BECORDER REC COMMEN: ADD 07 1976 MEASINE DI 0.0 FEFT ABOVE GROUND SUBFACE GUD FLEV: A65 FEET ABOVE SEA LEVEL MELL TYPE: NOBED	DIAMETER OF WELL: LENGTH OF CASING! LENGTH OF SCREEN! DEPIH OF WELL!	30 INCHES N.A. NONE 24 FEET		PUMP RATE: SPEC. CAPI AGUIFER I OUALITY I	N.A. N.A. SAND FRESH

1978 DAILY MEAN WATER LEVELS IN FEET RELOW GROUND SURFACE

DAY	JAN	FFR	MAD	ADD	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1		16.55	16.75	16.51		15.25	15.64	16.00	16.21	16.31	16.48	16.67	
5		16.55	16.77	16.49		15.26	15.66	16.01	16.22	16.31	16.48	16.68	1 2
3		16.56	16.77	15.45		15.28	15.67	16.03	16.23	16.31	16.48	16.70	3
4		16.57	16.77	15.39		15.30	15.68	16.02	16.23	16.31	16.49	16.70	4
•		16.58	16.77	16.36		15.30	15.70	16.03	16.24	16.32	16.49	16.70	5
- 5		16.59	16.77	16.33		15.32	15.72	16.04	16.25	16.32	16.50	16.70	6
7		16.60	16.79	16.30		15.33	15.75	16.05	16.27	16.32	16.52	16.72	7
A		16.60	16.80	16.27		15.34	15.76	16.05	16.27	16.32	16.53	16.73	8
Q		16.61	16.80	16.22		15.36	15.77	16.07	16.27	16.32	16.53	16.73	9
10		16.61	16.80	16.16		15.40	15.77	16.07	16.28	16.32	16.55	16.74	10
11		16.61	16.80			15.42	15.77	16.07	16.28	16.32	16.55	16.74	11
12		16.62	16.80		15.11	15.44	15.80	16.09	16.29	16.31	16.57	16.74	12
13		16.62	16.80		15.12	15.45	15.81	16.11	16.31	16.31	16.58	16.75	13
14		16.63	16.81		15.12	15.45	15.82	16.13	16.32	16.32	16.59	16.76	14
15		16.64	16.81		15.12	15.46	15.84	16.15	16.32	16.32	16.60	16.77	15
16		16.64	16.81		15.12	15.49	15.86	15.14	16.32	16.31	16.61	16.77	16
17		16.64	16.80		15.12	15.50	15.87	16.14	16.32	16.32	16.61	16.77	17
1 4		16.64	16.80		15.11	15.50	15.89	16.15	16.32	16.32	16.61	16.75	18
19		16.65	16.77		15.11	15.50	15.91	16.15	16.32	16.33	16.61	16.77	19
50	16.60	16.65	16.77		15.10	15.50	15.93	16.15	16.32	16.35	16.62	16.77	50
21	16.60	16.66	16.77		15.10	15.50	15.94	16.17	16.31	16.35	16.63	16.77	21
5.5	16.60	16.67	16.75		15.10	15.50	15.93	16.19	16.31	16.35	16.63	16.77	55
51	16.60	16.68	16.72		15.10	15.50	15.93	16.19	16.30	16.36	16.63	16.78	23
24	16.59	16.68	16.71		15.10	15.52	15.94	16.19		16.37	16.63	16.78	24
25	16.59	16.69	16.66		15.11	15.53	15.96	16.19		16.38	16.64	16.78	25
24	16.57	16.70	16.62		15.14	15.54	15.97	16.19		16.38	16.65	16.79	26
27	16.56	16.72	16.59		15.16	15.56	15.97	16.19	16.30	16.40	10.65	16.80	27
2 H	16.55	16.72	16.58		15.18	15.60	15.98	16.19	16.30	16.41	16.65	16.82	28
5.4	16.55		16.57		15.21	15.62	15.98	16.19	16.30	16.42	16.66	16.82	29
30	16.55		16.57		15.23	15.63	15.98	16.20	16.30	16.46	10.66	16.82	30
31	16.55		16.56		15.24		15.99	16.21		16.48		16.82	31
						NTHLY SUMM	ARY-						
ME ATI		16.63	16.74			15.44	15.84	16.12		16.35	16.58	16.75	MEAN
INSI		16.55	16.54			15.25	15.63	15.99		16.30	16.48	16.65	INST
MAX		(1)	(31)			(1)	(1)	(1)		(1)	(1)	(1)	MAX
1851		16.73	16.82			15.63	16.00	16.22		16.48	16.66	16.83	INST
w I N		(28)	(14)			(30)	(31)	(31)		(31)	(20)		

DESERVATION WELL 007

WELL RFC #: 5708713 UTM CO-ORD: 7-17 F589850 N4907950 LOT 30 LAT 6 LONG: 44-19NORTH 79-52WEST TOWNSHIP OF ESSA CONC. 3

REC METHOD: 435 RECOLDED

SIMCOF COUNTY

DEC COMMON: JUN & 1940 WEASUDE DI: 1.5 FEET ARMYE REHUMD SUBFACE GUD ELEVI 626 FEET AHMYE SEA LEVEL WELL 19DE: DUG

DIAMETER OF WELL: 36 INCHES LENGTH DE CASING: 20 FEET LEIGHTH DE SCREEN: NONE PEDTH DE WELL: 20 FEET

11 . A . N.A. OVERBURDEN FRESH SPEC. CAPS AQUIFFH :

106: OVERHUNDEN 20.

1978 DAILY MEAN WATER LEVELS IN FEFT BELOW GROUND SURFACE

DAY	JAN	FFB	W A D	ADD	MAY	NUL	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1			11.51	10.90	8.70	9.18	9.87	10.76	11.40	11.87	11.83	12.10	1
2			11.52	10.83	8.68	9.21	9.89	10.79	11.43	11.88	11.85	12.10	2
*			11.54	10.73	8.67	9.24	9.92	10.82	11.46	11.89	11.86	12.11	3
36			11.55	10.63	8.67	9.26	9.95	10.85	11.48	11.90	11.88	12.11	4
5			11.56	10.54	8.66	9.28	9.98	10.87	11.51	11.90	11.90	12.11	5
6			11.58	10.46	8.67	9.31	10.02	10.89	11.54	11.88	11.92	12.12	6
7			11.60	10.35	8.69	9.33	10.05	10.92	11.57	11.87	11.93	12.12	7
H			11.63	10.26	8.69	9.35	10.09	10.94	11.59	11.83	11.95	12.12	8
9			11.65	10.15	8.68	9.39	10.12	10.96	11.62	11.7A	11.96	12.12	9
10			11.65	10.04	8.71	9.42	10.15	10.98	11.65	11.75	11.98	12.12	10
1.1			11.57	9.94	8.75	9.44	10.17	11.01	11.66	11.72	11.99	12.13	1.1
12			11.68	9.85	8.75	9.47	10.21	11.03	11.69	11.70	12.00	12.13	12
1.3			11.69	9.75	8.76	9.50	10.23	11.06	11.72	11.69	12.01	12.13	1.3
1.4			11.69	9.66	8.78	9.51	10.25	11.09	11.74	11.68	12.02	12.13	14
1.5		11.29	11.69	9.57	8.80	9.53	10.28	11.12	11.75	11.67	12.02	12.13	15
16		11.30	11.68	9.50	8.80	9.56	10.31	11.13	11.77	11.67	12.02	12.14	16
17		11.31	11.66	9.42	8.80	9.58	10.34	11.15	11.79	11.67	12.03	12.14	17
18		11.32	11.64	9.35	8.81	9.60	10.37	11.17	11.80	11.66	12.04	12.15	1.8
19		11.34	11.62	9.28	A.83	9.60	10.41	11.18	11.81	11.66	12.05	12.15	19
20		11.36	11.61	9.21	8.84	9.60	10.44	11.20	11.78	11.66	12.06	12.16	20
21		11.38	11.59	9.16	8.87	9.60	10.48	11.22	11.76	11.67	12.06	12.16	51
2.2		11.39	11.54	9.09	8.89	9.63	10.51	11.23	11.76	11.68	12.06	12.17	22
23		11.41	11.46	9.02	R. R9	9.64	10.53	11.25	11.77	11.70	12.06	12.17	23
24		11.42	11.36	8.94	A.90	9.67	10.56	11.26	11.78	11.71	12.07	12.17	24
25		11.43	11.26	A.RA	8.94	9.69	10.58	11.27	11.80	11.71	12.07	12.18	25
26		11.44	11.18	8.84	A.99	9.71	10.61	11.29	11.82	11.73	12.08	12.18	26
27		11.47	11.12	8.80	9.02	9.74	10.63	11.30	11.83	11.75	12.08	12.19	27
24		11.49	11.06	8.76	9.05	9.77	10.65	11.31	11.83	11.75	12.08	12.19	28
50			11.02	8.74	9.08	9.80	10.68	11.33	11.85	11.78	12.09	12.20	29
30			10.98	8.71	9.11	9.84	10.71	11.35	11.85	11.80	12.09	12.20	30
31			10.94		9.15		10.74	11.37		11.81		12.21	31
					-M (1)	NTHLY SUMM	ARY-						
MEAN			11.48	9.65	A.83	9.51	10.31	11.10	11.69	11.76	12.00	12.15	MEAN
I N S T			10.92	8.70	8.65	9.17	9.86	10.75	11.38	11.66	11.82	12.09	INST
MAX			(31)	(30)	(5)	(1)	(1)	(1)	(1)	(19)	(1)	(1)	MAX
INST			11.70	10.92	9.17	9.86	10.75	11.3A	11.86	11.91	12.09	12.21	INST
80 I to			(151	(1)	(31)	(30)	(31)	(31)	(30)	(4)	(30)	(31)	MIN

FUVIRONMENT ONTARIO ORSERVATION WELL 373 WELL REC #: 5709214 UTM CO-ORD: Z-17 E578250 N4931025 LAT & LONG: 44-32NORTH 80-01WEST TORONTO SIMCOF COUNTY VILLAGE OF WASAGA BEACH CONC. -LOT -

DEC METHOD: A35 PECONDER
DEC COMMECT: OCT 31 1972
MEASURE DII 3.0 FEET AROVE GROUND SURFACE
GHD FLEVE 590 FEET AROVE SEA LEVEL

DIAMETER OF WELL: 6 INCHES LENGTH OF CASING: 170 FEET LENGTH OF SCREEN: 24 FEET DEDIH OF WELL: 194 FFET

SPEC. CAP: AQUIFER : QUALITY : 450 IGPM 70.4 IGPM/FT SAND FRESH

DEC METHOD: A35 RECORDEN

DEC COMMOD: DCT 31 1972

MEASURE DII 3.0 FEET AROVE GROUND SURFACE

GOD FLEVI 590 FEET AROVE SEA LEVEL

DEDTH OF WELLI 194 FEET

OUALITY 1 FMEST

BELLI TYPE: DRILLED

HELL 1061

FINE SAND 221 SAND AND GRAVEL 301 GREY CLAY 871 FINE SAND 931 CLAY 961 FINE SAND 1011 MEDIUM SAND 1191 SAND WITH

STREAKS OF CLAY 1301 CLAY AND SILT 1681 FINE SAND 1701 MEDIUM SAND 1801 SAND AND GRAVEL 1941 GREY CLAY 200. 1978 DAILY MEAN WATER LEVELS IN FEFT BELOW GROUND SURFACE DAY WAD MAY DCT 5.21 5.83 5.62 5.28 5.25 4.93 4.99 5.09 5.08 5.08 5.15 5.17 5.23 5.32 5.15 5.21 5.19 5.12 5.87 5.88 5.81 5.82 5.77 5.80 5.77 5.58 5.62 5.69 5.58 5.40 5.50 5.35 5.39 5.19 5.30 5.16 5.07 5.14 5.32 5.24 5.30 5.16 5.22 5.10 5.41 5.61 5.63 5.33 5.10 4.81 5.02 5.24 5.50 5.50 5.57 5.85 5.73 5.74 5.84 5.95 6.01 5.90 5.73 5.78 5.91 5.97 6.01 6.07 5.75 5.75 5.72 5.75 5.75 5.32 5.62 5.15 5.01 5.22 5.30 5.48 5.22 5.14 5.30 5.29 5.29 5.11 5.19 5.28 5.86 5.66 5.75 5.83 5.80 5.74 5.78 5.61 5.67 5.46 5.66 5.86 5.79 5.38 5.10 5.48 5.42 5.53 5.50 5.08 5.19 5.22 5.33 5.26 5.01 5.21 5.00 5.26 5.00 5.17 5.16 5.16 5.12 5.06 5.25 5.26 5.06 5.24 5.38 5.32 10 11 12 13 14 5.49 4.99 4.94 4.97 5.05 5.12 5.12 4.91 4.90 5.00 5.04 5.01 4.99 4.93 4.93 4.93 4.93 5.24 5.24 5.36 5.25 5.23 5.25 5.25 5.25 5.16 5.35 5.55 5.64 5.52 5.34 5.22 5.41 5.52 5.11 5.07 5.46 5.46 5.53 5.69 5.69 5.69 5.59 5.53 5.50 5.50 5.55 5.05 5.84 6.00 5.96 5.99 5.84 5.81 5.86 5.88 5.78 5.67 5.79 5.44 5.30 5.30 5.00 5.43 5.54 5.68 5.34 5.15 5.17 5.20 5.17 5.14 5.21 5.01 4.99 5.06 5.19 5.19 5.28 5.20 5.09 5.08 5.14 5.21 5.21 5.32 5.41 5.36 5.38 23 24 25 26 27 28 29 30 5.19 5.23 4.99 5.09 5.19 5.14 5.35 5.19 5.32 5.46 5.41 5.34 5.40 5.40 5.67 5.66 5.71 5.85 5.65 5.50 5.16 5.22 5.25 5.08 5.27 5.35 5.17 5.31 5.51 5.63 5.40 5.62 5.28 5.35 5.44 5.55 5.79 24 25 26 27 28 29 5.31 5.23 4.96 5.24 5.54 5.82 5.59 5.31 5.33 5.05 5.76 30 31 5.13 5.64 5.16 5.59 -MONTHLY SUMMARY MEAN 5.11 5.77 5.23 5.31 5.36 MEAN 4 . A 5 4.9R 5.52 5.35 4.92 4.86 4.63 4.66 INST (10) 1291 MAX 1251 5.91 INST 5.36 5.64 6.10 6.13 6.04 5.56 5.74 INST

DESERVATION WELL 375

TOWNSHIP OF MARIDOSA

CONC. 15 LOT 5

MELL PFC #: 6403790 UTM CO-OPD1 Z-17 E660200 N4917700 LAT & LONG! 44-24NORTH 78-59#EST

REC METHOD: 151 TYPE DECIDEDE DIAMETER DE WELL: 8 INCHES
REC COMMON: 100 9 1972 LENGTH DE CASING: 18 FEET
MEASURE DI: 4,05 FEET ABOVE GROUND SURFACE LENGTH DE SCREEN: NONE
GHO ELEV: 927 FEET ABOVE SEA LEVEL DEPTH DE WELL: 38 FEET
WELL 1991: DACKED HOUND CLAY AND SIDNES 81 LOSE BROWN GRAVEL 181 LIMESTONL 38.

PUMP RATE: 40 IGPM SPEC. CAPI 5.71 IGPM/FT AQUIFFP : LIMESTONE QUALITY : FFESH

			197	A				
DAILY	ME A.	WATED	LEVELS	IN	FEET	BELOW	GROUND	SUPFACE
APR		MAY	JUN		3	JUL	∆ ∪G	S

DAY	JAN	FFA	VAH	APR	MAY	JUN	JUL	A C G	SEP	ncr	NOV	DEC	DAY
1	8.92		9.68	7.66	7.40	7.96	9.57	10.61	10.31	10.22	10.10	9.76	1
2	H . 71		9.67	7.44	7.37	8.24	9.48	10.60	10.17	10.28	10.10	9.79	2
3	A . 84		9.63	7.29	7.46	8.11	9.71	10.53	10.24	10.29	10.10	9.82	3
4	8.95		9.64	7.31	7.46	8.25	9.73	10.41	10.29	9.48	10.14	9.65	4
5	H.69		9.72	7.13	7.43	8.18	9.88	10.65	10.35	9.97	10.18	9.66	5
•	9.05		9.65	7.04	7.55	8.07	10.08	10.45	10.17	9.90	10.20	9.54	6
7	8.91		9.77	6.91	7.42	8.26	10.16	10.62	10.37	9.84	10.19	9.67	7
	8.73		9.41	6.96	7.63	8.25	10.37		10.29	9.77	10.27	9.65	8
390	A . 76		9.81	6.88	7.49	8.25	10.15		10.37	9.89	10.30	9.65	4
10	H.45		9.82	6.91	7.45	8.44	10.13		10.40	9.86	10.31	9.77	10
1.1	H . 7H		9.80	6.71	7.50	8.43	10.29	10.48	10.35	10.02	10.20	9.78	11
12	8.61		9.80	6.59	7.45	A.60	10.41	10.50	10.38	9.97	10.36	9.81	12
1.3	A.6.5		9.89	6.56	7.72	8.39	10.50	10.68	10.39	9.98	10.24	9.72	13
1.4	8.76		9.65	6.67	7.25	A.45	10.28	10.59	10.40	9.92	10.12	9.81	14
15	8.67		9.48	6.64	7.13	8.54	10.44	10.78	10.34	10.00	10.03	9.84	15
16			9.51	6.86	7.31	8.51	10.44	10.59	10.42	10.05	10.01	9.84	16
1.7		9.27	9.4A	6.75	7.47	8.66	10.46	10.50	10.43	10.04	9.94	9.88	17
1.0		9.25	9.40	5.89	7.35	8.61	10.58	10.45	10.31	10.15	9.87	9.95	18
19		9.30	9.39	6.91	7.35	8.64	10.75	10.47	10.42	10.03	9.82	9.89	19
50		9.41	9.32	6.84	7.59	8.64	10.81	10.31	10.32	10.04	9.74	9.96	50
21		9.34	9.08	6.69	7.37	8.87	10.92	10.25	10.19	10.11	9.90	9.99	21
22		9.40	A . AA	6.84	7.41	8.75	10.41	10.35	10.11	10.17	9.93	10.01	2.2
21		9.45	8.75	6.98	7.76	8.95	10.64	10.33	10.13	10.26	9.83	10.01	23
24		9.48	8.52	6.98	7.61	9.05	10.54	10.24	10.07	10.19	9.69	9.97	24
25		9.53	8.41	7.05	7.62	9.10	10.56	10.37	10.19	10.25	9.65	10.11	25
26		9.55	8.49	7.15	7.87	9.32	10.86	10.21	10.14	10.03	9.75	9.98	26
27		9.52	P . 41	7.14	7.90	9.35	10.65	10.38	10.22	10.09	9.76	10.08	27
24		9.64	A . 41	7.11	8.08	9.35	10.73	10.30	10.13	10.00	9.73	10.01	85
50			8.40	7.36	8.06	9.40	10.65	10.31	10.17	10.06	9.78	10.09	29
30			A.25	7.18	8.27	9.48	10.58	10.15	10.07	10.10	9.80		30
31			8.13		A.09		10.66	10.33		10.04			31
						NIHLY SUMM	ARY-						
MFAN			9.25	6.98	7.57	8.64	10.37		10.27	10.05	10.00		MEAN
INST			7.A9	6.40	7.10	7.96	9.20		9.97	9.71	9.53		INST
MAX			(31)	(112)	(15)	(1)	(1)		(55)	(7)	(25)		MAX
INST			10.11	8.11	A.47	9.73	11.17		10.87	10.67	10.74		INST
MIN			(13)	(1)	(31)	(30)	(27)		(17)	(25)	(12)		MIN

ENVIRONMENT DUTARID TORONTO REGIONAL MUNICIPALITY OF YORK

DASERVATION WELL 344 TOWNSHIP OF E. GWILLIMBURY

WELL REC #: 6910968 UTH CO-ORD: Z-17 E621475 N4889650 LOT 121 LAT & LONG: 44-09NORTH 79-29WEST

REC METHUD: A35 RECORDER
REC COMMCD: MAY 26 1971
REASURE DT: 0.0 FFFT AROVE GROWND SUPFACE
GND FLEV: 723 FFFT AROVE SEA LEVEL
AFILL 179DE: DUG
FELL 106: OVERHUDDEN (SAND) 11.

DIAMETER OF WELL: 36 INCHES LENGTH OF CASING: 11 FEET LENGTH OF SCREEN: NONE DEDIH OF WELL: 11 FEET

SPEC. CAPI N.A.
AQUIFFP I SAND
QUALITY I FRESH

1978

				DATLY M	EAN WATER L	EVELS IN F	EET PELOW	GROUND SUI	RFACE				
13 A ¥	JAN	FFH	-	ADD	MAY	JUN	JUL	AIIG	SEP	nc t	NOV	DEC	DAY
1						5.20	7.71		9.73	6.48	5.19	4.85	1
2						5.35	7.84		9.78	6.39	23	4.91	2
*						5.44	7.97	10.87	9.82	6.31	5.30	4.94	3
4						5.5A	8.09	10.91	9.83	6.07	32	4.10	4
5						5.29	A.22	10.95	9.84	5.75	5.35	3.80	5
6						5.21	8.35	10.98	9.84	5.48	38	3.90	6
7						5.46	8.49	11.01	9.84	5.24	42	3.94	7
n						5.43	8.62	11.05	9.85	5.11	47	3.86	8
•						5.51	A.73	11.08	9.87	5.06	.50	3.78	9
1.0						5.72	A . 84	11.11	9.92	5.06	56	3.99	10
1.1						5.90	8.93	11.13	9.96	5.08	60	4.20	1 1
1.2						6.07	9.07	11.16	9.99	5.11	65	4.31	12
1 1						5.71	9.23	11.19	10.04	5.23	5.67	4.26	13
1.4						5.57	9.38	11.23	10.08	5.30	51	4.16	14
15						5.75		11.26	10.10	5.31	420	4.10	15
16						5.95		11.24	10.10	5.34	5.11	4.16	16
17						6.09		11.03	10.11	5.41	04	4.14	17
1 **						6.06		10.90	10.12	5.43	4.72	4.10	18
19						5.85		10.84	9.59	5.43	4.61	4.40	19
20						5.98		10.74	8.47	5.38	4.70	4.71	20
21					7.79	6.14		10.63	7.73	5.33	4.85	4.85	21
22					7.69	6.25		10.56	7.04	5.35	4.96	4.97	5.5
21					7.39	6.39		10.52	6.63	5.43	4.83	4.99	2.3
24					6.86	6.54		10.51	6.44	5.50	17	4.96	24
25					6.34	6.72		10.46	6.37	5.51	J.98	4.94	25
20					5.99	6.87		10.24	6.36	5.43	4.19	4.91	26
21					5.69	7.04		9.96	6.35	5.11	4.50	4.87	27
2 H					5.37	7.23		9.77	6.3A	5.04	. 71	4.84	28
24					5.13	7.41		9.69	6.43	5.07	4.81	58.0	29
30					5.08	7.57		9.67	6.48	5.10	4.83	4.84	30
31					5.09			9.69		5.12		4.87	31
						THLY SUMMA	DY-						
MF ATT						6.04			8.77	5.42	5.05	4.47	MEAN
1951						5.12			6.35	5.04	3.97	3.77	INST
4 A W						(5)			(27)	(28)	(25)	(9)	MAX
1//51						7.66			10.13	6.50	5.6R	5.01	INST
MIN						(30)			(18)	(1)	(13)	(23)	MIN

WFLL PEC #: 6902665 UTM CO-CIPD: Z-17 E616574 NARBATRB LAT 6 LUNG: 44-07NDPTH 79-33WEST ENVIRONSEED ON TARIO DHSERVATION WELL 342 BEGINNAL MUNICIPALITY OF YORK TOWNSHIP OF KING

PUMP PATE! 75 16PM SPEC. CAPI AQUIFER I QUALITY I 0.68 IGPM/FT SAND FRESH

HEC METHIN: A 35 DECODDED

DIAMETER OF WELL: 6 INCHES

DIC COMMOD! MAY 28 1971

LENGTH OF CASING: 299 FEET

WEASHUP DI: 3.5 FEET AMOVE GROWN SUBFACE

LENGTH OF SCREEN: 3 FEET

GIO FLEV: 722 FEET AMOVE SEA LEVEL

DEPTH OF WELL: 305 FEET

WELL LUC: CLAY 403 LIGHT SAND AND CLAY 2053 MEAVY DED SAND 2971 OUICKSAND AND GRAVEL 305.

				INTILY MI	EAN WATER I	LEVELS IN	FEET HELDS	GROUND SUI	A P A C E				
DAY	JAN	FEH	MAR	APR	MAY	JUN	JUL	AUG	SEP	nct	NOV	DEC	DAY
1		30.06		29.72	29.42	28.53	31.99	32.94	33.31	33.12	31.92	35.07	10
2		30.57		29.92	29.01	28.88	31.99	33.10	33.14	33.36	31.67	35.12	2
•		30.37		29.73	28.81	28.97	31.90	33.15	33.12	33.03	31.69	34.70	3
			30.77	29.51	27.99	29.19	31.88	33.13	32.79	32.98	31.65	35.21	
5				29.51	28.59	29.07	32.42	33.11	32.98	33.04	31.89	35.61	5
-				29.61	28.7R	29.28	32.38	33.30	33.17	33.00	32.08	35.36	6
7				29.33	28.77	29.02	32.61	32.74	33.47	32.99	31.76	34.27	7
H				29.44	28.62	29.34	32.65	32.87	33.06	32.87	31.64	35.15	8
9				29.56	28.46	29.76	32.57	33.27	33.29	32.77	31.48	35.46	9
10				29.33	28.49	30.39	32.51	32.89	33.13	33.01	31.61	35.02	10
11				28.97	28.86	30.38	32.60	32.82	32.98	32.86	31.50	35.05	11
12				29.09	28.40	30.42	32.82	32.91	33.22	32.75	31.60	35.73	12
1.3		30.64		29.57	29.20	30.19	32.92	33.03	33.15	32.85	31.57	35.31	13
14			30.58	29.46	28.93	30.12	32.79	33.26	32.94	32.75	31.49	35.47	14
15			30.31	29.36	29.58	30.58	33.13	34.32	32.72	32.63	31.10	35.89	15
16		30.83	30.34	29.76	30.13	30.63	33.90	33.50	33.15	32.85	31.82	36.36	16
1.7			30.33	29.43	30.13	30.56	33.35	33.36	33.27	32.74	32.72	33.64	17
1.4			30.33	29.28	30.55	30.41	33.53	33.44	33.11	32.38	33.28	33.46	18
1.9			30.12	29.24	30.56	30.21	33.92	33.36	33.18	32.29	33.50	34.07	19
20			29.94	29.16	29.93	30.40	33.73	33.36	33.36	32.32	33.80	34.32	50
21			30.09	30.32	29.76	30.64	33.93	33.38	33.55	32.38	33.8A	35.22	21
22			30.97	29.81	29.71	30.54	33.68	33.25	32.86	32.41	34.46	35.91	55
23			30.76	29.94	29.38	30.67	33.70	32.93	32.91	33.21	34.72	35.37	23
24			30.87	29.81	29.36	30.84	33.60	32.75	32.86	32.57	35.13	35.34	24
25			30.31	29.47	28.31	31.25	33,45	33.05	33.14	32.37	34.71	34.31	25
21			30.17	29.39	26.69	31.55	33.52	33.05	34.07	32.21	34.57	33.99	26
27			29.66	29.25	28.28	31.85	33.35	32.94	34.46	32.28	34.68	34.66	27
24	30.15		30.25	54.50	28.73	32.14	33.40	32.55	33.70	32.37	34.67	34.93	28
54	29.66		30.43	29.25	28.88	32.05	32.90	32.86	33.50	32.42	34.77	35.57	29
30	29.77		30.42	29.21	29.15	32.15	33.14	33.11	33.30	32.15	34.67	35.38	30
31	30.18		29.96		50.00		32.94	33.22		31.97		35.13	31
					-40	THLY SUMM	APY-						
MEAT				29.49	29.05	30.33	33.01	33.13	33.23	32.68	32.87	35.03	MEAN
1057				27.49	24.98	27.00	30.45	31.0A	31.24	30.58	29.61	31.77	INST
MAX				(11)	(36)	(1)	(4)	(88)	(15)	(31)	(16)	(18)	MAX
INST				30.75	30.83	32.68	34.45	34.57	34.54	33,82	36.41	37.32	INST
MITT				(55)	(19)	(30)	(21)	(16)	(28)	(5)	(24)	(16)	MIN

ENVIRONMENT ONTARIO WELL PEC #1 6910967 UTM CO-OPD: Z-17 E615075 N4880425 LAT & LONG: 44-04NORTH 79-34WEST OBSERVATION WELL 343 TORONTO PEGIONAL MUNICIPALITY OF YORK TOWNSHIP OF KING LOT 9 CONC. 3 REC METHOD: A35 RECORDED
HFC COMMCOL MAY 26 1971
MEASURE DT: 2.5 FEET ARRIVE GROUND SURFACE
OND ELEVI 720 FEET ARRIVE SEA LEVEL
WHILL TYPE: DIG
HFLL LOGI PEAT (MUCK) 11.5. DIAMETER OF WELL: 36 INCHES LENGTH OF CASING: 11.5 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 11.5 FEET PUMP RATE! SPEC. CAP! AGUIFER ! QUALITY !

1978
PAILY MEAN WATER LEVELS IN FEET RELOW GROUND SURFACE ADD MAY JUN JUL AUG SEP 141 DCT NOV DEC 4.82 4.83 4.84 4.86 4.87 4.73 4.75 4.76 4.71 4.70 4.69 4.68 4.67 4.67 4.71 4.74 4.77 4.08 4.13 4.16 4.81 4.84 4.87 4.90 4.93 4.97 3.01 3.04 2.60 2.65 2.78 2.58 2.58 2.69 3.01 3.06 3.11 3.09 2.72 2.72 2.75 3.01 4.16 4.20 4.22 4.24 4.27 4.31 4.88 4.91 4.93 4.95 4.95 4.97 4.99 4.97 4.85 4.85 4.85 4.86 4.72 4.72 4.72 4.69 4.69 4.70 4.71 4.72 4.74 4.76 5.01 4.35 4.39 4.39 4.39 4.39 4.39 4.39 4.39 4.40 4.42 4.44 4.50 4.54 4.54 4.54 4.54 5.05 5.08 5.11 5.15 5.15 5.16 5.23 5.25 5.27 5.28 5.28 4.80 4.82 4.83 4.04 4.86 4.88 5.31 5.34 5.37 5.39 5.41 5.44 5.46 5.49 4.90 4.92 4.95 4.97 4.98 5.00 3.08 3.14 3.22 3.28 3.34 -MONTHLY SUMMAD ME A1 4.70 4.87 4.79 5.12 5.52 5.30 MEAN INST 4.6A 4.68 5,28 (30) 4.78 4.55 4.71 4.67 INST 1451 5.51 5.70 4.83 5.00 5.00 INST 5.51 5.67 (9) (30)

ENVIRONMENT INTARTO DISERVATION WELL 106

TORONTO

PEGIONAL MUNICIPALITY OF YORK

TOWNSHIP OF MARKHAY

WFLL REC #: 6911674 UTM CD-CRD: Z-17 E632292 N4854345 LAT & LONG: 43-50NDRTH 79-21WEST CONC. 3 LOT 6

REC METHOD: "F" TYPE DECORDER

PEC COMMCD: SED 15 1963

MEASURE DI: 1.0 FEET ABOVE GROUN

GND FIEV! 605 FEET ABOVE SEA

WILL TYPE: DRILLED

WILL LIGHT SANDY CLAY- GRAVE FF! TYPE DECORDED DIAMETER DE MELLI 8 INCHES DUMP RATE: N.L.

SED 15 1963 LEMGTH DE CASING: 85.5 FEFT SPEC. CAP! N.L.

1.0 FEFT ABOVE GROUND SURFACE LENGTH DE SCREEN: 17.5 FEFT ADUIFFR : SAND AND GRAVEL

605 FEFT ABOVE SEA LEVEL DEDTH DE MELLI 104 FEFT QUALITY : FRESH

DELLED

SAND CLAY, GRAVEL AND DIRTY SILT 501 DIPTY SAND AND GRAVEL 601 SAND AND GRAVEL 701 SAND, GRAVEL AND HOULDERS

R51 FINE SAND 491 HARD PACKED SAND, GRAVEL 104.

N.A. SAND AND GRAVEL FRESH

LOGI

1978 DAILY MEAN WATER LEVELS IN FEET RELOW GROUND SURFACE

2														
2	DAY	JAN	FFA	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
3 50.66 47.59 46.87 45.73 46.62 45.93 45.63 45.93 45.63 50.68 46.67 46.67 46.66 45.93 45.63 45.63 50.68 46.75 46.66 45.90 45.65 46.66 45.90 45.65 46.66 46.33 45.83 45.63 46.66 46.33 45.88 45.63 46.67 46.63 45.92 45.66 46.63 46.33 45.88 45.63 46.67 46.63 45.92 45.66 46.63 46.33 45.88 45.63 47.46 46.79 46.66 46.55 46.33 45.88 45.63 47.46 46.79 46.66 46.55 46.33 45.89 45.65 46.34 47.47 46.90 46.68 46.56 46.33 45.89 45.65 46.34 45.89 45.65 46.34 45.89 45.65 46.34 45.89 45.65 46.34 45.89 45.65 46.37 46.38 45.89 45.65 46.81 46.75 46.37 46.27 45.82 45.71 46.27 45.80 46.81 46.79 46.85 46.86 46.33 45.89 45.65 46.37 46.27 45.82 45.71 46.27 45.80 46.81 46.68 46.55 46.40 45.85 45.65 45.65 46.40 45.85 45.85 45.65 46.40 45.85 45.85 45.65 46.40 45.85 45.8	1	50.67				47.59	46.89	46.76	46.64	46.42	45.96	45.75	45.45	1
## \$50.68 ### ### ### ### ### ### ### ### ### #	2	50.62				47.59	46.86	46.73	46.65	46.39	46.00	45.08	45.52	2
5 50.52	3	50.66				47.59	46.87	46.73	46.62		45.93	45.68	45.40	3
6 50.59 48.43 47.58 46.88 46.72 46.63 45.63 45.63 45.65 7 50.54 48.32 47.61 46.82 46.69 46.6 46.33 45.68 45.65 8 45.65 9 46.69 46.6 46.33 45.68 45.65 9 46.69 46.65 46.34 45.94 45.65 9 46.69 46.65 46.34 45.99 45.65 10 48.33 47.39 46.83 46.86 46.56 46.57 46.34 45.89 45.65 11 48.13 47.47 46.90 46.68 46.56 46.34 45.89 45.89 45.61 11 48.13 47.50 46.84 46.75 46.56 46.33 45.76 45.71 46.13 45.76 46.33 47.74 46.90 46.81 46.81 46.85 46.33 45.76 45.71 46.31 45.75 46.30 45.85 45.71 46.71 46.81	4	50.68				47.57	46.85	46.74	46.66		45.90	45.61	45.27	4
7 50.54 48.32 47.61 46.82 46.69 46.5 46.33 45.88 45.61 88.36 47.46 46.79 46.66 46.5 46.34 45.94 45.63 48.33 47.99 46.83 46.88 46.55 46.34 45.89 45.61 46.31 47.47 46.69 46.83 46.86 46.57 46.57 46.57 46.57 45.62 45.82 45.61 46.81 47.42 46.75 46.57 46.40 45.85 45.67 46.40 45.85 45.67 46.40 45.85 45.67 46.40 45.85 45.67 46.40 45.85 45.67 46.40 45.85 45.67 46.40 45.85 45.67 46.40 45.85 45.67 46.40 45.85 45.67 46.40 45.85 45.67 46.40 45.85 45.67 46.40 45.87 45.67 46.57 46.40 45.87 45.67 46.40 45.87 45.67 46.40 45.87 45.67 46.40 45.40	5	50.62			48.46	47.52	46.84	46.75	46.66		45.92	45.60	45.36	5
## \$50.43 ## \$50	6	50.59			44.43	47.5A	46.88	46.72	46.63		45.83	45.63	45.50	6
9 AR.33 A7.39 A6.83 A6.88 A6.53 A6.36 A5.95 A5.61 A6.26 A6.31 A7.87 A6.90 A6.88 A6.55 A6.34 A5.89 A5.61 A6.31 A7.80 A6.88 A6.75 A6.57 A6.27 A5.82 A5.71 A8.15 A7.30 A6.88 A6.75 A6.57 A6.27 A5.82 A5.71 A8.15 A7.30 A6.88 A6.81 A6.86 A6.56 A6.33 A5.76 A5.71 A8.15 A7.30 A6.81 A6.81 A6.86 A6.56 A6.40 A5.85 A5.65 A6.31 A7.80 A7.32 A6.81 A6.88 A6.57 A6.30 A5.85 A5.65 A5.65 A6.31 A7.80 A7.32 A6.87 A6.88 A6.57 A6.30 A5.85 A5.65 A5.65 A7.85 A7.8	7	50.54				47.61	46.82	46.69	46.6	46.33	45.88	45.65	45.50	7
10 48.24 47.47 46.90 46.68 46.56 46.34 45.89 45.71 11 48.13 47.50 46.87 46.75 46.57 46.27 45.82 45.71 12 48.16 47.42 46.79 46.75 46.56 46.40 45.85 45.71 13 48.15 47.30 46.81 46.68 46.57 46.33 45.85 45.91 15 48.18 47.32 46.87 46.68 46.57 46.30 45.85 45.91 16 48.18 47.30 46.88 46.67 46.55 46.25 45.82 45.71 17 48.10 47.23 46.77 46.71 46.49 46.27 45.93 45.91 18 48.02 47.31 46.77 46.71 46.49 46.27 45.93 45.91 19 47.92 47.19 46.77 46.75 46.50 46.22 45.82 45.92 20 47.21 46.77 46.73 46.50 46.22 45.72 45.93 21 47.88 47.12 46.77 46.73 46.59 46.17 45.77 45.76 22 47.91 47.88 47.12 46.74 46.55 46.28 45.82 45.72 45.93 24 47.90 47.04 46.77 46.73 46.59 46.17 45.77 45.65 25 47.91 47.93 46.97 46.74 46.55 46.28 45.88 45.89 26 47.91 47.93 46.97 46.73 46.48 46.50 45.80 45.78 45.66 27 47.93 47.94 47.93 46.97 46.73 46.48 46.50 46.20 45.77 45.66 27 47.93 47.94 47.93 46.97 46.97 46.51 46.51 46.51 45.80 45.80 45.41 25 47.90 47.04 46.97 46.77 46.67 46.51 46.51 45.80 45.80 45.41 26 47.91 47.93 46.99 46.77 46.73 46.48 46.06 45.68 45.80 27 47.78 46.99 46.77 46.67 46.57 46.48 46.06 45.68 45.60 28 47.78 46.99 46.79 46.57 46.47 46.06 45.68 45.60 29 47.78 46.99 46.70 46.59 46.47 46.06 45.68 45.60 20 47.78 46.99 46.97 46.57 46.47 46.06 45.68 45.60 20 47.78 46.99 46.97 46.57 46.47 46.06 45.68 45.60 27 47.78 46.99 46.90 46.74 46.51 46.47 46.06 45.68 45.60 28 47.80 47.90 46.74 46.61 46.47 46.06 45.68 45.60 29 47.69 46.90 46.74 46.61 46.47 46.06 45.68 45.60 20 47.79 47.69 46.90 46.74 46.61 46.47 46.06 45.68 45.60 20 47.70 47.69 46.90 46.74 46.61 46.47 46.06 45.68 45.60 21 47.69 46.80 46.90 46.74 46.61 46.47 46.06 45.68 45.60 22 47.78 46.99 46.69 46.60 46.60 45.68 45.60 23 47.69 46.80 46.90 46.74 46.61 46.37 46.06 45.68 45.60 24 47.78 46.90 46.90 46.74 46.61 46.37 46.06 45.68 45.60 27 47.78 46.99 46.90 46.77 46.65 46.47 46.06 45.68 45.60 28 47.78 46.90 46.77 46.65 46.43 45.99 45.74 45.41 29 47.69 46.80 46.70 46.57 46.65 46.43 45.99 45.44 47.69 46.80 46.70 46.50 46.50 46.50 46.50 46.50 45.60 45.60 45.60 45.60 45.60 45.60 45.60 45.60 45.60 45.60 45.60	A	50.43			48.36	47.46	46.79	46.66	46.5	46.34	45.94	45.63	45.36	8
11						47.39	46.83	46.68	46.53	46.36	45.95	45.60	45.30	9
12 48.16 47.42 46.79 46.75 46.56 46.33 45.76 45.76 13 48.15 47.36 46.81 46.68 46.56 46.40 45.85 45.65 14 48.20 47.32 46.87 46.68 46.57 46.30 45.85 45.65 15 48.18 47.30 46.88 46.57 46.55 46.25 45.82 45.71 16 48.18 47.29 46.85 46.67 46.48 46.26 45.87 45.87 17 48.10 47.23 46.87 46.71 46.49 46.27 45.93 45.72 18 48.02 47.21 46.77 46.71 46.49 46.27 45.93 45.72 20 47.86 47.12 46.77 46.75 46.50 46.22 45.72 45.93 20 47.86 47.12 46.77 46.73 46.59 46.17 45.77 45.77 21 47.88 47.12 46.74 46.71 46.62 46.13 45.78 45.62 22 47.97 47.13 46.74 46.71 46.62 46.13 45.78 45.62 23 47.97 47.13 46.76 46.59 46.56 46.20 45.77 45.43 24 47.87 47.13 46.76 46.59 46.51 46.18 45.80 45.43 25 47.81 46.99 46.77 46.87 46.51 46.18 45.80 45.43 26 47.81 46.99 46.77 46.87 46.51 46.18 45.80 45.43 27 47.81 46.99 46.77 46.87 46.51 46.48 46.06 45.86 45.43 28 47.81 46.99 46.77 46.87 46.51 46.48 46.06 45.86 45.43 29 47.81 46.99 46.77 46.87 46.87 46.90 45.88 45.80 45.43 30 47.63 46.99 46.73 46.89 46.46 45.98 45.74 45.43 31 47.64 46.90 46.74 46.67 46.67 46.67 46.60 45.68 45.61 31 47.64 66.90 46.74 46.67 46.47 46.06 45.68 45.61 31 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.63 46.86 46.73 46.48 46.06 45.68 45.61 31 47.64 66.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.64 66.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.64 66.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.64 66.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.64 66.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.64 66.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.63 46.86 46.75 46.68 46.39 46.04 45.68 45.61	10				48.24	47.47	46.90	46.68	46.56	46.34	45.A9	45.69	45.40	10
13	1.1				48.13	47.50	46.84	46.75	46.57	46.27	45.82	45.72	45.45	1.1
14 48.20 47.32 46.87 46.68 46.57 46.30 45.65 45.51 15 88.18 47.30 46.88 46.67 46.55 46.25 45.82 45.71 16 48.14 47.29 46.85 46.67 46.48 46.26 45.87 45.71 17 48.10 47.23 46.75 46.71 46.49 46.27 45.93 45.51 19 47.92 47.19 46.77 46.75 46.50 46.22 45.82 45.67 20 47.86 47.12 46.77 46.75 46.50 46.22 45.72 45.65 21 47.86 47.12 46.77 46.75 46.50 46.22 45.72 45.65 22 47.97 47.13 46.74 46.51 46.62 46.13 45.78 45.61 22 47.97 47.13 46.76 46.59 46.50 46.20 45.77 45.67 23 47.97 47.13 46.76 46.50 46.20 45.77 45.67 24 47.83 46.99 46.77 46.73 46.51 46.18 45.80 45.81 25 47.83 46.99 46.77 46.73 46.48 46.06 45.80 45.41 26 47.83 46.99 46.77 46.73 46.48 46.06 45.80 45.41 27 47.84 46.99 46.74 46.51 46.47 46.06 45.68 45.61 28 47.78 46.99 46.47 46.51 46.47 46.06 45.68 45.61 29 47.78 46.99 46.47 46.51 46.47 46.06 45.68 45.61 29 47.78 46.99 46.47 46.51 46.47 46.06 45.68 45.61 29 47.64 46.90 46.74 46.51 46.47 46.06 45.68 45.61 30 47.64 46.90 46.74 46.51 46.47 46.06 45.68 45.61 31 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.61 31 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82 47.64 46.90 46.74 46.61 46.47 46.06 45.68 45.82	12	45			48.15	47.42	46.79	46.75	46.56	46.33	45.76	45.76	45.35	12
15	1.3				48.15	47.36	46.81	46.68	46.56	46.40	45.85	45.64	45.21	13
16	14				48.20	47.32	45.87	46.68	46.57	46.30	45.85	45.59	45.31	14
17	15				48.18	47.30	46.8R	46.67	46.55	46.25	45.82	45.71	45.24	15
1R	16				48.14	47.29	46.85	46.67	46.48	46.26	45.87	45.74	45.28	16
19 47,92 47,19 46,77 46,75 46,50 46,22 45,72 45,57 20 47,86 47,12 46,77 46,73 46,59 46,17 45,77 45,77 21 47,88 47,12 46,74 46,71 46,62 46,13 45,78 45,61 22 47,97 47,13 46,76 46,69 46,56 46,20 45,77 45,67 23 47,90 47,04 46,77 46,67 46,51 46,18 45,80 45,41 24 47,83 46,99 46,77 46,73 46,48 46,06 45,80 45,41 25 47,81 46,99 46,77 46,73 46,47 46,06 45,68 45,41 26 47,81 46,99 46,74 46,61 46,47 46,06 45,68 45,61 27 47,78 46,99 46,69 46,61 46,47 46,06 45,68 45,61 28 47,78 46,97 46,70 46,59 46,46 45,98 45,74 45,41 29 47,64 46,90 46,74 46,51 46,39 46,04 45,82 45,41 29 47,64 46,90 46,74 46,61 46,39 46,04 45,82 45,41 30 47,63 46,86 46,75 46,68 46,39 46,04 45,82 45,41 31	17				48.10	47.23	46.77	46.71	46.49	46.27	45.93	45.55	45.26	17
20 A7.86 A7.12 A6.77 A6.57 A6.59 A6.17 A5.77 A5.77 21 A7.88 A7.81 A6.71 A6.62 A6.13 A5.78 A5.61 22 A7.97 A7.13 A6.76 A6.69 A6.56 A6.20 A5.77 A5.67 23 A7.90 A7.04 A6.77 A6.67 A6.51 A6.18 A5.80 A5.41 24 A7.83 A6.99 A6.77 A6.67 A6.51 A6.18 A5.80 A5.41 25 A7.81 A6.99 A6.77 A6.67 A6.68 A6.60 A5.68 A5.42 26 A7.81 A6.99 A6.74 A6.67 A6.66 A5.68 A5.68 27 A7.78 A6.99 A6.70 A6.57 A6.47 A6.06 A5.68 A5.47 28 A7.78 A6.99 A6.70 A6.59 A6.47 A6.06 A5.68 A5.47 28 A7.69 A6.90 A6.70 A6.59 A6.47 A6.06 A5.68 A5.47 29 A7.69 A6.90 A6.70 A6.59 A6.40 A5.80 A5.42 30 A7.69 A6.90 A6.70 A6.59 A6.60 A5.68 A5.43 31 A7.63 A6.86 A6.75 A6.68 A6.37 A6.06 A5.89 A5.44 31 A7.63 A6.86 A6.74 A6.61 A6.37 A6.06 A5.89 A5.44 31 A7.63 A6.86 A6.75 A6.68 A6.43 A5.98 A5.84 A5.43 31 A7.63 A6.86 A6.70 A6.50 A6.60 A6.70 A5.89 A5.84 A7.78 A6.87 A6.88 A6.80 A6.70 A6.54 A5.84 A5.85	18					47.21	46.75	46.74	46.55	46.28	45.82	45.57	45.32	18
21 A7.88 A7.12 46.74 46.71 46.62 46.13 45.78 45.61 22 A7.97 A7.13 46.76 46.56 46.20 A5.77 A5.65 A7.97 A7.04 A6.77 46.67 46.51 46.18 45.80 A5.41 A7.83 46.99 46.77 46.73 46.48 46.06 45.80 45.41 A7.81 46.99 46.74 46.67 46.47 46.06 A5.68 45.61 A7.78 46.99 46.74 46.67 46.47 46.06 A5.68 45.61 A7.78 46.99 46.70 46.59 46.47 46.06 A5.68 45.61 A7.78 46.99 46.70 46.59 46.46 A5.68 45.61 A7.78 46.99 46.70 46.59 46.46 A5.82 A5.61 A7.78 46.90 46.70 46.59 46.46 A5.88 A5.61 A5.61 A7.78 A6.99 46.70 46.59 46.46 A5.88 A5.61 A5.82 A5.83 A7.69 46.90 46.70 46.59 46.46 A5.89 45.74 A5.41 A7.69 46.90 46.74 46.61 A6.37 46.06 A5.89 A5.81 A7.69 A6.80 A6.70 A6.59 A6.04 A5.82 A5.83 A5.84 A5.83 A6.85	19				47.92	47.19	46.77	46.75	46.50	46.22	45.72	45.19	45.30	19
22 A7.97 A7.13 A6.76 A6.69 A6.56 A6.20 A5.77 A5.67 A7.90 A7.90 A7.90 A6.77 A6.67 A6.51 A6.18 A5.80 A5.41 A7.80 A6.99 A6.77 A6.47 A6.48 A6.96 A5.42 A7.81 A6.99 A6.77 A6.47 A6.48 A6.96 A5.48 A7.81 A6.99 A6.80 A5.41 A6.47 A6.96 A5.68 A5.67 A7.78 A6.99 A6.90 A6.10 A6.47 A6.96 A5.68 A5.67 A7.78 A6.99 A6.90 A6.51 A6.47 A6.96 A5.68 A5.67 A7.78 A6.90 A6.70 A6.59 A6.46 A5.98 A5.74 A5.41 A7.59 A6.90 A6.70 A6.59 A6.46 A5.98 A5.74 A5.41 A7.69 A6.90 A6.78 A6.88 A6.39 A6.04 A5.82 A5.43 A7.69 A6.86 A6.78 A6.86 A6.78 A6.80 A6.78 A6.80 A5.81 A7.63 A6.86 A6.78 A6.86 A6.43 A5.98 A5.84 A5.41 A7.83 A6.85 A6.80 A6.70 A6.80 A6.80 A5.82 A5.83 A5.84 A5.85 A6.85 A6.	20				47.86	47.12	46.77	46.73	46.59	46.17	45.77	45.74	45.13	50
23 47.90 47.04 46.77 46.67 46.51 46.18 45.80 45.41 47.83 46.99 46.77 46.73 46.48 46.06 45.80 45.41 46.25 46.47 46.06 45.80 45.41 46.25 46.47 46.06 45.68 45.41 46.26 45.68 45.41 46.47 46.06 45.68 45.41 46.47 46.06 45.68 45.41 47.74 46.99 46.70 46.59 46.46 45.68 45.41 47.74 46.97 46.70 46.59 46.46 45.98 45.74 45.41 47.69 46.90 46.75 46.68 46.39 46.04 45.82 45.41 47.69 46.90 46.75 46.68 46.37 46.06 45.89 45.41 47.64 46.90 46.76 46.68 46.43 45.98 45.43 45.41 47.64 46.86 46.76 46.68 46.43 45.98 45.43 45.41 47.64 46.86 46.76 46.68 46.43 45.98 45.43 45.	21				47.88	47.12	46.74	46.71	46.62	46.13	45.78	45.68	45.13	21
24 47.83 46.99 46.77 46.73 46.48 46.06 45.80 45.43 25 47.81 46.99 46.74 46.67 46.47 46.06 45.68 45.53 26 47.78 46.99 46.49 46.41 46.47 46.06 45.68 45.53 27 47.78 46.97 46.70 46.59 46.46 45.68 45.53 45.68 46.39 46.46 45.82 45.43 45.43 45.43 45.43 45.43 45.43 45.43 45.43 45.43 45.43 45.43 45.43 45.43 45.43 45.43 45.43 46.86 46.86 46.86 46.87 46.68 46.37 46.06 45.89 45.44 45.43	5.5					47.13		46.69				45.61	45.30	55
25 47.81 46.99 46.74 46.67 46.06 45.68 45.65 26 47.78 46.99 46.69 46.61 46.47 46.06 45.68 45.65 27 47.78 46.99 46.69 46.59 46.46 45.98 45.74 45.47 46.99 46.46 45.98 45.74 45.47 46.99 46.46 45.98 45.74 45.47 46.90 46.74 46.61 46.37 46.06 45.89 45.43 30 47.63 46.86 46.74 46.61 46.37 46.06 45.89 45.43 31 47.63 46.86 46.76 46.86 46.43 45.98 45.84 45.43 31 46.86 46.76 46.85 46.44 45.89 45.84 45.43 45.88 45.43 45.43 45.88 45.43 45.88 45.43 45.43 45.88 45.43	23							46.67		46.18	45.80	45.43	45.34	53
26 47.78 46.99 46.69 46.61 46.47 46.06 45.68 45.67 47.74 66.77 46.	24											45.42	45.20	24
77 A7.74 A6.97 A6.70 A6.59 A6.46 A5.98 A5.74 A5.41 28 A7.69 A6.90 A6.75 A6.86 A6.39 A6.04 A5.82 A5.41 29 A7.69 A6.90 A6.74 A6.61 A6.37 A6.06 A5.89 A5.41 30 A7.63 A6.86 A6.76 A6.86 A6.43 A5.98 A5.84 A5.41 31												45.54	45.11	25
28 47.69 46.94 46.75 46.68 46.37 46.04 45.82 45.43 29 47.64 46.90 46.74 46.61 46.37 46.06 45.89 45.41 30 47.63 46.86 46.76 46.68 46.43 45.98 45.44 31 47.63 46.85 46.65 46.44												45.50	45.24	26
29 47.64 46.90 46.74 46.61 46.37 46.06 45.89 45.41 30 47.63 46.86 46.76 46.86 46.43 45.98 45.84 45.83 31												45.47	45.31	27
30 47.63 46.86 46.76 46.68 46.43 45.98 45.84 45.43 11 46.85 46.85 46.44 45.43 45.98 45.84 45.43 45.84 45.43 45.84 45.43 45.84 45.43 45.84 45.43 45.84 45.85 46.80 46.70 46.54 45.84 45.85 46.88 46.56 46.35 45.64 45.35												45.43	45.40	58
3) 46.85 46.65 46.44 45.74 — MEAN 47.26 46.80 46.70 46.54 45.84 45.9 [INST 46.85 46.68 46.56 46.35 45.64 45.3												45.48	45.3R	59
-MONTHLY SUMMARY- MEAN 47.26 46.80 46.70 46.54 45.84 45.5 INST 46.85 46.68 46.35 45.64 45.3					47.63		46.76			45.98		45.43	45.27	30
MEAN 47.26 46.80 46.70 46.54 45.84 45.8 INST 46.85 46.68 46.35 45.64 45.3	31					46.85		46.65	46.44		45.74		45.19	31
INST 46.85 46.68 46.56 46.35 45.64 45.3								ARY-						
	MEAN					47.26	46.80	46.70	46.54		45.84	45.51	45.32	MEAN
	INST					46.85	46.68	46.56				45.34	44.97	INST
MAY (31) (26) (29) (29) (25) (25)	MAX					(31)	(26)	(59)	(29)		(25)	(23)	(21)	MAX
	INST											45.77	45.59	INST
wi (7) (10) (1) (5) (2) (12)	MITT					(7)	(10)	(1)	(5)		(2)	(15)	(3)	MIN

WELL REC #1 6910969 UTM CO-ORD1 Z-17 E642160 N4866300 LAT 6 LONG1 43-56NORTH 79-14WEST ENVIRONMENT ONTARIO OBSERVATION WELL 305 TORONTO REGIONAL MUNCIPALITY OF YORK TOWNSHIP OF MARKHAM LOT 26 CONC. 9

REC METHOD:

FF TYPE DECORDER

REC COMMOD!

JUNE 1970

MEASURE PIT: 0.5 FEET ARROYF GROUND SURFACE

GHO ELEV: 778 FEET ARROYF SEA LEVEL

WELL TYPE:

MELL TYPE:

MELL TYPE: TYPE: DUG LOGI OVERHURDEN TILL 20.

ī

INST

DIAMETER OF WELL: LENGTH OF CASING: LENGTH OF SCREEN: DEPTH OF WELL: 48 INCHES 20 FEET NONE 20 FEET PUMP RATE: SPEC. CAP: AGUIFER : QUALITY :

4.89

4.98

4.17

INST

DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE APR SEP OCT NOV DEC DAY 5.28 5.30 5.32 4.54 4.60 4.70 4.65 5.26 5.27 5.26 5.27 5.26 5.27 5.29 5.31 5.25 5.24 5.24 5.28 5.29 5.31 5.32 4.42 3.92 3.82 3.58 3.35 3.41 3.56 3.75 3.88 2.67 2.70 2.72 2.75 2.74 2.76 2.79 2.70 2.80 2.80 2.80 2.80 2.80 2.52 2.54 2.58 2.58 2.58 2.58 2.58 2.58 3.01 3.19 3.33 3.33 3.33 2.7A 4.69 4.73 4.75 4.76 4.81 4.84 4.87 2.81 2.84 2.88 4.01 4.04 3.91 3.81 3.83 3.75 3.75 3.76 3.80 3.82 3.83 3.84 3.85 3.86 4.06 4.09 4.15 4.19 4.17 4.10 4.00 3.89 3.75 3.27 3.02 1.65 1.67 1.40 1.86 2.18 2.23 2.04 1.93 2.08 2.20 2.29 5.40 5.41 5.41 5.43 5.42 5.37 5.36 5.22 5.21 5.19 4.65 4.18 4.07 4.10 4.25 4.38 4.67 4.81 4.87 4.94 2.40 2.54 2.60 2.81 2.86 2.89 2.89 2.90 2.90 2.90 2.90 2.90 2.90 4.90 4.92 4.94 4.97 4.99 5.01 5.06 5.09 5.11 5.15 5.15 5.15 5.15 5.16 5.17 5.18 5.20 5.20 5.22 3,97 4.13 4.25 4.48 4.53 4.53 4.53 4.57 4.60 4.58 4.61 4.68 4.72 4.30 4.39 4.30 4.53 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 13 14 15 16 17 19 19 20 2.96
2.93
2.91
2.93
2.77 2.33 2.36 2.38 2.31 2.05 1.84 2.09 2.24 2.36 2.44 2.48 2.53 2.57 2.60 2.64 3.83 3.88 3.95 4.00 4.05 4.14 4.15 4.11 4.09 4.12 4.17 4.04 5.35 5.36 5.37 5.37 5.38 5.37 5.29 5.26 5.25 5.26 5.26 5.26 21 23 24 25 26 27 2.26 31 5.24 5.28 -MONT HLY SUMMARY= 5.00 5.30 4.25 4.56 3.94 MEAN MEAN 5.24 3.32 3.83 (25) 3.72 INST 1.31 3.40 INST (14)

5.25

5.39

4.62

3.40

ENVIRONETSE DISTARTO TOMOREO REGIONAL PROTECTION LEV ME VORE

TOWNSHIP OF MARKHAI

RELL PEC #: 6911718 UTM CO-ORU: Z-17 E635300 N4858600 LAT & LONG: 43-52N(IRTH 79-19WEST CONC. 5

DUMP PATE: N.A.
SPEC. CAP: N.A.
AQUIFER : SAND AND GRAVEL
GUALITY : FRESH

BIC METHIDS: 1FT TYDE DICORDED DIAMETER OF WELL: 5 INCHES DUMP DATE: N.A.

REC COMMECT: SED 30 1973 LENGTH OF CASING: 60 FEET SPEC. CAPI N.A.

MEASING DI: 2.6 FEET ANDVE SED SUBJECT: LENGTH OF SCPEEN: 4 FEET ADULER : SAND AND GRAVEL FRESH

MELL TYPE: DRIVEN TODSOTE IS HEREN SAND 153 BLUE SANDY CLAY 474 HELECLAY. SAND AND GRAVEL 673 GREY SAND AND GRAVEL 73.

1978 DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

						*****	.,,	3					
DAY	JAN	FEH	MAR	ADR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1			18.47		14.28		18.36	18.29	18.20	17.82	17.80	18.01	1
5			18.49				18.36	18.24	18.20	17.82		18.16	2
•		17.89	18.40			18.31	18.35	18.07	18.20	17.84		18.20	3
•	17.95	17.90	18.44			18.25	18.31	18.10		17.73	17.76	18.00	4
5	17.99	17.88	18.53	16.79		18.22	18.30	18.14		17.65	17.79	18.04	5
6	18.00	17.91	18.53	16.60		18.22	18.35	18.19		17.63	17.80	18.16	6
7	18.01	17.96	18.59	15.80		18.11	18.39	18.20	18.25	17.73	17.80	18.15	7
R	17.77	18.03	18.53	16.39		18.01	18.44	18.19	18.18	17.83	17.78	18.05	8
9	17.43	18.01	18.44	16.96		17.93	18.46	18.20	18.20	17.90	17.79	18.03	9
10	17.45	18.00	18.41	17.06		17.97	18.44	18.16	18.23	17.89	17.84	18.17	10
1.1	17.50	18.03	18.40	16.84		17.92	18.51	18.10	18.11	17.85	17.83	18.23	1.1
1.5	17.56	18.06	18.41	16.70		17.92	18.55	18.17	18.02	17.86	17.87	18.20	15
1.3		18.10	18.38	16.97		17.82	18.53	18.28	18.09	17.95	17.80	18.14	13
1 4			18.03	17.19		17.84	18.64	18.34	18.01	17.90	17.70	18.23	14
1.5			17.82	17.46		17.85	18.59	18.36	17.84	17.88	17.75	18.23	15
16	17.93		17.71	17.58		17.90	18.67	18.34	17.95	17.94	17.76	18.27	16
17	17.96		17.66	17.67		17.91	18.67	18.41	18.05	17.95	17.61	18.27	17
1 4	17.99		17.67	17.68		17.98	18.67	18.41	17.99	17.90	17.55	18.31	18
10	18.05		17.71	17.63		18.02	18.69	18.35	17.65	17.92	17.63	18.38	19
50	18.03		17.68	17.42		18.04	18.65	18.23	17.66	17.96	17.69	18.34	20
21	18.07			17.10		18.09	18.60	18.19	17.71	17.92	17.67	18.35	21
22	10.11			17.43		18.16	18.47	18.18	17.84	17.90	17.67	18.49	55
23				17.67		18.21	18.30	18.22	17.90	17.89	17.51	18.53	23
24				17.79		18.22	18.36	18.01	17.89	17.82	17.38	18.49	24
25				17.93		14.22	18.34	17.90	17.95	17.74	17.51	18.46	25
24		18.46		17.98		18.14	14.32	17.96	17.98	17.67	17.61	18.55	26
27		18.48		18.06		18.17	18.25	18.01	17.94	17.67	17.55	18.60	27
24		18.45		18.10		18.30	18.30	18.01	18.00	17.77	17.59	18.65	85
5.3				18.13		18.31	18.25	18.04	18.05	17.86	17.63	18.65	59
30				14.55		18.36	18.28	18.12	17.97	17.79	17.71	18.61	30
31							18.27	18.15		17.7A		18.46	31
						NTHLY SUMM	ARY-						
MEAN							18.44	18.18		17.83		18.30	MEAN
INST							18.20	17.88		17.62		17.93	INST
MAX							(27)	(25)		(6)		(31)	MAX
INST							18.89	18.45		18.02		18.68	INST
MIN							(17)	(17)		(50)		(29)	MIN

ENVIRONMENT ONTARTO TORONTO METROPOLITAN TORONTO WELL REC #1 6905098 UTM CO-DRD1 Z-17 E626320 N4845890 LAT & LONG1 43-46NORTH 79-26WEST OPSERVATION WELL 090 BOROUGH OF NORTH YORK CONC. -LOT -

PEC METHOD:

A35 RECORDER

DIAMPTER DF WELL:

A56 TOMACO:

A57 TOMACO:

A58 7 TOM

				DATLY M	FAN WATER L	EVELS IN	FEFT AFLOW	GROUND SU	RFACE				
DAY	JAN	FFH	MAR	APR	MAY	JUN	JUL.	AUG	SEP	DC T	NOV	DEC	DAY
31	3.42	3.77	3.75	00.5	3.04	3.20	3.49	3.57	3.78	3.53	3.87	3.55	1
2	3.23	3.82	3.63	3.59	3.12	3.17	3.41	3.61	3.73	3.70	3.72	3.62	5
3	3.44	4.02	3.50	3.67	3.18	3.27	3.37	3.54	3.53	3.54	3.78	3.72	3
4	3.64	4.11	3.54	3.29	3.18	3.22	3.46	3.72	3.66	3.39	3.63	3.07	4
5	3.65	3.85	3.75	3.38	3.03	3.14	3.56	3.80	3.66	3.4A	3.57	3.13	5
	3.68	3.78	3.84	3.41	3.29	3.31	3.53	3.77	3.56	3.20	3.59	3.47	6
7	3.63	3.70	4.07	3.18	3.49	3.16	3.47	3.72	3.58	3.36	3.71	3.84	7
	3.13	3.47	4.01	3.40	3.19	3.02	3.35	3.60	3.63	3.62	3.69	3.59	8
9	2.81	3.80	3.12	3.46	2.83	3.19	3.40	3.53	3.73	3.74	3.54	3.46	9
10	3.10	3.59	3.49	3.17	3.09	3.43	3.40	3.62	3.73	3.71	3.76	3.53	10
1.1	3.54	3.46	3.51	2.76	3.35	3.33	3.58	3.65	3.46	3.58	3.79	3.88	11
12	3.65	3.46	3.61	2. AA	3.21	3.21	3.63	3.63	3.57	3.34	3.99	3.80	12
1.3	3.62	3.51	3.83	2.92	2.96	3.32	3.47	3.65	3.84	3.58	3.79	3.48	13
14	3.44	3.54	3.25	3.24	5.92	3.52	3.44	3.73	3.66	3.62	3.50	3.51	14
15	3.34	3.73	3.54	3.34	3.04	3.60	3.37	3.66	3.46	3.58	3.83	3.40	15
16	3.61	3.76	3.73	3.43	3.14	3.59	3.36	3.43	3.42	3.76	3.96	3.50	16
1.7	3.81	3.72	3.67	3.41	3.09	3.40	3.45	3.48	3.58	3.98	3.64	3.38	17
10	3.68	3.66	3.74	3.30	3.19	3.31	3.57	3.64	3.68	3.78	3.46	3.63	18
19	3.83	3.63	3.47	2.94	3.23	3.42	3.62	3.53	3.73	3.51	3.82	3.68	19
20	3.65	3.65	3.84	2.70	3.08	3.44	3.57	3.80	3.63	3.55	4.11	3.53	50
21	3.56	3.61	3.32	2.84	3.20	3.31	3.53	3.89	3.54	3.55	4.10	2.87	21
22	3.77	3.57	3.44	3.24	3.36	3.40	3.50	3.81	3.87	3.54	3.97	3.33	25
21	3.82	3.47	3.54	3.30	3.24	3.48	3.45	3.74	4.01	3.68	3.55	3.51	23
24	3.55	3.35	3.92	3.22	3.14	3.50	3.6A	3.60	3.75	3.73	3.28	3.65	24
25	3.16	3.40	3.96	3.30	3.22	3.40	3.55	3.65	3.73	3.37	3.57	3.15	25
24	2.32	3.66	3.61	3.30	3.32	3.23	3.33	3.67	3.78	3.31	3.78	3.43	26
27	2.74	3.81	3.35	3.22	3.34	3.25	3.23	3.69	3.52	3.53	3.63	3.66	27
24	3.26	3.75	3.31	3.14	3.26	3.39	3.47	3.34	3.66	3.72	3.40	3.97	28
50	3.51		3.4F	3.06	3.17	3.39	3.36	3.42	3.77	4.03	3.62	4.21	29
30	3.67		3.65	3.11	3.08	3.46	3.55	3.66	3.57	4.05	3.39	4.10	30
31	3.64		3.43		3.06		3.52	3.72		3.85		3.93	31
						THLY SUMM							
MEAN	3.45	3.68	3.64	3.20	3.16	3.34	3.47	3.64	3.66	3.61	3.70	3.57	MEAN
INST	2.12	2.79	3.05	2.65	2.78	2.97	3.21	3.22	3.37	3.14	3.18	2.73	INST
MAX	1361	(1)	(14)	1501	(9)	(8)	(27)	(88)	(15)	(6)	(24)	(21)	MAX
INST	3. + 7	4.16	4.14	3.78	3.53	3.64	3,72	3.92	4.05	4.12	4.17	4.24	INST
w 1 %	(17)	C 4.5	(7)	(2)	(71	(16)	(24)	(51)	1231	(30)	(50)	(59)	MIN

ENVIRONMENT ONTARIO

TORONTO

REGIONAL VIOLETABLITY OF YORK

TOWNSHIP OF WHITCHORCH

DHSERVATION WELL 340

WELL RFC #: 69 0965

UTW CO-ORD: 2-7 F632050 N4878700

CONC. 6 LOT 27 LAT & LONG: 44-04NOPTH 79-21WEST

DEC METHOD: *F! TYDE DECORDED

DEC COMMEN: MAY 26 1971

MEASURE DT: 2.0 FEET ADDRESONED SURFACE

(NI) ELEV! 97% FEET ADDRESSA LEVEL

WELL TYPE: DUG


WELL LUG: TODSOIL 4: SAND 29.


DIAMFTER OF WELL: 48 INCHES LENGTH OF CASING: 29 FEFT LENGTH OF SCREFN: NONE DEPTH OF WELL: 29 FEET


SPEC. CAP: N.A.
AQUIFER I SAND
QUALITY I FRESH


			197	78				
DAILY	MEAN	WATER	LEVELS	IN	FEET	RELOW	GROUND	SURFACE


OAY	NAL	FEB	MAD	APP	мач	JUN	JUL	AUG	SEP	DCT	1101	DEC	DAY
ÿ	16.01		19.05		14.26	16.20	18.71	20.46	20.84	20.09		19.57	1
2	16.07		19.08		14.52	16.40	18.77	20.51	20.83	20.09		19.56	2
3	16.25	17.66	19.10		14.76	16.56	18.83	20.54	20.83	20.08		19.57	3
4	16.46	17.73	19.12		14.94	16.71	18.90	20.58		20.04	19.77	19.50	4
5	16.58	17.79	19.16	11.07	15.07	16.82	18.97	20.63		19.99	19.76	19.43	5
- 5	16.69	17.Ha	19.21	9.85	15.29	16.98	19.06	20.67		19.92	19.76	19.41	6
7	16.80	17.88	19.28	6.74	15.46	17.10	19.11	20.70	20.80	19.86	19.78	19.42	7
ч	16.73	17.93	19.32	6.51	15.45	17.18	19.16	20.73	20.81	19.84	19.79	19.38	8
9	16.21	17.97	19.32	A.78	15.36	17.32	19.22	20.75	20.83	19.83	19.78	19.33	9
1.0	15.92	18.01	19.31	10.07	15.36	17.46	19.29	20.78	20.87	19.81	19.31	19.30	10
1.1	15.85	18.05	19.31	9.55	15.38	17.57	19.37	20.82	20.87	19.78	19.35	19.32	11
12	15.80	18.11	19.34		15.31	17.64	19.45	20.84	20.87	19.74	19.39	19.31	15
1.3		18.18	19.39		15.16	17.69	19.50	20.87	20.88	19.72	19.90	19.27	13
1.4		18.26	19.28	9.29	14.85	17.73	19.54	20.91	20.88	19.72	19.39	19.27	14
15		18.35	19.01	10.26	13.42	17.77	19.59	20.94	20.85	19.71	19.90	19.26	15
1.6		18.41	18.93	11.08	15.65	17.78	19.65	20.95	20.83		19.93	19.28	16
1.7		18.46	18.85	11.74	12.61	17.78	19.72	20.95	20.82		19.92		17
18		18.51	18.78	12.21	12.75	17.77	19.79	20.95	20.82		19.37		18
19		18.55	18.70	12.52	12.97	17.84	19.87	20.95	20.78		19.88		19
20		18.59	18.71	12.62	13.21	17.90	19.92	20.96	20.69		19.90		50
2.1		18.63	16.04	12.02	13.47	17.95	19.97	20.97	20.57		19.89		21
5.5		18.67	14.90	11.47	13.74	18.02	20.05	20.96	20.48		19.87		5.2
23		18.71		11.59	13.99	18.09	20.05	20.96	20.40		19.83		23
24		18,75		11.97	14.24	18.16	20.10	20.97	20.31		19.75		24
25		18.79		12.42	14.55	18.23	20.14	20.95	20.23		19.71		25
26		18.88		12.83	14.86	18.29	20.17	20.94	20.19		19.58		56
27		18.96		13.21	15.13	18.36	50.50	20.93	20.14		19.56		27
24		19.00		13.50	15.36	18.45	20.24	20.91	20.12		19.51		28
29				13.76	15.57	18.54	20.30	20.88	20.11		19.59		29
30				14.02	15.77	18.62	20.35	20.86	20.10		19.57		30
3 1					15.97		20.41	20.85					31
					-MD	NTHLY SUMM	ARY-						
ME AN					14.56	17.63	19.62	20.83					MEAN
INST					12.56	16.08	18.66	20.44					INST
MAX					(16)	(1)	(1)	(1)					MAX
THIST					16.08	18.66	20.44	20.97					INST
MIN					(31)	(30)	(31)	(24)					MIN











































































Southeastern Region









OBSERVATION WELL DATA

REGIONAL OFFICE KINGSTON 133 Dalton St. 613-549-4000

DISTRICT OFFICES

Belleville 15 Victoria Ave. 613 - 962 - 9208

Cornwall 408 Pitt St. 613-933-7402

Ottawa 2378 Holly Lane 613 - 521 - 3450

Pembroke 1000 MacKay St. P.O. Box 67 613-732-3643

PEMBROKE GI ENGARE RENFREW **OTTAWA** STORMON OTTAWA -CORNWAL -45°00 DUNDAS LANARK GRENVILLE FRONTENAC LEEDS HASTINGS KINGSTON BELLEVILLE 44° 00' N Lake Ontario 76° 100' W 75° | 00° W 77° | 00° W

Regional Office District Office Recording Observation Well Number of Recording Wells in same location Manually Measured Well Number of Manually Measured Wells in same location

LEGEND

OBSERVATION WELL DISTRIBUTION

ENVIRONMENT ONTARIO TORONTO DUNDAS COUNTY

OBSERVATION WELL 522

CHESTERVILLE

WELL REC #: 1801941 UTM CO-DND: Z=18 E481750 N4994100 CONC, 4 LOT 18 LAT & LONG: 49-14NORTH 75-06 HEST

REC METHOD: A71 RECORDER
REC COMMCD: MAY 13 1976
MEASURE PT: 0.0 FEET ABOVE GROUND SURFACE
GND ELEV: 225 FEET ABOVE SEA LEVEL
WELL TYPE: DUG
WELL LOG: UNKNOWN 16.3.

DIAMETER OF WELL: 30 INCHES LENGTH OF CASING: 10,3 FEET LENGTH OF SCREEN: NONE DEPTH OF WELL: 10,3 FEET

PUMP RATE: N.A.
SPEC. CAPS N.A.
AGUIFER : UNKNOWN
GUALITY : FRESH

			197	78				
DAILY	MEAN	WATER	LEVELS	IN	FEET	BELDW	GROUND	SURFACE

									5.000 minutes 507.	200 - 100 TO				
	DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
	1					7.62	8,33	8,06	8,81	9.48	10.23	8.99	8,45	1
	2					7.65	8.14	8,08	8.87	9.54	10.21	8.99	8,47	2
	3					7.69	8,04	8,16	8,90	9.56	10.18	8.96	8,59	3
	4					7.70	7,98	8,26	8,90	9,58	10,16	9.02	8,50	4
	5					7.78	7,89	8,32	8,95	9,60	10,18	9,01	8,33	5
	6					7.84	7.82	8,35	8,99	9,69	10,17	9.01	8,32	6
	7					7.88	7.79	8,36	9.01	9.71	10.16	9,00	8,41	7
	8					7.76	7.76	8,31	8,98	9.76	10,19	9,02	8.40	8
	9					7,63	7.81	8,23	8,77	9.79	10,22	8,99	8,32	9
	10					7.75	7,88	8,26	8.74	9,82	10.22	8,97	8,31	10
	11				4.22	7.79	7.92	8,31	8,81	9,86	10.22	9,06	8,43	11
	12				4.08	7.81	7.92	8,35	6,65	9,85	10.22	9,09	6,47	12
	13				3.93	7.83	7.78	8.37	8,90	9.86	10.21	9,15	8,42	13
	14				3.88	7.84	7.76	8,42	8,95	9.90	10.18	9,12	8.34	14
	15				4.23	7.75	7.84	8,46	9.02	9.89	9.94	8,86	8,39	15
	16				4.61	7.73 7.71	7,89	8,55	9,04	9,86	9.77	8,85	8,42	16
	17				4.96		7.92	8,66	9.08	9.88	9.76	8,87	8,43	17
	18				5.40	7.66	7,54	8.74	9,18	9,96	9.76	8,67	8,45	18
	19				5.64	7.68	7.30	8.78	9,26	10.00	9.69	8,25	8,50	10
	20				5.72	7.73	7.31	8,82	9,29	10.03	9,67	8,25	8,53	50
							7.41	8,85	9,30	10.03	9,68	8,34	8,44	21
	53				6.30	7.85 7.89	7,56	8,87	9,31	10.05	9,69	8.37	8,57	22
	24				6.86	7.89	7.66	8.84	9,36	10.08	9.66	6,38	8,65	53
	25				7.13	8.03	7.76	8.83	9.38	10.08	9.71	8,29	8,69	24
	26				7.13	8.12	7.86	8.78	9,18			8.20	8,61	
	27				7.37	8.19	7.85	8.79	9,24	10.14	9,62	8,38	8,59	26
	28				7.45	8.23	7,89	8.82	9.29	10.17	9.42	8.37	8,66	28
	29				7.53	8.28	7.97	8,85	9.24	10.20	9.14	8.39	8.81	29
	30				7.57	8.35	8.02	8,81	9.31	10.23	9,14	6.42	8.80	30
	31				14.47	8.39		8.79	9,41	10,23	9.00		8,75	31
							NTHLY SUMM							
1	PEAN					7.87	7.81	8.54	9,08	9,89	9,85	8,72	8,51	MEAN
1	INST					7.60	7,28	8,05	8,71	9,45	9.01	8,19	8,29	INST
	MAX					(1)	(19)	(1)	(10)	(1)	(31)	(25)	(10)	MAX
	INST					8.40	8,39	8.87	9,45	10.23	10,24	9.17	8,81	INST
	MIN					(31)	(1)	(55)	(31)	(30)	(11)	(14)	(30)	MIN

ENVIRONMENT ONTARIO TORONTO GRENVILLE COUNTY

OBSERVATION WELL 523

TOWNSHIP OF EDWARDSBURGH CONC. 7

HELL REC #1 2403219 UTM CO=DRD1 Z=18 E454500 N4964400 LOT 32 LAT 8 LONG1 44-49 NORTH 75-35 WEST

REC METHOD: A71 RECORDER
REC COMMCD: MAY 11 1976
MEASURE PT: 1.0 FEET ABOVE GROUND SURFACE
GND ELEV: 335 FEET ABOVE SEA LEVEL
MELL LOG: UNKNOWN 31.

DIAMETER OF HELL: 36 INCHES LENGTH OF CASING: 31 FEET LENGTH OF SCREEN: NONE DEPTH OF HELL: 31 FEET

PUMP RATE: N.A. SPEC. CAP: N.A. AGUIFER : UNKNOWN GUALITY : FRESM

1978 DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY	
1					2.26	4.79	8,25	11.33	13.77		17.22	17,93	1	
2					2,35	4.92	8,35	11.42	13.85		17,25	17.95	ž	
3					2.43	5.06	8.46	11,51	13.94		17,29	17.96	3	
4					2,53	5,19	8,57	11.60	14.02		17,32	17.96	4	
5					2.61	5,31	8,67	11.67	14.08		17.34	17.95	5	
6					2.74	5.44	8.77	11.76	14,17		17.37	17.95	6	
7					2,85	5,57	8.80	11,65	14,28		17.41	17.97	7	
8					2,95	5,68	8.97	11.95	14.30		17.44	17.97	8	
9					2.92	5,80	9,08	12,04	14.47		17.47	17,98	9	
10					2.05	5,93	9.17	12,11	14.57		17.51	17.98	10	
11					2.90	6.05	9,27	12,18	14.68		17,53	17,98	11	
12					3.00	6.16	9,38	12.26	14.81		17.57	17.97	15	
13					3.08	6.28	9.50	12.33	14.92		17.61	17.98	13	
14					3,19	6,38	9,61	12,42	15.01		17.63	17.97	14	
15					3,25	6,52	9.71	12,51	15.11		17.65	17.96	15	
16					3,13	6.64	9,81	12,58	15,21		17.69	17.94 17.93 17.92	16	
17					3.10	6.75	9,90	12.65	15,29		17.72	17.93	17	
18					2,88	6.85	10.02	12.72	15.40	16,59	17.70	17,92	16	
20					2.92	7,06	10,12	12,79	15.40	16,63	17.72	17.91	19	
21					3.03	7.18	10.33	12.93	15,57	16.68	17.76	17.90	20	
21					3,18	7.28	10.42	13.01	15.68	16.74	17.79	17.89	21	
55					3,36	7.39	10.53	13,09		16.79	17.81	17.88	52	
23					3,53	7.50	10.62	13.17		16.88	17.83	17.56	24	
25					3.70	7.62	10.72	13.24		16.93	17.85	17.85	25	
26					3,86	7.72	10.81	13.30		16.96	17.87	17.83	26	
27					4.02	7.82	10.90	13,38		17.00	17.88	17,82	27	
28				1.88	4,19	7,93	10.99	13,47		17.05	17.89	17.80	28	
5.0				2.02	4.34	8.03	11,08	13,55		17,10	17.90	17.79	29	
30				2,16	4.49	8,14	11.10	13,61		17.14	17.92	17.78	30	
31					4,65	00.00	11,25	13,70		17.18		17.76	31	
						NTHLY SUMM								
MEAN					3.20	6,53	9,79	12,55			17.63	17,91	MEAN	
INST					2,21	4,72	8,19	11.29			17,20	17.75	INST	
MAX					(1)	(1)	(1)	(1)			(1)	(31)	MAX	
INST					4.72	8,19	11.29	13.74			17.92	17.98	INST	
MIN					(31)	(30)	(31)	(31)			(30)	(13)	MIN	

ENVIRONMENT ONTARIO TORONTO MASTINGS COUNTY

OBSERVATION WELL 209

TUNNSHIP OF HUNGERFORD

#ELL REC #: 2900582 UTM CO-ORD: Z-18 E3:2982 N49187;7 CONC. 5 LOT: LAT & LONG: 44-24NONTM 77-21#E8T

REC METHOD: 'F' TYPE RECORDER
REC COMMCD: MOV. 28 1987
MEASURE PT: 3.0 FEET ABOVE GROUND SURFACE
GND ELEV: 540 FEET ABOVE SEA LEVEL
MELL TYPE: ORILLED
MELL LOG: SAND AND BOULDERS 7; LIMESTONE 71.

DIAMETER OF WELL: 6,25 INCHES LENGTH OF CASING: 8,5 FEET LENGTH OF SCREEN: NONE DEPTH OP WELL: 71 FEET

PUMP HATE: N.A.
SPEC, CAP: N.A.
AQUIFEH : LIMESTONE
GUALITY : FRESH

1978
DAILY MEAN WATER LEVELS IN FRET BELOW GROUND SURFACE

				DATE: HE	LAIL HAIER	PEAFFO IN	LEE! BEFOR	SKOOMD SU	MPAGE				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1												19.21	1
2												30.21	2
3											40.50	38.18	3
4											40,40	30.25	4
5											40,19	30,52	5
7											40,26	37.86	6
4											40.00	37.46	7
8											40.51	37,60	
											39.73	30,93	9
11											40.74	36.90	10
13											40,91	37,27	11
13											39,74	30,89	12
14											38,54	36,61	13
15											38,36	36,79	14
16											37.77	36,95	15
17											38,27	36.17	16
18											39.20	36,15	17
19											41.11	30.66	19
20											41.11	40	20
21											40,79	36.49	21
5.5											40.62	30.10	15
23											40.74	14.10	23
24											40.50	36,39 35,64 35,16 35,59 36,03	24
25											40.24	35.10	24
56											39,68	15.59	26
27											39,75	10.04	26 27 28
59											39,92	35.63	28
29											39.60	30.10	54
10 11 12 13 14 15 16 17 18 20 21 22 23 25 26 27 28 29 30 31											39.37	36.20	30
31												36.20	30
10.00mm(00.0777)					-40	NTHLY SUMMA	ARY.						
MEAN												30,61	MEAN
INST												33.71	INST
MAX												33.71	MAX
INST												39.77	INST
MIN												(1)	MIN

ENVIRONMENT ONTARIO TORONTO HASTINGS COUNTY HELL REC #1 2906086 UTM CO-ORD: Z-18 E291640 N4896980 LAT & LONG: 44-12NORTH 77-37HEST OBSERVATION WELL 400 CONC. S LOT 1 TOWNSHIP OF SIDNEY REC METHOD: IF! TYPE RECORDER

DIAMETER OF MELL: 7 INCHES

REC COMMCD: JAN, 1974

MEASURE PT: 3.4 FEET ABOVE GROUND SURFACE

LENGTH OF SCREEN: 10 FEET

AGUIFER: SAND AND GRAVEL

GND ELEVI 400 FEET ABOVE SEA LEVEL

DEPTH OF MELL: 60 FEET

GUALITY: PRESH

MELL LOG: BLACK TOPSOIL 1: BROWN SAND 3; LOOSE BROWN SAND AND FINE GRAVEL 7; BROWN SAND AND COARSE GRAVEL 50; BROWN SAND AND AND GRAVEL BOULDERS 60; GREY LIMESTONE 65.

1976
DAILY MEAN WATER LEVELS IN FRET BELOW GROUND SURFACE

							reel orgon						
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1				43.04	40,15	41.78	44,24	46.53	47.48	48.48	49.54	50,50	1
2				42.84	40.21	41.80	44,32	46.57	47.52	48.49	49.61	50,54	ż
3				42.59	40.29	41.91	44.42	46.57	47.60	48.53	49.68	\$350 \$ 350	3
4				42.32	40.35	42.01	44.51	40.57	47.68	48,50	49.71		4
5				42.13	40.39	42.11	44.62	46.58	47.75	48.62	49.73		5
				41.92	40.46	42.20	44.74	40.58	47.77	48.64	49.79		6
7			44.28	41.69	40,50	42.28	44,89	46.60	47.77	48.69	49.82		7
			44.32	41.46	40.56	42.34	45.00	46,62	47.77	48.74	49.54	50,56	8
9		43,36	44.32	41.24	40.61	42.37	45.10	46,62	47.77	48.75	49.85	50,59	9
10		43,32	44.32	41.05	40,68	42.45	45,19	46.70	47.79	48,86	49.86	50,60	10
11		43,31	44.36	40,84	40.74	42,55	45.27	46.77	47.80	48,90	49.87	50.64	11
15		43,32	44.41	40.70	40,77	42.64	45,35	46.84	47.85	48,93	49.88	50,60	12
13		43,33	44.44	40.58	40.81	42.73	45,43	46,92	47.94	48.97	49.88	50,56	13
14		43.35	44.44	40.49	40.85	42.76	45,49	46,99	47.96	48,99	49.88	50,55	14
15		43.40	44,42	40.42	40.87	42.81	45,54	47,02	47.99	48,99	49.92	50.54	19
16		43.43	44.40	40,38	40,88	42.89	45,58	47.02	48,03	48,99	50.01	50.56	16
17	45.40	43.45	44.37	40.34	40.89	42.96	45.68	47.02	48,10	49.03	50,10	50,54	17
18	45.32		44.33	40,32	40.89	43.08	45.74	47.05	48,15	49.09	50.19	50.57	18
19	45,26		44.26	40.27	40,90	43.17	45.78	47.06	48.16	49,14	50.23	50,60	19
20	45.19		44,25	40.23	40.91	43,22	45.85	47.07	48,17	49.19	50.27	50,59	50
21	45.14		44.20	40.18	40,94	43.28	45.94	47.11	48.21	49,23	50,30	50,50	51
55	45.09		44.15	40.11	40,97	43,33	46.02	47,15	48,25	49,27	50,31	50,50	55
23 24	45.04		44.07	40.05	40,99	43,42	46.07	47.24	48.29	49.28	50.29	50,57	53
25	44.99		43.97	40.00	41.08	43,51	46,13	47.32	48,32	49,29	50.28	>0.58	24
50	44.93		43,85	39,98	41,14	43,61	46,19	47.37	48,35	44.29	50.28	50,59	25
27	44.82		43.71	39,98	41.21	43.71	46,24	47,42	48.40	49.29	50,28	50,59	26
28	44.76		43,58	39,09	41.30	43.79	46.30	47.46	48.41	49.29	50.29	50.60	27
29	44.68		43,49	40.00	41.38	43.90	46.37	47.47	48.41	49.24	50.35	50.63	59
30	44.48		43.34	40.04	41,46	44.04	46,45	47.48	48,45	49.33	50.39	50.65	54
31	***		43.22	40,10	41.56	44.16	46.47	47.48	48,48	49.38	50,45	50,65	30
			43,66		41.68		46,49	47.48		49.44		50,65	31
					-MO	NTHLY SUMM	AHV-						
MEAN				40.84	40.85	42.90	45,53	46.99	48,02	49.00	50.03		MEAN
INST				39,98	40.13	41.74	44.20	46.51	47.48	48.48	49,49		INST
MAX				(25)	(1)	(1)	(1)	(1)	(1)	(1)	(1)		MAX
						10 2500	100	9 XM	• • •	,	,		
INST				43.14	41.74	44.20	46.51	47.45	48.48	49.49	50.48		INST
MIN				(1)	(31)	(30)	(31)	(31)	(29)	(31)	(30)		MIN

ENVIRONMENT ONTARIO TORONTO MASTINGS COUNTY

OBSERVATION WELL 122

TOWNSHIP OF THURLOW

CONC. 6

#ELL REC #1 2905483 UTM CO=ORD! Z=18 E112800 N4904950 LOT 22 LAT & LONG: 44-17NORTH 77-21#EST

REC METHOD: 'F' TYPE RECORDER

REC COMMCO: FEB 2 1965

MEASURE PT: 2.0 FEET ABOVE GROUND SURFACE

GND ELEV: 375 FEET ABOVE SEA LEVEL

MELL LOG: STONEY CLAY 30,3.

PUMP HATE: SPEC. CAP: AQUIFER : QUALITY :

			197					
DAILY	MEAN	MATER	LEVEL8	IN	FEET	BELOW	GROUND	SURFACE

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1				1.49	3,12	4,55	7.60	9.88	10.43	10.76	11,42	7.47	1
ž				1,81	3.23	4.70	7.69	9.92	10.44	10.79	11.39	7.07	ž
3				2.05	3,32	4.83	7.78	9.96	10,46	10.81	11.39	6.80	3
4				2.06	3,41	4.95	7.87	9.97	10.48	10.83	11.38	6.49	4
5				1.80	3.47	5.09	7.96	9.97	10.51	10.86	11.38	5.97	5
6				1.96	3,52	5,23	8.05	9.96	10.55	10.88	11.38	5.27	
7				1.89	3.37	5,33	8,14	9.97	10.58	10.91	1:.39	4.45	7
8				2,19	3,32	5.44	8,22	9.99	10.62	10.94	1 .41	4.32	8
9				2,39	3.01	5.54	8,31	10.02	10.66	10.98	1 43	4.31	•
10				2.47	2,93	5,65	8.40	10.05	10.70	11.02	1 . 46	4.36	10
11				2,29	3.02	5.74	8.48	10.09	10.75	11.00	11.47	4.43	11
11				2,29	3,08	5.84	8,57	10,12	10.79	11.10	11.50	4.83	12
13				2.46	3,06	5.97	8,65	10,16	10.61	11.13	11.53		13
14				2.54	2.84	6,09	8,73	10,20	10.82	11,16	11.54		14
15				2,60	2,60	6,19	8,81	10,23	10.81	11.19	11.56		15
16				2.64	2.60	6.27	8.88	10.27	10.80	11,22	11.55		10
17	2.77			2.67	2,60	6,35	8,95	10.30	10.79	11.22	11.49		17
16	2.81			2.70	2,59	6,43	9.03	10,32	10.80	11.20	11.21		18
19	2,85			2.62	2.57	6,52	9.10	10,33	10.80	11,29	10.89		19
50	2.89			1.99	2.65	6.61	9,17	10.34	10.77	11.31	10.63		20
51	2.92			1.84	2.77	6,69	9,25	10,35	10.72	11.34	10.41		21
55	2.95			2.26	2,88	6,78	9,31	10,35	10.68	11.37	10.20		53
5.2	2.99			2,45	3,00	6,87	9.37	10.36	10.65	11,39	10.00		23
24	3.00			2,55	3,15	6,97	9,42	10.38	10.64	11.43	9.76		24
25	3.00			2,62	3,33	7.00	9,48	10.40	10.62	11,46	9.47		25
26	1.96			2,68	3,52	7.13	9,55	10.40	10,63	11.49	9.14		26
27	1.91			2.74	3.70	7,23	9.61	10.41	10.64	11.50	8.74		27
28	2.24			2,82	3,86	7,32	9.67	10.44	10,66	11,50	8.28		28
29	2.41		2,22	2.91	4.04	7.41	9.73	10.46	10,69	11.49	7.98		29
30 31			1.99	3.02	4.21	7,51	9.78	10.45	10.72	11.40	7.73		30
31			1.75		4,39		9,83	10.44		11,45			31
						NTHLY SUMM	ARY						
HEAN				2,36	3.20	6,14	8,62	10,21	10.67	11,18			MEAN
INST				1,33	2,54	4,48	7,55	4.86	10.43	10.74			INST
MAX				(i)	(15)	(1)	(1)	(1)	(1)	(1)			MAX
INST				3.07	4.48	7,55	9.86	10.46	10.82	11.50			INST
MIN				(30)	(31)	(30)	(31)	(30)	(14)	(27)			MIN

ENVIRONMENT ONTARTO TORONTO HASTINGS COUNTY

ORSERVATION W DASERVATION WELL 328

CONC. 6

WELL REC #1 2906070 UTM CO-ORD:1 Z-18 F309090 N4905560 LOT 13 LAT & LONG! 44-13NORTH 77-23WEST

DIAMETER OF WELL! 2 INCHES LENGTH OF CASING: 5 FEET LENGTH OF SCREEN! NONE DEPTH OF WELL! 5 FEET

DUMP PATE: N.A.
SPEC. CAD: N.A.
AQUIFER I SAND AND GRAVEL
QUALITY I FRESH

1978
DATE AND WATER LEVEL MEASUREMENTS IN FFET BELOW GROUND SURFACE

OCT NOV

157 -0-41 087 -0-53

ENVIRONMENT ONTARIO TORONTO LENNOX AND ADDINGTON COUNTY

DBSERVATION WELL 474

TOWNSHIP OF ERNESTOWN

CUNC. 5

#ELL REC #1 3701191 UTM CO-OND1 Z-18 E355489 N4902559 LOT 14 LAT & LONG: 44-16NORTH 76-49REST

REC METHOD: A35 RECORDER

REC COMMCD: JAN, 18 1988

MEASURE PT: 5,0 FEET ABOVE GROUND SURFACE

GND ELEV: 350 FEET ABOVE SEA LEVEL

MELL LOG: CLAY 3; LIMESTONE 23,

PUMP HATE: 2 IGPM SPEC, CAP: 0.25 IGPM/FT AGUIFEH : LIMESTONE GUALITY : FRESH

			1 4 7					
DAILY	MEAN	WATER	LEVELS.	IN	FEET	BELOW	GROUND	SURFACE
APR		MAY	Jui	٧	9	JUL	AUG	36

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NUV	DEC	DAY
1	6,15	6.11	6.59	5.11	6,26	6.68	6.86		6.50				1
2	6,15	6,21	0.63	4.93	6,29	6.70	6.90	6,60	6.53				2
3	6.17	6.26	0,08	5,22	6.34	6.68	7,15		4,53				3
4	6.20	6.32	6.70	5,50	6,36	6.70	7.15	6.47	0,53				4
5	6,23	6.33	6.71	5,39	6,37	6.71	7.46	6,49	6,55				5
	0.20	6,35	6.72	5,33	6.36	6.71	7.55	6.64	T. W. S. S. S.				
7	6.27	6.40	6.74	5,21	6,35	6.70	7.64						7
8	6.27	6.43	6.72	5,26	0.35	6.64	7.85						8
9	5,36	6.44	6.72	5.44	6.10	6.66	7.37	6,68					
10	5,31	6.45	6,68	5,55	6.21		7.08	6.68					10
11	5,38	6.45	6,65	5,49	6,21 6,29 6,31 6,32	6.70 6.73	7.11	6.69					11
12	5.61	6.47	6.59	5,30	0.31	6.73	7,13	6.73					11
13	5.76	6.48	6.54	5,40	6.32	6.48	7.02	6.73					13
14	5.87	6.48	5,99	5,55	6.32	0.03	6.88	6.72					14
15	5.97	6.48	5.77	5,72	6.09	0.60	6.85	6.72					15
16	6.07	6.50	5.96	5,85	6.14	6.71	6,85	6.72					16
17	6.14	6.53		5,93	6,18	6.71	6,83	6.69					16
18	0,19	4.54	6,17	5,96	4,22	4.70	6.82	0.67					18
19	6,25	6,55	6.17	5.97	4,26	4.74	4.85	0.06					19
50	6.26	6.56	6,19	5.43	6.30	6.70 6.74 6.70	6.05 6.94 7.60	4,63					18 19 20 21 22 23 24 25 26 27 28
21	6,26	4,55	5,00	5,35	6.30	6.70	7.68	0.54					21
55	6.30	6.55	5,50	5,55	6.38	6.70	7.57	6.57					22
53	0,35	6,56	5,45	5.71	6.40	6.75	7.28	6.62					23
24	0.38	6,57	5,62	5.84	6,40	6.76	7.07	6,63					24
25	6.42	6,56	5.77	5,96	6,46	6.60	6,94	6.47					25
26	5.88	6.57	5,85	6,03	6.52	6.81	6.91	6.42					26
27	5.64	6,57	5,96	6.07	6,54	6,61		0,51					27
28	5.77	0,58	5,85	6.11	4.57	6.01	A . 80	0,53					28
54	5.62	0,50	5.79	6.18	6.57	6.84	6.80 6.78	0.31					29
30	5,90		5,66	6,22	6,65	6,65	6.76	6,36					30
31	6.01		5,56	0,00	6,66		6.64	6.46					30
	•		3,30				••••						•••
1222123	33 232	27 /27/27	N WES			NTHLY SUMM		42 - 202					112.71
MEAN	.02	6.46	6,18	5,63	6,35	6,72	7,08						MEAN
INST	5,14	6.05	5.28	4,70	5.94	6,63	6.64						INST
MAX	(9)	(1)	(31)	(ž)	(•)	(8)	(31)	(24)					MAX
INST	6.42	6,59	6.74	6,24	6,69	6.85	6,21	6.74					INST
MIN	(26)	(88)	(7)	(30)	(31)	(30)	(8)	(12)					MIN

ENVIRONMENT ONTARIO
TORONTO
REG, MUNICIPALITY OF OTTAWA=CARLETON

OBSERVATION HELL
TOWNSHIP OF REPEAN

INST MIN

OBSERVATION HELL 541

RF 3

HELL REC #1 1514435 UTM CO-ORDI Z-84 E405155 N014864 LOT 201 LAT & LONG! 45-17 NORTH 79-45-HEST

11.77 INST

REC METHOD: A35 RECORDER
REC COMMCO: NOV, 30 1978

MEASURE PT: 1,25 FEET ABOVE GROUND SURFACE
GND ELEV: 308 FEET ABOVE SEA LEVEL
WELL LOG: GREY CLAY 13; WHITE SANDSTONE 294,

PUMP HATE! 75 1GPM SPEC. CAP! N.4. AQUIFER : HHITE SANUSTONE QUALITY : FRESM

1976 DAILY MEAN WATER LEVELS IN SEET ASL

				DAILY HE	AN WATER	LEVELS IN FE	ET BELOW	GROUND SURF	ACE				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	3 E P	OCT	NOV	DEC	DAY
1												11.73	1
2												11.68	5
3												11.63	3
4												11.44	4
5												11.34	5
•												11.28 11.18	•
7												11.18	7
8												11.05	
9												10.98	9
10												10.95	10
11												10.96	11
10 11 12 13 14 15												10.89	13
13												10.80	13
14												10.77	14
15												10.75	15
1 0												10.74	17
17												10.65	17
16 19												10.69	1.0
19												10.69	19
20												10.66	20
21												10.59	52 51
5.5												10.69	5.5
23												10.70	52
24												10.70	24
25												10.62	25
26												10.€6	26
27												10.69	27
22 23 24 25 26 27 28 29 30 31												10.74	50
29												10.77	5.0
30												10.76	30
31												10.73	31
					-40	NTHLY SUMMAR	1 Y -						
MEAN												10.92	MEAN
INST												10.53	INST
MAX												(21)	MAX

ENVIRONMENT ONTARIO TORONTO PRESCOTT COUNTY

OBSERVATION WELL 521

OBSERVATION WELL 521 WELL REC #1 5201152
UTM CO-ORD: Z=18 E499950 N5027100
TOWNSHIP OF SOUTH PLANTAGENET CONC, 13 LOT 17 LAT 6 LONG: 45+02 NURTH 75 = 25HEST

REC METHOD: A71 RECORDER

REC COMMCD: APR. 03 1976

MEASURE PT: 1.8 FEET ABOVE GROUND SURFACE

GND ELEV: 220 FEET ABOVE SEA LEVEL

DEPTH OF HELL: 25.7 FEET

GUALITY: PRESH

HELL LOG: UNKNOWN 25.7.

			191	78				
DAILY	MEAN	WATER	LEVELS	IN	FEET	BELOW	GROUND	SURFACE

					many minima								
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NUV	DEC	DAY
1		23,83					23,99				23.45	23.79	1
ź		23,82					24.00				23,47	23.76	2
3		23,81					24.01				23,47	23,80	3
4		23,81					24.02				23,48	23.62	4
5		53,01					24,03				23,49	23,81	5
,					27 44		24.03					23,85	- 2
7					23,14						23.49	23,86	9
					23,11		24.05				23.49	23,00	
8					23,05	24.01	24.05				23,53	23,88	
9					22,98	24.02	24.06				23,55	23,83	9
10					23,00	24.05	24,06				23,56	23.88	10
11					23,00	24.00	24.06				23,56	23,91	11
12					22,92	23,99	24.08				23,59	23.93	15
13					22,87	23,98	24.09				23.61	23.92	13
13					22,63	24.00	24,09				23.62	23.93	14
15						23,99	24,12				23,64	23,95	15
16						23,99	24,13				23.63	23,99	16
17						23,98	24.14			23.31	23.62	23.99	17
18	23.89					23,96	24.13			23.30	21.67	23,98	18
19	23,91					23,95	2007/2002/0			23,30	23,68	23.96	19
20	23,89					23.96				23,32	25.68	24.00	50
51	23,87					23,96				23,34	23.64	24.02	21
22	23.89					23,96				23,34	23.71	24,01	55
23	23.88					23.95				23,35	23.73	24.02	5.2
24	23,86					23.96				23,38	23.74	24.04	24
25	23,85					23,97				23,39	23,73	24.05	25
26	23,79					23,96				23,38	23.73	24.04	25
27	23.86					23,97				23,40	23.73	24.06	27
28	23.87					23,96				23,42	23.72	24.11	28
29	23.85					23,96				23,44	23.76	24.12	29
30	23.84					23,97				23,46	23.79	24,11	30
31	23.84					63,77				23,46		24,10	31
31	23,04									224-0			
					- 40	NTHLY SUMM	ABV-						
MEAN						ATHE TOWN	AD 1 -				23.62	23,95	MEAN
HEAN													
INST											23.44	23.76	INST
MAX											(1)	(3)	MAX
2000												8.180	
INST											23,79	24.13	INST
MIN											(30)	(31)	MIN

ENVIRONMENT ONTARIO OBSERVATION HELL TORONTO TOWNSHIP OF HALLOWELL

OBSERVATION WELL 178

HELL REC #: 5300976 UTM CO-ORD: Z-18 E318640 N4873090 MT 2 LOT 2 LAT 8 LONG: 43-59NORTH 77-15HEST

REC METHOD: A35 RECORDER
REC COMMCD: JUL. 18 1966
MEASURE PT: 1.5 FEET ABOVE GROUND SURFACE
GND ELEV: 294 FEET ABOVE SEA LEVEL
HELL TYPE: DRILLED
HELL LOG: GRAVEL 10; LIMESTONE 100.

DIAMETER OF MELL: 6,25 INCHES LENGTH OF CASING: 10 FEET LENGTH OF SCREEN: MONE DEPTH OF MELL: 100 FEET

PUMP RATE: 5 IGPM SPEC, CAP: N.A. AGUIFER : LIMESTONE QUALITY : FRESH

1978

				DAILY ME	AN MATER L	EVELS IN F	EET BELOW	GROUND SUR	FACE				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
1 2 3 4 5 5 6 7 7 6 9 10 11 12 13 14 15 16 17 16 19 20 21 22 23 24 25 26 27 28 30 31	1.54 1.59 1.70 1.77	8			0.94 1.02 1.07 1.13 1.28 1.29 1.30 1.20	5,12 5,26 5,42 5,56				10,51 10,38 10,28 10,03 9,85 9,89 9,35 9,35 9,35 9,26 9,17 9,07 9,07 9,07 8,97 9,07 8,97 8,97 8,81 8,86 8,61 8,54	8 . 4 4 0 3 3 0 7 8 . 8 4 3 3 0 7 8 . 8 2 1 0 0 1 0 5 8 4 9 2 9 1 0 1 1 0 5 1 0 1 0 1 0 1 0 1 0 1 0 1 0	3,61 3,26 2,70 2,70 2,16 2,03 1,64 1,73 1,41 1,39 1,36 1,37 1,39 1,36 1,37 1,39 1,36 1,37 1,39 1,36 1,37 1,39 1,36 1,31 1,41 1,51 1,51 1,51 1,51 1,51 1,51 1,5	123456789011234567890122345678901
MEAN					-MQ	NTHLY SUMMA	RY=				6.75	1,84	MEAN
INST											3,93	1,35	INST
MAX											(30)	(50)	MAX
INST											8.51	(1)	INST

ENVIRONMENT ONTARIO TORONTO COUNTY OF RUSSELL

TOWNSHIP OF CLARENCE

#ELL REC #; 5602221 UTM CO-OHD! Z-64 E657005 N032220 CUNC, 6 LOT 181 LAT 6 LONG: 45 =03NURTH 75=27MEST OBSERVATION WELL 546

REC METHOD: A35 RECORDER
REC COMMON: SEP, 17 1977
LENGTH OF CASING: 111.5 FEET
SPEC, CAP: N.A.
MEASURE PT: 2.9 FEET ABOVE GROUND SURFACE
LENGTH OF SCREEN: NONE
REC COMMON: SEP, 17 1977
LENGTH OF CASING: 111.5 FEET
SPEC, CAP: N.A.
AGUIFER: SPEC, C

1978 DAILY MEAN WATER LEVELS IN FEET BELOW GROUND SURFACE

				0.0000000000000000000000000000000000000	26 11 11 11 11 11			N COLUMN	H 50.7				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	DAY
												60,56	1
1												60.40	2
3												60,89	3
3												60,59	á
-												60,36	- 5
5												60,57	
												40 AS	7
7												60,65 60,54 60,26	
8 9												10.34	9
9												60,20	
10 11 12 13											42.84	60.29	10
11											42.51	61,00	12
12											62,86 62,53 62,53	60.95	13
13											02,23	60.45	1.0
14											61.72	60.68	14
15											61.87	60.45	15
15 16 17 18											61,45	60,43	16
17											01.75	60,97	17
18											2020 2020	60,63	18
19											61,55	60.86	19
20											61,83	01.02	50
21											01.54	60.46	21
5.5											61.31	60.08	5.5
23											60,97	60,86	23
24											60.41	61.05	24
19 20 21 23 25 26 27 28											60.56		25
26											60,75		56
27											60,81		27
28											59.48		28
29											60.17		5.6
30											60,39		30
30 31													28 29 30 31
					-MO	NTHLY SUMM	ARY						
MEAN						-31							MEAN
INST													INST
MAX													MAX
INST													INST
MIN													MIN

ENVIRONMENT ONTARIO TORONTO STORMONT COUNTY

OBSERVATION WELL 520

OBSERVATIUM TOWNSHIP OF FINCH

WELL REC #: 5801519 UTM CO-ORD: Z-18 E496400 N5005200 CONC, 6 LOT 23 LAT 6 LONG: 45 = 13NORTH 75=12 WEST

REC METHOD: A71 RECORDER

REC COMMCD: APR. 04 1976

MEASURE PT: 1.0 FEET ABOVE GROUND SURFACE


GND ELEV: 325 FEET ABOVE SEA LEVEL


WELL LOGI UNKNOHN 6.2.


PUMP RATES N.A. SPEC. CAP: N.A. AQUIFER : UNKNOWN QUALITY : FRESM


1978


		3		DAILY ME	AN WATER I	LEVELS IN P	FET HELON	GROUND SUR	FACE				
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	DAY
1					2.47	3,73	4.14	4,85					1
ż					2.40	3.61	4.18	4,86					5
					2,41	3,87	4,23	4.87					3
3					2.46	3,83	4.19	4.88					4
					2.50	3.86	4,27	4,89					5
,					2,30	7.00	4.32	4.90					
6					2,63	3.93	7.77						7
7					2.72	3,98	4.37	4,92					
8					2.79	3,98	4.41	4.92					
9					2.85	3.84	4.45	4.93					
10					2.48	3,95	4.49	4.95					10
11					2.11	4,01	4,53	4.95					11
12					5.20	4.00	4,55	4.94					12
13					2,30	4.00	4.56	4.98					13
14					2,39	4.10	4,56	4.98					14
15					2,33	4,16	4,57	4.99					15
16				1,75	2.46	4,14	4.59	5.00					16
10				1.76	2,19	3.84	4,61	5.00					17
17				1.70	2 20	3.77	4.65	5.01					18
18				1.85	2,24		4,05						19
19				1.45	2,33	3,87	4,67	5.03					20
50				1.77	2.41	4.00	4,66						21
21				1.76	2,57	4.09	4,68						21
5.5				1,93	2.71	4,00	4.70						55
23				2,07	2.76	3,73	4,73						23
24				2,13	2.92	3,63	4.75						23 24 25
25				2,18	3,05	3,63	4.77						25
26				2,23	3.17	3,73	4,78						5.6
27				2,28	3,28	3,86	4.79						26
28				2,33	3,38	3,95	4.81						28
29				2,38	3.47	4.04	4.82						29
30				2,42	3,55	4.11	4,83						30
30				6,76	3,65	7.00	4.84						31
31					3,03		4,04						
					-MO	NTHLY SUMM	ARY						
MEAN					2,69	3,92	4,56						MEAN
INST					2.09	3,62	4.12						INST
MAX					(10)	(25)	(1)						MAX
0.00						17.7	251 5.5						
INST					3,69	4.21	4.84						INST
MIN					(31)	(16)	(31)						MIN













		Date I	ue		
<u> </u>	-			\top	
<u> </u>	+				
	-				
	-	-			
	<u> </u>	\rightarrow			
	_	+			
		+			
		-			
		-			
		+			

MOE/WRB/GWS/2-105
Ontario Ministry of the En
Data for observation
wells in Ontario 1978 aoqa
c.1 a aa